

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/248158558>

Tree-ring standardization and growth-trend estimation

Article · January 1990

CITATIONS
354

READS
1,122

4 authors, including:



Edward R Cook
Columbia University

142 PUBLICATIONS 10,988 CITATIONS

[SEE PROFILE](#)



S. G. Shiyatov
Russian Academy of Sciences

55 PUBLICATIONS 4,074 CITATIONS

[SEE PROFILE](#)



Valeriy Semenovich Mazepa
Institute of Plant and Animal Ecology, Ural Branch, Russian Academy of Sciences

19 PUBLICATIONS 967 CITATIONS

[SEE PROFILE](#)


Some of the authors of this publication are also working on these related projects:



Reconstruction of trans-boundary Chitral River discharge for the past 500 years based on tree-rings from the Hindukush Mountains [View project](#)



Scottish Pine Project [View project](#)



Methods of Dendrochronology

**Applications in the
Environmental Sciences**

Edited by

E. R. Cook and L. A. Kairiukstis

Springer-Science+Business Media, B.V.

INTERNATIONAL INSTITUTE FOR APPLIED SYSTEMS ANALYSIS

Methods of Dendrochronology

THE INTERNATIONAL INSTITUTE FOR APPLIED SYSTEMS ANALYSIS

is a nongovernmental research institution, bringing together scientists from around the world to work on problems of common concern. Situated in Laxenburg, Austria, IIASA was founded in October 1972 by the academies of science and equivalent organizations of twelve countries. Its founders gave IIASA a unique position outside national, disciplinary, and institutional boundaries so that it might take the broadest possible view in pursuing its objectives:

To promote international cooperation in solving problems from social, economic, technological, and environmental change

To create a network of institutions in the national member organization countries and elsewhere for joint scientific research

To develop and formalize systems analysis and the sciences contributing to it, and promote the use of analytical techniques needed to evaluate and address complex problems

To inform policy advisors and decision makers about the potential application of the Institute's work to such problems

The Institute now has national member organizations in the following countries:

Austria

The Austrian Academy of Sciences

Bulgaria

The National Committee for Applied Systems Analysis and Management

Canada

The Canadian Committee for IIASA

Czechoslovakia

The Committee for IIASA of the Czechoslovak Socialist Republic

Finland

The Finnish Committee for IIASA

France

The French Association for the Development of Systems Analysis

German Democratic Republic

The Academy of Sciences of the German Democratic Republic

Federal Republic of Germany

Association for the Advancement of IIASA

Hungary

The Hungarian Committee for Applied Systems Analysis

Italy

The National Research Council

Japan

The Japan Committee for IIASA

Netherlands

The Foundation IIASA-Netherlands

Poland

The Polish Academy of Sciences

Sweden

The Swedish Council for Planning and Coordination of Research

Union of Soviet Socialist Republics

The Academy of Sciences of the Union of Soviet Socialist Republics

United States of America

The American Academy of Arts and Sciences

Methods of Dendrochronology

Applications in the Environmental Sciences

Edited by

E. R. Cook

*Tree-Ring Laboratory, Lamont-Doherty Geological Observatory,
Columbia University, New York, U.S.A.*

and

L. A. Kairiukstis

*IIASA, Laxenburg, Austria and
Lithuanian Academy of Sciences, U.S.S.R.*



Springer-Science+Business Media, B.V.

Library of Congress Cataloging in Publication Data

Methods of dendrochronology : applications in the environmental science / E. Cook and L. Kairiukstis, editors.

p. cm.

Includes bibliographical references.

1. Dendrochronology. 2. Ecology. I. Cook, E. (Edward)
II. Kairiūkštis, Leonardas.

OK477.2.A6M48 1989

582.16'0372--dc20

89-48124

ISBN 978-90-481-4060-2 ISBN 978-94-015-7879-0 (eBook)

DOI 10.1007/978-94-015-7879-0

Reprinted 1992

Printed on acid-free paper

All Rights Reserved

© 1990 Springer Science+Business Media Dordrecht

Originally published by Kluwer Academic Publishers in 1990

No part of the material protected by this copyright notice may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system, without written permission from the copyright owner.

Preface

This book is a review and description of the state-of-the-art methods of tree-ring analysis with specific emphasis on applications in the environmental sciences. Traditionally, methods of tree-ring analysis, or more properly in this case *methods of dendrochronology*, were developed and used for dating archaeological and historical structures and for reconstructing past climates. The classic book *Tree Rings and Climate*, by H.C. Fritts, published in 1976, provided a superb introduction to the science and an in-depth description of techniques useful for extracting climatic information from tree rings. This book, which was published by Academic Press, is sadly out of print and, even though only 12 years old, limited in its methods and applications. This is owing to the extremely rapid development of the science since the 1970s.

Only recently have tree rings as environmental sensors been fully recognized as a valuable tool in detecting environmental change. For example, tree-ring measurements have been critically important in studies of forest decline in Europe and North America. There are also attempts to use tree-ring analysis for ecological prognosis to solve large-scale regional problems including the sustainability of water supplies, prediction of agricultural problems, and adoption of silvicultural measures in response to ecological changes. More speculatively, dendrochronological methods are also used for dating and evaluating some astrophysical phenomena and for indicating possible increase in the biospheric carrying capacity due to increased atmospheric carbon dioxide.

Such a wide range of application of modern dendrochronology beyond its traditional field has resulted in the development of various approaches. This has placed heavy demands on methodological unification and improvement. However, the principles and methods of tree-ring analysis are not widely known by scientists outside the field. In addition, papers on the application of tree-ring analysis are not always easily accessible as they are scattered in a wide range of journals, many of which are non-English. Therefore, an attempt to meet these

demands is being made through international cooperative efforts among the International Institute for Applied Systems Analysis (IIASA) and leading dendrochronological bodies, such as the International Tree-Ring Data Bank (ITRDB), the Dendrochronological Commission of the Academy of Sciences of the USSR, the International Project in Dendrochronology (IPID), as well as leading dendrochronology laboratories in countries around the world.

As a result of these activities, an international network has been established, East-West collaboration of scientists has been facilitated, several international workshops on dendrochronology (Albena, Bulgaria, 1985; Cracow, Poland, 1986; Irkutsk, USSR, 1987) have been organized, and, finally, this book – an international multi-author monograph, *Methods of Dendrochronology: Applications in the Environmental Sciences* – has been prepared. The book begins by describing the historical development of dendrochronology in countries in the West and East, and in the Northern and Southern Hemispheres. Chapter 2 introduces and defines the most important principles and methods for primary data collection and sample treatment. Chapters 3 and 4 cover the basic principles of tree-ring chronology development and methods of climatic reconstruction. Chapter 5 treats tree-ring/environment interactions and detection. Chapter 6 describes applications of dendrochronology in the study of future environmental changes. Therefore, this book fills existing gaps by bringing together, in one volume, an updated range of principles, concepts, and methods that will introduce the reader to the vast possibilities of tree-ring analysis. The emphasis is on reviewing old and new methods for extracting environmental information from tree rings. Considerable effort has been made to provide examples of the different methods especially when they are new or not well known.

The book is international in scope. Each chapter includes contributions from several scientists around the world with experience in the Northern and Southern Hemispheres. Scientists from the United States, the Soviet Union, the United Kingdom, the Federal Republic of Germany, and France are chapter leaders.

The authors and editors hope that this book will become a reference for foresters, climatologists, and broad-profile environmental scientists who are interested in applying the techniques of tree-ring analysis. As the importance of the science continues to expand in parallel with increasing global concerns about anthropogenic alterations of the environment, this book should appeal to a wide audience.

This publication on dendrochronology so wide in scope, particularly with respect to the East-West dimension, is a first, and the authors and editors are aware that some gaps or inequalities in the reviews of separate methods or preferences given to their applications may occur. That is why a truly international bibliography is included to direct readers to the most recent data sources or method descriptions, and to provide more in-depth reading for the interested scientist.

The editors remain indebted to colleagues at IIASA, particularly to Olivia Völker. Also, we are grateful for the help provided by two tree-ring laboratories in the USA: Lamont-Doherty Geological Observatory (G.C. Jacoby) of Columbia University and the University of Arizona Laboratory of Tree-Ring Research

(H.C. Fritts, W.J. Robinson, and M.K. Hughes). In addition, we are indebted to colleagues from the Dendroclimatological Commission of the Academy of Sciences of the USSR, who have played a very important role in the preparation of this book.

The following people deserve special mention for their important contributions to the development, preparation, and critical review of this book. They are: R.E. Munn, former Leader of the Environment Program, IIASA; T.M.L. Wigley, Director of the Climatic Research Unit, University of East Anglia; and J.R. Pilcher, Palaeoecology Laboratory, Queen's University, Belfast. We are also indebted to J. Barnard, Director of the National Vegetation Survey, and V. Adamkus, Great Lakes National Program Manager of the Environmental Protection Agency, both in the USA, for the financial support that made the final preparation of this manuscript possible.

Leonardas A. Kairiukstis
IIASA, Laxenburg, Austria
on leave from the
Lithuanian Academy of
Sciences, USSR

Edward R. Cook
Tree-Ring Laboratory
Lamont-Doherty
Geological Observatory
Columbia University, New York, USA

Contents

<i>Preface</i>	v
1. Some Historical Background on Dendrochronology <i>W.J. Robinson, E. Cook, J.R. Pilcher, D. Eckstein, L. Kairiukstis, S. Shiyatov, and D.A. Norton</i>	1
1.1. Dendrochronology in Western North America: The Early Years <i>W.J. Robinson</i>	1
1.2. Dendrochronology in Eastern North America <i>E. Cook</i>	8
1.3. Dendrochronology in Western Europe <i>D. Eckstein and J.R. Pilcher</i>	11
1.4. Dendrochronology in the USSR <i>L. Kairiukstis and S. Shiyatov</i>	13
1.5. Dendrochronology in the Southern Hemisphere <i>D.A. Norton</i>	17
2. Primary Data <i>Chapter Leader: J.R. Pilcher</i> <i>Chapter Contributors: F.H. Schweingruber, L. Kairiukstis, S. Shiyatov, M. Worbes, V.G. Kolishchuk, E.A. Vaganov, R. Jagels, and F.W. Telewski</i>	23
2.1. Sample Selection <i>F.H. Schweingruber, L. Kairiukstis, and S. Shiyatov</i>	23
2.2. Site and Sample Selection in Tropical Forests <i>M. Worbes</i>	35

2.3.	Sample Preparation, Cross-dating, and Measurement <i>J.R. Pilcher</i>	40
2.4.	Dendroclimatological Study of Prostrate Woody Plants <i>V.G. Kolishchuk</i>	51
2.5.	Radiodensitometry <i>F.H. Schweingruber</i>	55
2.6.	The Tracheidogram Method in Tree-Ring Analysis and Its Application <i>E.A. Vaganov</i>	63
2.7.	Computer-Aided Image Analysis of Tree Rings <i>R. Jagels and F.W. Telewski</i>	76
2.8.	Radioactive Isotopes in Wood <i>J.R. Pilcher</i>	93
3.	Data Analysis <i>Chapter Leaders: E. Cook and K. Briffa</i> <i>Chapter Contributors: S. Shiyatov, V. Mazepa, and P.D. Jones</i>	97
3.1.	Introduction <i>E. Cook and K. Briffa</i>	97
3.2.	A Conceptual Linear Aggregate Model for Tree Rings <i>E. Cook</i>	98
3.3.	Tree-Ring Standardization and Growth-Trend Estimation <i>E. Cook, K. Briffa, S. Shiyatov, and V. Mazepa</i>	104
3.4.	Estimation of the Mean Chronology <i>E. Cook, S. Shiyatov, and V. Mazepa</i>	123
3.5.	Correcting for Trend in Variance Due to Changing Sample Size <i>S. Shiyatov, V. Mazepa, and E. Cook</i>	133
3.6.	Basic Chronology Statistics and Assessment <i>K. Briffa and P.D. Jones</i>	137
3.7.	A Comparison of Some Tree-Ring Standardization Methods <i>E. Cook and K. Briffa</i>	153
4.	Methods of Calibration, Verification, and Reconstruction <i>Chapter Leaders: H.C. Fritts and J. Guiot</i> <i>Chapter Contributors: G.A. Gordon and F. Schweingruber</i>	163
4.1.	Introduction <i>H.C. Fritts</i>	163
4.2.	Methods of Calibration <i>J. Guiot</i>	165
4.3.	Verification <i>H.C. Fritts, J. Guiot, and G.A. Gordon</i>	178

4.4.	Comparison of the Methods <i>J. Guiot</i>	185
4.5.	Statistical Reconstruction of Spatial Variations in Climate Using 65 Chronologies from Semiarid Sites <i>H.C. Fritts</i>	193
4.6.	Visual Analysis <i>F. Schweingruber</i>	211
4.7.	Conclusions <i>H.C. Fritts</i>	214
5.	Tree-Ring/Environment Interactions and Their Assessment <i>Chapter Leader: D. Eckstein</i> <i>Chapter Contributors: J. Innes, L. Kairiukstis, G.E. Kocharov,</i> <i>T.H. Nash, W.B. Kincaid, K. Briffa, E. Cook, F. Serre-Bachet,</i> <i>L. Tessier, D.J. Downing, S.B. McLaughlin, H. Visser, J. Molenaar,</i> <i>F.H. Schweingruber, D.A. Norton, and J. Ogden</i>	219
5.1.	Introduction <i>D. Eckstein</i>	219
5.2.	Qualitative Assessment of Past Environmental Changes <i>D. Eckstein</i>	220
5.3.	General Aspects in the Use of Tree Rings for Environmental Impact Studies <i>J. Innes</i>	224
5.4.	Measuring the Chemical Ingredients in Tree Rings <i>L. Kairiukstis and G.E. Kocharov</i>	229
5.5.	Statistical Methods for Detecting Environmental Changes <i>T.H. Nash and W.B. Kincaid</i>	232
5.6.	Methods of Response Function Analysis <i>K. Briffa and E. Cook</i>	240
5.7.	Response Function Analysis for Ecological Study <i>F. Serre-Bachet and L. Tessier</i>	247
5.8.	Detecting Shifts in Radial Growth by Use of Intervention Detection <i>D.J. Downing and S.B. McLaughlin</i>	258
5.9.	Detecting Time-Dependent Climatic Responses in Tree Rings Using the Kalman Filter <i>H. Visser and J. Molenaar</i>	270
5.10.	Dendroecological Information in Pointer Years and Abrupt Growth Changes <i>F.H. Schweingruber</i>	277
5.11.	Problems with the Use of Tree Rings in the Study of Forest Population Dynamics <i>D.A. Norton and J. Ogden</i>	284

6.	Tree Rings in the Study of Future Change <i>Chapter Leaders: L. Kairiukstis and S.G. Shiyatov</i> <i>Chapter Contributors: G.E. Kocharov, V. Mazepa, J. Dubinskaite, E. Vaganov, T. Bitvinskas, and P.D. Jones</i>	289
6.1.	Tree Rings: A Unique Source of Information on Processes on the Earth and in Space <i>G.E. Kocharov</i>	289
6.2.	Outline of Methods of Long-Range Prognosis on the Basis of Dendrochronological Information <i>L. Kairiukstis and S.G. Shiyatov</i>	296
6.3.	Spectral Approach and Narrow Band Filtering for Assessment of Cyclic Components and Ecological Prognoses <i>V. Mazepa</i>	302
6.4.	Harmonic Analysis for Ecological Prognoses <i>L. Kairiukstis and J. Dubinskaite</i>	308
6.5.	Examples of Dendrochronological Prognoses <i>L. Kairiukstis, E. Vaganov, and J. Dubinskaite</i>	323
6.6.	Prognosis of Tree Growth by Cycles of Solar Activity <i>T. Bitvinskas</i>	332
6.7.	Possible Future Environmental Change <i>P.D. Jones</i>	339
	<i>Appendix A</i>	341
	<i>Appendix B</i>	345
	<i>Appendix C</i>	349
	<i>References</i>	351
	<i>The Authors</i>	393

This definition of G_t suggests that the common climatic component, C_t , may be the signal of interest, since A_t , $D1_t$, and $D2_t$ are considered collectively as non-climatic variance or noise. These definitions of signal and noise are implicit when standardizing tree-ring series for dendroclimatic studies (Fritts, 1976). They will be maintained throughout this section on tree-ring standardization and chronology development, with the realization that other applications of tree-ring analysis may define signal and noise differently.

3.3. Tree-Ring Standardization and Growth-Trend Estimation

E. Cook, K. Briffa, S. Shiyatov, and V. Mazepa

3.3.1. Introduction

The estimation and removal of G_t from a ring-width series has been a traditional procedure in dendrochronology since its modern-day development by A.E. Douglass (1914, 1919). This procedure is known as standardization (Douglass, 1919; Fritts, 1976). Early workers searching for climatic signals in the ring-width series of old conifers identified long-term growth trends in measured ring-width data that could confidently be attributed solely to tree aging. In general, many factors can influence tree growth. However, by careful selection of long-lived trees growing in climatically stressed sites, early workers attempted to ensure that non-climatic growth influences such as competition and defoliation were minimized (Douglass, 1914). In this way, the selected trees were likely to have a strong climate signal, and the ring-width series were such that unwanted noise (resulting from tree aging) could be unambiguously identified. Schulman (1945b) described the purpose of standardization as follows:

To obtain a mean curve representing trees of various ages, the usual procedure is to "standardize" the individual tree curves by computing percentage departures from a trend line fitted to the curve and then to average the standardized values. Thus the large average growth rate of youth is reduced to conform with slower growth of maturity and old age.

From this quote, it is clear that the original intent of standardization was two-fold: (1) to remove non-climatic age trends from the ring-width series and (2) to allow the resultant standardized values of individual trees to be averaged together into a mean-value function by adjusting the series for differential growth rates due to differing tree ages and differences in the overall rate of growth. The "percentage departures" described by Schulman (1945b) are commonly known today as "tree-ring indices" (Fritts, 1976). Fritts and Swetnam (1986) provide an excellent description of the sequential process of trend removal, indexing, and averaging used in dendrochronology.

Standardization transforms the nonstationary ring widths into a new series of stationary, relative tree-ring indices that have a defined mean of 1.0 and a

relatively constant variance. This is accomplished by dividing each measured ring width by its expected value, as estimated by G_t . That is,

$$I_t = R_t/G_t \quad (3.1)$$

where I_t is the relative tree-ring index. When standardizing ring-width data, the indices are produced by division instead of differencing because ring-width series are heteroscedastic. That is, the local variance of ring widths is generally proportional to the local mean, where local is defined as some subinterval of time within the time span covered by the ring widths. The actual relationship is usually positive and linear between the ring-width means and their standard deviations when compared over time. *Figure 3.4(a)* shows a plot of 10-year mean ring widths versus their standard deviations for a collection of lodgepole pine (*Pinus contorta*) ring-width series. The positive correlation ($r = .67$) is quite apparent. *Figure 3.4(b)* shows the same data after the ring-width series have been standardized using negative exponential and linear regression curves. The correlation between mean and standard deviation ($r = .10$) is now largely gone.




Figure 3.4. The relationship between the mean and standard deviation of tree-ring data before and after standardization. *Figure 3.4(a)* shows the scatter-plot of 10-year mean ring widths versus their standard deviations. The correlation is $r = .67$. In *Figure 3.4(b)*, after standardization and reduction of the ring widths to indices, the linear dependence between the mean and standard deviation is for the most part gone ($r = .10$).

Another way of stabilizing the variance is by transforming the ring widths to logarithms. In this case, the resultant indices are computed by subtracting $\log_e G_t$ from $\log_e R_t$, not by dividing as above. That is,

$$\log_e I_t = \log_e R_t - \log_e G_t \quad . \quad (3.2)$$

Problems arise in employing the logarithmic transformation to ring widths when the series has locally absent rings, which are typically coded as zero when using equation (3.1) to estimate I_t . Since the logarithm of zero does not exist, it has been suggested (e.g., Warren, 1980) that some arbitrarily small positive number replace the zero. This procedure may impart a statistically significant negative skew to the probability distribution of $\log_e I_t$ if the chosen number is too small. In addition, a logarithmic transformation of the form in equation (3.2) may over-correct the heteroscedasticity and impart a negative dependence between the mean and standard deviation. Preliminary research indicates that the correct transformation of ring-width series to stabilize the variance is $\log_e(R_t + c)$, where c is a constant estimated from the series being transformed. That a simple logarithmic transformation will not be correct all of the time is illustrated in *Figure 3.5* for two white oak (*Quercus alba*) ring-width series. The lower series shows the typical linear dependence between the local 10-year means and their standard deviations [$r = .77$, *Figure 3.5(b)*]. A logarithmic transformation is clearly justified. In contrast, the upper ring-width series from the same stand of trees has no significant linear dependence between the local means and standard deviations [$r = .08$, *Figure 3.5(a)*]. Therefore, a logarithmic transformation is not justified in this case. These examples indicate the need for additional research to determine the best way to stabilize the variance of tree-ring indices by transformation.

The method of computing tree-ring indices as ratios has a long history in dendrochronology (Douglass, 1936; Schulman, 1956; Fritts, 1976). However, with the development of X-ray densitometry, additional tree-ring variables can be measured that also require some form of standardization. Bräker (1981) analyzed the properties of six tree-ring variables (total ring width, earlywood width, latewood width, latewood percentage, minimum earlywood density, and maximum latewood density) for conifer tree species growing in Switzerland. He found that latewood percentages and density data were properly standardized as differences from the estimated growth trend, not as ratios. Bräker (1981) justified the computation of differences because latewood percentages and density data do not usually show a clear dependence between mean and variance. However, Cleaveland (1983) found that maximum latewood densities of semiarid-site conifers in the western United States still required indexing by the ratio method to stabilize the variance. As more experience is gained in standardizing these comparatively new tree-ring variables, a preferred method of computing indices may be determined.

Because tree-ring indices are stationary processes having a defined mean and homogeneous variance, the index series of many trees from a site can be averaged together to form a mean-value function. Strictly speaking, it is not valid to average together nonstationary processes, like the majority of ring-width series, because such processes do not possess a defined mean or variance. While it is possible to compute the mean and variance of a ring-width series for a specific time period, it is incorrect to use these statistics as expectations for other




Figure 9.5. The variability in the mean-to-standard deviation relationship in two white oak (*Quercus alba*) ring-width series from the same stand. The bottom series (b) has the normally expected linear dependence, while the upper series (a) has no significant relationship. A logarithmic transformation to stabilize the variance would be appropriate for the lower series, but not for the upper series.

time periods or to use them as within-series estimates of the population parameters. This same problem carries through in a cross-sectional or between-series sense, where the lack of a defined sample mean makes the concept of estimating the between-series population mean invalid.

The mean-value function of tree-ring indices is frequently used to study past climate (Fritts, 1976). When climate (i.e., C_t in the linear aggregate model) is the signal of interest, all other information in the ring widths (i.e., A_t , $D1_t$, $D2_t$, and E_t) is considered as noise and discarded as a compound form of G_t or minimized through averaging into the mean-value function.

Many methods are available for estimating G_t . They fall into two general classes: deterministic and stochastic. The deterministic methods typically involve fitting an *a priori* defined mathematical model of radial growth to the ring-width series, by the method of least squares. Ordinarily, it is assumed that $G_t = f(A_t)$, with $D1_t$ and $D2_t$ absent or negligible. The stochastic methods are more data-adaptive, and often are chosen by *a posteriori* selection criteria. These methods allow for the more general case, $G_t = f(A_t, \delta D1_t, \delta D2_t)$. As will be seen, each class of models has its advantages and disadvantages.

3.3.2. Deterministic methods of growth-trend estimation

The simplest deterministic model is the linear trend model, *viz.*,

$$G_t = b_0 + b_1 t \quad , \quad (3.3)$$

where b_0 is the y-intercept, b_1 is the slope of the fitted linear regression line, and t is time in years from 1 to n . *Figure 3.1(c)* shows a linear trend line fit to a ring-width series. The slope coefficient, b_1 , may be constrained to be negative or zero if the *a priori* expectation of G_t requires it. However, as noted earlier, G_t may also be negative exponential in form because of the *geometrical constraint* argument. Therefore, Fritts *et al.* (1969) suggest fitting the modified negative exponential curve of the form

$$G_t = a \exp^{-bt} + k \quad , \quad (3.4)$$

where a , b , and k are coefficients of this nonlinear regression function, all a function of time t . *Figure 3.1(a)* shows an example of this curve fit. Other functions have been used for estimating the age trend of ring-width series, such as the negative exponential curve (Fritts, 1963)

$$G_t = a \exp^{-bt} \quad , \quad (3.5)$$

which is a special case ($k = 0$) of equation (3.4); the hyperbolic function (Eklund, 1954)

$$1/G_t = a + b(t - k) \quad , \quad (3.6)$$

where k is the middle year (i.e., $k = n/2$) of the series; the power function (Kuusela and Kilkki, 1963)

$$G_t = at^{-b} \quad , \quad (3.7)$$

the generalized exponential or "Hugershoff" function (Warren, 1980; Bräker, 1981)

$$G_t = at^b \exp^{-at} \quad ; \quad (3.8)$$

and the Weibull probability density function (Yang *et al.*, 1978)

$$G_t = at^{a-1} b^{-a} \exp[-(t/b)^a] \quad . \quad (3.9)$$

Equations (3.8) and (3.9) are able to fit both the juvenile increase in radial growth and the subsequent exponential decay of ring width as trees mature. These functions are more theoretically complete than the other models, which can only fit the maturation phase of declining radial growth.

These deterministic models produce monotonic or unimodal curves, which clearly require that the observed growth trend be simple in form. However, Warren (1980) made his fitting procedure much more general by allowing the age trend to be modeled as a temporal aggregate of generalized exponential functions. This allowed Warren (1980) to fit a series of suppression-release events in his tree rings. And, except for equations (3.3) and (3.4), all have a limiting value of zero for G_t as t grows large. This property is unsatisfactory for many trees that approach a constant level of ring width in old age, hence the preference for equation (3.4) over equation (3.5) by Fritts *et al.*, (1969) for standardizing semiarid-site, old-age conifers. The deterministic growth-trend models described above are most appropriate for open-canopy stands of undisturbed trees and for young trees with strong juvenile age trends. It is also clear that these models only depend on time t for predictive purposes. Thus, they are deterministic. The last two models [equations (3.8) and (3.9)] have not been widely used in dendrochronology, although their use in forest mensuration to estimate growth increment functions is more common.

Another family of deterministic growth-trend models is found in polynomial detrending (Jonsson and Matern, 1974; Fritts, 1976; Graybill, 1979). This model for G_t has the form

$$G_t = b_0 + b_1t + b_2t^2 + \cdots + b_pt^p \quad . \quad (3.10)$$

The linear-trend model is just a special case of this polynomial model. This method of growth-trend estimation is not based on any *a priori* age-trend model. Rather, a best-fit, order- p polynomial, which is initially unknown, is fit to a ring-width series based on the behavior of that series alone. It is far more *ad hoc* and data adaptive than the previous models, although it still maintains its dependence on time alone for predictive purposes. Polynomial detrending of the form above suffers from problems of order selection, potentially severe end-fitting problems, and poor local goodness-of-fit (Cook and Peters, 1981; Briffa, 1984; Cook, 1985). In spite of their wide usage in the past, polynomials of the form of equation (3.10) are not recommended as a general method for detrending ring-width series.

In the rare situations where the age trend is known to have a simple deterministic form based on theoretical considerations, the best approach is to describe that trend with an appropriate mathematical model. This is the most concise and directly communicable way of describing and explaining the character of the age trend. Nevertheless, assuming a mathematical function for describing trends in tree growth may be unnecessarily restrictive. Problems increasingly arise when this approach is used in situations where trends are complex or where it is necessary to remove relatively medium or short time scale variation in tree-ring data during standardization. Functional growth equations are often too simple.

A more basic weakness of the method is that the goodness-of-fit varies with time because of time-dependent stochastic departures from the theoretical model. Thus, noise-related medium-frequency variance may be retained in some parts of the series, yet removed in others. This may introduce spurious medium frequency variations into the standardized series.

Given the inherent limitations and potential problems of deterministic growth-trend models in fitting the low- and middle-frequency stochastic perturbations commonly found in ring-width series (see *Figures 3.1-3.3*), stochastic methods of growth-trend estimation have been investigated. These methods fall within the realms of low-pass digital filtering (Parker, 1971; Cook and Peters, 1981; Briffa *et al.*, 1983), exponential smoothing (Barefoot *et al.*, 1974), and differencing (Box and Jenkins, 1970). These methods will be described next.

3.3.3. Stochastic methods of growth-trend estimation

Low-Pass Digital Filtering

Low-pass digital filtering typically involves passing an odd-numbered set of symmetrical, low-pass filter weights over a ring-width series to produce a smoothed estimate of the actual series. This is accomplished as

$$G_t = \frac{\sum_{i=-n}^{+n} w_i R_{t+i}}{\sum_{i=-n}^{+n} w_i} \quad , \quad (3.11)$$

where G_t is the t th filtered value and where w_i is the weight by which the value of the series i units removed from t is multiplied. There are $2n+1$ filter weights. Equation (3.11) clearly shows that this digital filter is a centrally weighted moving average of the actual data. The w_i tapers off equally on both sides of the maximum central weight until the outermost weights are arbitrarily close to zero. These weights may be derived from the Gaussian probability distribution function and tailored to have a particular frequency response (Mitchell *et al.*, 1966; Briffa, 1984). Alternately, the cubic-smoothing spline can be used as a symmetrical, low-pass digital filter (Cook and Peters, 1981), without the need to compute explicitly the filter weights.

Symmetrical filters of this type preserve the original phase information of the unfiltered time series in the filtered values. In the past, equally weighted (i.e., $w_i = 1.0$ for all i) moving averages have been advocated for standardizing tree-ring series (e.g., Bitvinskas, 1974). This form of digital filter cannot be recommended under any circumstances because it causes undesirable phase shifts in the smoothed age-trend estimates and distortion in the power spectrum of the resultant standardized tree-ring indices. Fritts (1976) and Briffa (1984) detail the use of digital filters in tree-ring analysis.

The degree of smoothness of the low-pass filter estimates of G_t depends on the characteristic frequency response of the filter. For the Gaussian filter, the response is approximately

$$u(f) = \exp(-2\pi^2 s_G f^2) \quad , \quad (3.12)$$

where s_G equals $L/6$ and L is the length of the filter (Briffa, 1984). For the cubic-smoothing spline (Cook and Peters, 1981), the frequency-response function is computed as

$$u(f) = 1 - \frac{1}{1 + \frac{p(\cos 2\pi f + 2)}{6(\cos 2\pi f - 1)^2}} \quad , \quad (3.13)$$

where p is the Lagrange multiplier that uniquely defines the frequency response of the spline. The 50% frequency-response cutoff, which is the frequency at which 50% of the amplitude of a signal is retained (or removed), is typically used to define the degree of smoothing by a digital filter. For the smoothing spline, it can be defined in terms of p as

$$p = \frac{6(\cos 2\pi f - 1)^2}{\cos 2\pi f + 2} \quad . \quad (3.14)$$

Equations (3.12)–(3.14) assume a sampling interval of one year, which is typical for tree-ring series. Figure 3.6 shows some characteristic frequency-response functions of the Gaussian filter and smoothing spline. The transition bandwidth

of each filter, which is defined as the bandwidth of frequencies between $u(f) = 0$ and $u(f) = 1$, is rather broad in each case. The response of the spline filter is steeper than that of the Gaussian filter, which means that the latter will leave in slightly more low-frequency variance for a given 50% response cutoff. Although the transition bandwidths in *Figure 3.6* could be criticized for being too broad, they are probably satisfactory for estimating G_t – given the considerable uncertainty in knowing what degree of smoothing to use.




Figure 3.6. Some characteristic frequency-response functions of the Gaussian filter (solid curves) and the cubic-smoothing spline (dashed curves). The 50% frequency-response cutoff in years is given for each filter. (Modified from Briffa, 1984.)

There is often little theoretical basis for selecting the *proper* degree of curve flexibility or data smoothing when using digital filters. For this reason, a chosen digital filter can be rather difficult to justify. Briffa *et al.* (1983) used *a priori* information about stand-management practices in Europe to select the frequency response for their low-pass filter used in estimating G_t . Their selection criterion is based on the concept that the unwanted noise in the ring widths is frequency dependent (Briffa *et al.*, 1986). In this case, it was felt that the noise was largely restricted to wavelengths longer than about 50 years. A similar determination was made by Cook and Peters (1981) and Blasing *et al.* (1983), based on using the cubic-smoothing spline as a digital filter on ring widths from North American trees. However, the filters advocated by these studies may be too flexible for general use.

Given that the frequency dependent properties of the noise (i.e., the band-limited spectral properties of the age trend and stochastic disturbance effects) will be unknown *a priori* in many situations, how might the *appropriate* or *optimal* frequency response be selected objectively? One possible criterion is based on the signal-to-noise ratio (SNR) (Wigley *et al.*, 1984). The SNR is defined as

$$\text{SNR} = N\bar{r}/(1 - \bar{r}) \quad , \quad (3.15)$$

where \bar{r} is the average correlation between trees and N is the number of trees in the ensemble of standardized tree-ring indices. SNR is an expression of the strength of the observed common signal among trees in the ensemble. Tuning the frequency response of the digital filter to maximize the SNR would seem to be one optimal and objective criterion. Two examples, in *Table 3.1*, show how the SNR of tree-ring indices can change as the frequency response of a Gaussian filter is tuned to maximize that criterion. In example A, a peak in SNR is indicated for the filter with a 50% frequency response of 40 years. However, for example B, the SNR increases all the way to the minimum 50% frequency response of 10 years. This result indicates that there may not be a clear maximum SNR in the low-to-intermediate frequencies of some tree-ring chronologies, which will make the application of the maximum SNR criterion more difficult. The maximum SNR criterion is also flawed because it assumes, in the derivation of equation (3.15), that the series being cross-correlated is serially random. This means that the SNR is best suited for measuring the strength of the observed high-frequency signal in the tree-ring indices, not the persistent, low-frequency signal that may of interest in the study of climatic change. Thus, the maximum SNR criterion may be biased toward selecting a digital filter that removes an excessive amount of low-frequency variance during standardization.

Table 3.1. The effect of different Gaussian low-pass filters on the fractional common variance (\bar{r}) and signal-to-noise ratio (SNR) of an ensemble of standardized tree-ring indices (Briffa, 1984). The tree-ring data are from oak sites in the United Kingdom. The 50% frequency response of each filter is given in years. Each analysis is based on 14 trees for the time period 1880–1979.

<i>Example A</i>			<i>Example B</i>		
<i>Filter length</i>	$\bar{r} \times 100$	<i>SNR</i>	<i>Filter length</i>	$\bar{r} \times 100$	<i>SNR</i>
10 years	30.09	6.03	10 years	46.54	20.03 ^a
20 years	30.90	6.26	20 years	41.93	16.61
30 years	32.08	6.61	30 years	39.18	14.81
40 years	32.83	6.84 ^a	40 years	38.06	14.14
50 years	32.77	6.83	50 years	37.53	13.82
60 years	32.42	6.72	60 years	36.94	13.47

^aDenotes the maximum \bar{r} and SNR.

Blasing *et al.* (1983) examined another objective criterion for choosing the optimum filter response of the smoothing spline. They selected a filter for standardization that produced the best tree-ring chronology for dendroclimatic reconstruction. In their example, Blasing *et al.* (1983) reconstructed total annual precipitation for Iowa from white oak (*Quercus alba*) tree-ring chronologies standardized with splines of differing frequency response. They determined the optimum frequency response from the chronology, which produced the reconstruction that verified best against independent data. In this case, the optimum spline had a 50% frequency response of about 50 years, a value similar to example A in Table 9.1. It is not clear whether this technique will be widely applicable, however, because it depends on having long, homogeneous climatic records for reconstruction and verification. This will not be the case for many regions of the world where tree-ring analysis can be done. In addition, this optimization rule depends on having tree-ring data that can strongly model the climatic data. This may not be the case in many mesic forest environments where climate has a weaker and less-direct impact on tree growth than was the case for the Iowa oaks.

Another possible criterion for objectively selecting an optimal digital filter for standardization is related to the concept of "trend in mean" (Granger, 1966). From the theory of spectral analysis (Jenkins and Watts, 1968), the lowest-frequency harmonic that can be theoretically resolved in a time series has a frequency $f = 1/n$, where n is the length of the series. This is the fundamental frequency of the process (Jenkins and Watts, 1968). The fundamental frequency corresponds to one complete sine wave with a cycle length of n years. According to the definition of trend in mean, any variance at wavelengths longer than the observed time series ($f < 1/n$) cannot be differentiated from pure trend ($f = 0.0$), unless strong *a priori* information on climatic variability and the properties of the ring-width data allow for it. For example, if it is known that the sampled trees are temperature sensitive and that the trend in temperature for the recent past has been positive for the region where the trees were sampled, then any positive trend in ring width may be related to the positive trend in temperature. In this case, ring-width series with positive trends should be standardized with deterministic curves that are constrained to be non-positive in trend. Obviously, care must be taken to ensure that the observed positive trend in ring width is not due to non-climatic effects, such as a release from competition. However, for the majority of cases, trend in mean can be used as the basic definition of the theoretical resolvable limit of climatic information in tree-ring chronologies.

Given the above definition of trend in mean, another objective criterion for selecting the optimal frequency response of a digital filter is as follows. Select a 50% frequency-response cutoff in years for the filter that equals some large percentage of the series length, n . This is the $\%n$ criterion described in Cook (1985). The results of Cook (1985) suggest that the percentage is 67% n to 75% n based on using the cubic-smoothing spline as a digital filter. The $\%n$ criterion ensures that little low-frequency variance, which is resolvable in the standardized tree rings, will be lost in estimating and removing the growth trend. This criterion also has a bias of sorts because of the stiff character of the low-pass filter estimates of the growth trend. It will not necessarily guarantee and, in fact, will

rarely possess any kind of optimal goodness-of-fit. Thus, the SNR of an ensemble of tree-ring indices standardized by the $\%n$ criterion will usually be inferior to those standardized by the maximum SNR criterion. The SNR of $\%n$ standardized indices can, of course, be increased by adding additional trees to the ensemble. Additional increases in SNR are also possible by prewhitening the detrended indices as autoregressive processes and by using a robust mean in estimating the mean-value function (Cook, 1985). The last two approaches will be described in Sections 3.4.2 and 3.4.3. Either way, the drawback of lower SNR for the $\%n$ method can be ameliorated.

Figure 3.7 compares cubic-smoothing spline estimates of G_t for three red spruce ring-width series using a $67\%n$ criterion (solid line) and a fixed, 50% frequency-response cutoff of 60 years (dashed line). The 60-year cutoff is not the exact maximum SNR criterion, but it is much closer to it than the $67\%n$ curves. The differences in the curve fits are readily apparent. The $67\%n$ criterion does a poor job in tracking medium-frequency (10–30 years) fluctuations within each series that sometimes disagree with contemporaneous fluctuations in the other series. Examples of this lack of synchrony are found in the 1850s and 1950s of series (b). If signal is defined as information in the tree rings that is common to all trees in the ensemble, then the $67\%n$ criterion does not eliminate noise as well as the 60-year cutoff. On the basis of noise reduction performance alone, the adequacy of the $67\%n$ criterion will usually depend more on sufficient replication to average out endogenous-style growth fluctuations and on additional noise reduction techniques such as robust mean estimation and autoregressive modeling. All of these noise reduction techniques assume that common, exogenous non-climatic variance ($D2_t$) is not present in the ensemble. If $D2_t$ variance is known to be present either *a priori* or by strong inference, then more flexible filters may be necessary to remove that component.

The $\%n$ and maximum SNR criteria represent two reasonable and objective limits for selecting the frequency response of the digital filter and, therefore, the degree of flexibility of the resultant low-pass filter estimates of the age trend. If high-frequency information is of sole interest in a tree-ring chronology, then the latter criterion will probably be preferred if other noise reduction techniques, such as autoregressive modeling, are not used. However, if tree-ring series are to be used to study climatic and environmental change at virtually all resolvable wavelengths in a tree-ring chronology, then the $\%n$ criterion should be considered as a criterion of smoothness for the digital filter.

Although digital filtering, as described above, is attractive for estimating the non-climatic growth trend in ring-width series, a theoretical drawback of this method should be noted. The symmetry of the filter weights in equation (3.11) requires both past and future ring widths to estimate the central smoothed value for each year. This model for low-frequency changes in ring width is obviously incorrect because trees cannot possibly anticipate radial growth performance of future years in developing an expectation for ring width for the current year. The predisposition to grow at a certain potential rate must come only from the past. This means that one-sided or causal filters (Robinson and Treital, 1980) of the general form




Figure 3.7. A comparison of two selections of smoothing ring-width data using the cubic-smoothing spline. The solid lines indicate spline values based on a 50% frequency-response cutoff of $67\%n$, where n is the series length in years. The dashed lines indicate splines with fixed 50% frequency-response cutoffs of 60 years. The more flexible curve fit is clearly superior on an individual series basis. However, with sufficient replication and the use of other noise reduction techniques, the $\%n$ criterion may be used if the need to preserve potentially resolvable long-term climatic variance is important.

$$Z_t = \sum_{i=1}^{-\infty} \Psi_i e_{t-i} + e_t \quad (3.16)$$

are more appropriate for modeling certain aspects of the persistence or predictability in ring width from year to year. Equation (3.16) is the general linear process, which serves as the foundation for autoregressive-moving average (ARMA) time series modeling (Box and Jenkins, 1970). The general linear process and its finite ARMA derivatives are causal filters because only current and past information is necessary for the evolution of the observed process. The use of ARMA models in tree-ring chronology development will be described more fully, later.

Exponential Smoothing

A quite different stochastic estimate of G_t is possible by using exponential smoothing (Barefoot *et al.*, 1974). The smoothing function chosen by Barefoot *et al.* (1974) consists of two components: an average, \bar{R}_t , and a lag correction for trend, \tilde{R}_t . This is expressed as

$$G_t = \alpha \bar{R}_t + (1 - \alpha) \alpha \tilde{R}_t \quad , \quad (3.17a)$$

where G_t is the smoothed estimate for year t ,

$$\bar{R}_t = \alpha (R_t - 1) + (1 - \alpha) (\bar{R}_{t-1}) \quad , \quad (3.17b)$$

and

$$\tilde{R}_t = \alpha (R_t - R_{t-1}) + [(1 - \alpha)/\alpha] (\tilde{R}_{t-1}) \quad . \quad (3.17c)$$

The quantity α is a weighting factor that determines the degree of smoothing or how much past information on ring width enters into the current estimate. The influence of past ring widths decays exponentially as $(1 - \alpha)^n$, where n is the number of years prior to the current estimate. Barefoot *et al.* (1974) selected $\alpha = 0.2$ to smooth their ring widths, which allows the previous 10–15 years of data to influence the current estimate of G_t . In contrast to the symmetrical digital filter, exponential smoothing operates as a one-sided, causal filter (Robinson and Treital, 1980) that only relies on current and prior values in its estimation. As noted earlier, this is a desirable property in that the estimates of G_t evolve through time in the same way that trees grow. However, the selection of α may be series dependent and difficult to select. In this sense, it has the same problem as digital filtering.

Abraham and Ledolter (1983) review exponential smoothing techniques and suggest selecting an α that minimizes the one-step ahead prediction error variance. This criterion for α , if adequate, will produce a series of random residuals from the smoothing function. Except in rare cases where a serially random tree-ring series is of interest, an α based on minimizing the prediction mean-square error will remove too much low-frequency variance for climatic studies. The one-sided form of equation (3.17a) is conceptually appealing, but additional research is needed on developing objective guidelines for choosing the smoothing constant for tree-ring standardization.

Differencing

Another method of stochastic detrending is based on differencing (Box and Jenkins, 1970; Van Deusen, 1987). In this approach, a ring-width series is considered to be a random walk with deterministic drift. This process has the form

$$R_t = R_{t-1} + e_t + \delta \quad , \quad (3.18)$$

where R_t is the observed ring width, e_t is a serially uncorrelated random shock, and δ is the deterministic drift of the process that may also be thought of as a constant slope parameter. By taking first differences of R_t (usually after logarithmic transformation) as

$$\nabla R_t = R_t - R_{t-1} \quad , \quad (3.19)$$

the deterministic drift, which imparts linear trend to the R_t , is nothing more than the arithmetic mean of ∇R_t . However, the trend that is removed by differencing is actually stochastic, rather than deterministic. This is easily seen by noting that the conditional expectation of R_t given R_{t-1}, R_{t-2}, \dots is $E(R_t) = R_{t-1} + \delta$. Since R_{t-1} is subject to random shocks in the form of e_t , the deterministic trend component of $E(R_t)$ is also subjected to random shocks. Thus, the trend changes stochastically.

The advantage of differencing lies in its simplicity, causal structure, and total objectivity. There are no parameters to estimate, and the method is insensitive to ring widths more than one year apart. The latter property makes differencing especially attractive when old tree-ring collections are updated. The addition of new rings to each series will have no effect on the way that the detrended tree rings are produced. In this sense, differencing is locally robust as a detrending method when new data are added, which is not the case for deterministic least squares methods of detrending.

The disadvantage of differencing is the way in which the method acts as a high-pass filter. Virtually all low-frequency variance is attenuated and the high, year-to-year variance is emphasized. This property follows from the notion that the differenced series is nothing more than a numerical estimate of the 1st-

derivative of the process (Van Deusen, 1987). Thus, each differenced value is the relative rate of change in ring width from one year to the next. The severe attenuation of low-frequency variance in the first differences means that the resultant tree-ring chronology will not exhibit the year-to-year persistence commonly seen both in climate (Gilman *et al.*, 1963; Mitchell *et al.*, 1966) and in tree rings standardized by other detrending methods (Rose, 1983; Monserud, 1986). This deficiency can be ameliorated through the use of ARMA time series modeling techniques, which are described in the next section.

Differencing has only recently been applied to the problem of tree-ring detrending and standardization (Van Deusen, 1987; Guiot, 1987a). Because of this and its importance in autoregressive-integrated moving average (ARIMA) time series modeling (Box and Jenkins, 1970), it deserves additional research and testing.

3.3.4. Other methods of estimating growth trends

Other techniques can be used for estimating growth trends that do not clearly fit into the simple categories of techniques just described.

Graphic techniques. In the precomputer era of dendrochronology, growth trends were frequently estimated visually using flexible rulers (Schulman, 1956; Stokes and Smiley, 1968). Although this method has an inherently subjective aspect to it, it can be applied with a high degree of uniformity by experienced individuals when the growth trend is simple in form (i.e., negative exponential and linear). However, with the availability of digital computers and programs for estimating satisfactory growth trends, this method is rarely applied today.

Stand-level growth trends based on the biological age of trees. Another method of growth-trend estimation has been described by Erlandsson (1936), Mitchell (1967), and Komin (1987). It is based on collecting ring-width material from a large range of age classes of a given tree species. The ring-width measurements of each sample are aligned with those of the other samples according to the biological age of the rings, not the chronological age. For example, year five of a 200-year-old tree is aligned with year five of a 50-year-old tree by this method. Once the biological age alignment is done, the ring widths of all samples are averaged together to produce a tree-based, average biological growth trend. The averaging process greatly attenuates the yearly fluctuations in ring width due to environmental factors because of the chronological misalignment of the tree rings. Consequently, the underlying growth curve is emphasized. The degree to which the environmental effects are attenuated will depend on the sample size for each year, the distribution of tree ages in the collection, and the level of randomness through time of the environmental factors. The estimation of the mean growth curve also assumes that the structural form of the curve at any biological age is independent of the time period during which it is produced. There seems to be little room for endogenous and exogenous disturbance effects in this model.

Once the mean growth curve is estimated, a smooth mathematical function is fit to the curve and used to standardize the individual series from the site (Mitchell, 1967; Komin, 1987). Fritts (1976, page 280) points out that this method is flawed as a technique of tree-ring standardization. He notes:

All individuals of a species rarely attain optimum growth at the same age, and individual trees differ in their growth rates because of differences in soil factors, competition, microclimate, and other factors governing the productivity of the site. Therefore, individual trees will deviate markedly and systematically from the mean growth curve.

These reasons are sufficient to reject the method as a standardizing tool for dendroclimatic studies. However, where the signal of interest is the variance within each series that deviates from the mean growth curve of the stand, this method is appropriate.

The corridor method. Shiyatov (1987) describes another approach to standardization called the corridor method. It is based on the construction of a maximum possible growth curve and a minimum possible growth curve for each ring-width series. These two curves form a growth corridor within which the range in ring-width variability fluctuates. *Figures 3.8(a), 3.8(c), and 3.8(e)* illustrate some common forms of the corridor, which is usually constrained to evolve smoothly through time. The maximum growth curve is based on a few ring widths that define the local maxima in the ring-width series. Typically, it displays the most pronounced growth trend and is usually constrained to have only one peak (Shiyatov and Mazepa, 1987). The minimum growth curve is based on a few ring widths that define the local minima in the series. It tends to have a less pronounced growth trend and may be constrained to repeat the bends of the maximum curve (Shiyatov and Mazepa, 1987). Where the ring widths get very small or when there is a high frequency of locally absent rings, the minimum curve approaches or equals zero [e.g., *Figures 3.8(a) and 3.8(c)*].

The tree-ring indices are calculated from the corridor estimates as

$$I_t = \frac{R_t - G1_t}{G2_t - G1_t} * 100 \text{ (200)} \quad , \quad (3.20)$$

where I_t is the index, R_t is the ring width, $G1_t$ is the minimum growth-curve estimate, and $G2_t$ is the maximum growth-curve estimate, all for year t . The 100 (200) are scaling factors that transform the index into either percentages (* 100) of the corridor width or 2 × percentages (* 200).

A comparison of equation (3.20) with the more commonly used formula for computing indices, equation (3.1) reveals the difference in the techniques. The indices computed from equation (3.1) are (effectively) percentage departures from an expectation of growth (G_t). This is equivalent to using a time-dependent mean for standardizing ring widths. In contrast, indices computed from equation (3.20) are (effectively) percentages of the corridor width ($G2_t -$




Figure 3.8. Examples of the *corridor* method of tree-ring standardization. The curves of maximum and minimum possible growth, which define the corridor, are shown for three Siberian larch (*Larix sibirica*) ring-width series [(a), (c), and (e)]. The standardized tree-ring indices derived from their respective corridors and equation (3.20) in the text are shown [(b), (d), and (f)].

$G1_t$), which is equivalent to using a time-dependent range for standardizing ring widths.

Whether one selects the mean or the range may affect the limits that the resultant indices take. Indices computed by equation (3.1) are bound only by zero and have an unbound maximum. Although standardized tree-ring chronologies developed from equation (3.1) are usually normally distributed (Fritts, 1976), the lower bound means that the potential exists for a truncated or skewed probability distribution. In contrast, indices computed by equation (3.20) are bound by both the minimum and the maximum growth curves. If the minimum and maximum curves pass through an excessive number of ring widths, then the possibility exists for creating a probability distribution function of indices that is truncated at either or both ends of the distribution.

The corridor method also assumes that the time variations in the maxima and minima, which define the corridor, are principally biological in origin rather than climatic. This assumption follows from the way that the maximum (or minimum) values in the early and later segments of a ring-width series are constrained to be identical in indexed form, even though they may be quite different in absolute ring width. This constraint implicitly assumes that the growth-limiting factors owing to climate were identical for those years. Shiyatov (personal communication) notes that these issues are not likely to be problems in the mean-value function of corridor-indexed series because of the inherent between-tree variability of the ring widths used to define the corridors.

Figures 3.8(b), 3.8(c), and 3.8(f) show the resultant indices computed from the estimated corridors in Figure 3.8 and equation (3.20). It is clear that the technique produces indices having a stationary mean and homogeneous variance. Unlike indices computed from equation (3.1) that have an expected value of 1.0 or 100%, indices computed by the corridor method have an expected value of .5 or 50%. Shiyatov and Mazepa (1987) note that this difference can be eliminated simply by re-standardizing each corridor-indexed series using its long-term mean and equation (3.1).

The corridors shown in Figure 3.8 were drawn by hand and human judgment using a flexible ruler. However, Shiyatov and Mazepa (1987) note that the technique can also be solved mathematically. They describe an estimation procedure that should make the corridor method more objective and far easier to implement as a standardization option.

Double-detrending. Holmes *et al.* (1986) describe a two-stage detrending method that they call *double-detrending*. A deterministic growth-trend model, such as the negative exponential curve, first estimates the observed trend in ring width. The tree-ring indices are computed from this curve and then detrended a second time using a cubic-smoothing spline. The second detrending is meant to remove any residual growth trend that is not modeled by the deterministic curve.

Holmes *et al.* (1986) justified double-detrending by illustrating that the negative exponential curve can fit the highly variable, steeply descending juvenile portion of the ring-width trend better than the less variable, flatter portion associated with maturity and old age. This is a consequence of least squares fitting, which can be dominated by the high-variance, juvenile portion of ring-width

series and of the inadequacy of the negative exponential curve as a model for the observed growth trend. In such cases, the outer portion of a ring-width series may be systematically underfit or overfit for decades. Holmes *et al.* (1986) also showed that a stiff spline fit alone to the same series by the 67% n criterion was not sufficiently flexible to track the sharp curvature of the juvenile portion of the growth trend, even though it was quite adequate for the mature phase of the trend. Since each method of detrending was better for different portions of the growth trend, Holmes *et al.* (1986) reasoned that the sequential use of both techniques would correct the deficiencies of each method.

Cook (1985) examined the spectral properties of double-detrending and found that linear or negative exponential detrending followed by 67% n spline detrending worked well without removing too much low-frequency variance.

3.3.5. Concluding remarks on growth-trend estimation

The estimation and removal of growth trends from tree-ring series should be based, as much as possible, on the intended application of the tree-ring data. This means that there should be an *a priori* expectation of what the signal of interest is in the ring-width measurements. Given this expectation, the method of detrending should be chosen that will reduce the low-frequency noise not associated with that signal. It is difficult to accomplish this task within an objective framework because of the uncertainty distinguishing signal from noise in a given ensemble of ring-width data. Inevitably, some assumptions must be made that may have a great effect on the final standardized tree-ring chronology. It is imperative that these assumptions are carefully considered and justified in any application of standardized tree rings.

In general, stochastic methods are preferable to deterministic methods because of the freedom that the former possess in fitting the behavior of ring widths as they are observed, not as theory would have them behave. However, the consequence of this added flexibility are the problems of *ad hoc* model selection and overfitting, which are more likely to occur for stochastic models than for deterministic models. There also seems to be some utility in using a hybrid double-detrending approach, which can compensate for local lack-of-fit problems of single detrending methods.

3.4. Estimation of the Mean Chronology

E. Cook, S. Shiyatov, and V. Mazepa

3.4.1. Introduction

Once a collection of ring-width series has been detrended and indexed into a new ensemble of tree-ring indices, the estimation of the common signal, C_t , can proceed. As mentioned earlier, tree-ring indices can be treated as stationary, stochastic processes that allow them to be treated as a collective ensemble of realizations containing both a common signal in the form of C_t (and perhaps $D2_t$) and individual signals unique to the series ($D1_t$ and E_t).

Appendix A

List of Tree Species Known to Have Been Used to Build Tree-Ring Chronologies

<i>Scientific name</i>	<i>Common name</i>
<i>Abies alba</i>	Fir, European
<i>Abies balsamea</i>	Fir, Balsam
<i>Abies concolor</i>	Fir, White
<i>Abies lasiocarpa</i>	Fir, Alpine
<i>Abies pindrow</i>	Fir, Himalayan Silver
<i>Abies procera</i>	Fir, Noble
<i>Abies spectabilis</i>	Fir, Silver
<i>Acer rubrum</i>	Maple, Red
<i>Acer saccharum</i>	Maple, Sugar
<i>Agathis australis</i>	Pine, Kauri
<i>Araucaria araucana</i>	Pine, Chile
<i>Artemisia tridentata</i>	Sagebrush, Big
<i>Arthrotaxis cupressoides</i>	Pine, Pencil
<i>Arthrotaxis selaginoides</i>	Pine, King William
<i>Austrocedrus chilensis</i>	Cedar, Chilean Incense
<i>Betula alleghaniensis</i>	Birch, Yellow
<i>Betula carpatica</i>	Birch, Carpathian
<i>Betula papyrifera</i>	Birch, Paper
<i>Betula pubescens</i>	Birch, White
<i>Callitris robusta</i>	Pine, Rottnest Island
<i>Carya illinoensis</i>	Pecan
<i>Cedrela angustifolia</i>	Cedar
<i>Cedrus atlantica</i>	Cedar, Atlantic
<i>Cedrus deodara</i>	Cedar, Himalayan
<i>Cryptomeria japonica</i>	Cedar, Japanese
<i>Dacrydium biforme</i>	Pine, Pink
<i>Dacrydium colensoi</i>	Pine, Silver
<i>Dushekia viridis</i>	
<i>Fagus grandifolia</i>	Beech, American
<i>Fagus sylvatica</i>	Beech, European
<i>Fitzroya cupressoides</i>	Alerce
<i>Frazinus americana</i>	Ash, White
<i>Juglans australis</i>	Walnut
<i>Juniperus occidentalis</i>	Juniper, Western
<i>Juniperus osteosperma</i>	Juniper, Utah
<i>Juniperus scopulorum</i>	Juniper, Rocky Mountain
<i>Juniperus turkestanica</i>	Juniper, Turkestan
<i>Juniperus virginiana</i>	Cedar, Eastern Red
<i>Larix decidua</i>	Larch, European
<i>Larix laricina</i>	Larch, Tamarak
<i>Larix lyallii</i>	Larch, Subalpine
<i>Larix occidentalis</i>	Larch, Western
<i>Larix sibirica</i>	Larch, Siberian
<i>Libocedrus bidwillii</i>	Cedar
<i>Libocedrus chilensis</i>	Cedar, Chilean
<i>Libocedrus decurrens</i>	Cedar, Incense
<i>Liriodendron tulipifera</i>	Tuliptree
<i>Nothofagus gunnii</i>	Beech, Tanglefoot
<i>Nothofagus menziesii</i>	Beech, Silver
<i>Nothofagus obliqua</i>	Beech, Southern
<i>Nothofagus solandri</i>	Beech, Mountain
<i>Phyllocladus alpinus</i>	Pine, Alpine Celery-top

<i>Phyllocladus aspleniifolius</i>	Pine, Celery-top
<i>Phyllocladus glaucus</i>	Toatoa
<i>Phyllocladus trichomanoides</i>	Tanekaha
<i>Picea abies</i>	Spruce, Norway
<i>Picea engelmannii</i>	Spruce, Engelmann
<i>Picea excelsa</i>	Spruce, Norway
<i>Picea glauca</i>	Spruce, White
<i>Picea mariana</i>	Spruce, Black
<i>Picea obovata</i>	Spruce, Siberian
<i>Picea orientalis</i>	Spruce, Oriental
<i>Picea rubens</i>	Spruce, Red
<i>Picea schrenkiana</i>	Spruce, Schrenka
<i>Picea sitchensis</i>	Spruce, Sitka
<i>Picea smithiana</i>	Spruce, Himalayan
<i>Pilgerodendron uviferum</i>	Cipres de las Guaitecas
<i>Pinus albicaulis</i>	Pine, Whitebark
<i>Pinus aristata</i>	Pine, Bristlecone (Rocky Mountain)
<i>Pinus balfouriana</i>	Pine, Foxtail
<i>Pinus banksiana</i>	Pine, Jack
<i>Pinus cembra</i>	Pine, Stone
<i>Pinus cembroides</i>	Pinyon, Mexican
<i>Pinus contorta</i>	Pine, Lodgepole
<i>Pinus echinata</i>	Pine, Shortleaf
<i>Pinus edulis</i>	Pinyon, Colorado
<i>Pinus flexilis</i>	Pine, Limber
<i>Pinus gerardiana</i>	Pine, Gerard's
<i>Pinus halepensis</i>	Pine, Aleppo
<i>Pinus jeffreyi</i>	Pine, Jeffrey
<i>Pinus koraiensis</i>	Pine, Korean
<i>Pinus lambertiana</i>	Sugar, Pine
<i>Pinus leiophylla (chihua.)</i>	Pine, Chihuahua
<i>Pinus leucodermis</i>	Pine, Besnian
<i>Pinus longaeva</i>	Pine, Bristlecone (Great Basin)
<i>Pinus monophylla</i>	Pinyon, Singleleaf
<i>Pinus mugo</i>	Pine, Mountain
<i>Pinus nigra</i>	Pine, Black
<i>Pinus palustris</i>	Pine, Longleaf
<i>Pinus pinaster</i>	Pine, French Maritime
<i>Pinus pinea</i>	Pine, Umbrella
<i>Pinus ponderosa</i>	Pine, Ponderosa
<i>Pinus pumila</i>	
<i>Pinus quadrifolia</i>	Pinyon, Parry's
<i>Pinus resinosa</i>	Pine, Red
<i>Pinus rigida</i>	Pine, Pitch
<i>Pinus roxburghii</i>	Pine, Chir
<i>Pinus sibirica</i>	Pine, Siberian
<i>Pinus strobus</i>	Pine, White
<i>Pinus sylvestris</i>	Pine, Scots
<i>Pinus taeda</i>	Pine, Loblolly
<i>Pinus uncinata</i>	Pine, Mountain
<i>Pinus wallichiana</i>	Pine, Kail
<i>Platanus occidentalis</i>	Sycamore, American
<i>Populus balsamifera</i>	Poplar, Balsam
<i>Populus fremontii</i>	Cottonwood, Fremont

<i>Populus grandidentata</i>	Aspen, Bigtooth
<i>Populus tremuloides</i>	Aspen, Quaking
<i>Prunus serotina</i>	Cherry, Black
<i>Pseudotsuga macrocarpa</i>	Spruce, Bigcone
<i>Pseudotsuga menziesii</i>	Fir, Douglas
<i>Quercus alba</i>	Oak, White
<i>Quercus lobata</i>	Oak, Valley White
<i>Quercus lyrata</i>	Oak, Overcup
<i>Quercus macrocarpa</i>	Oak, Burr
<i>Quercus petraea</i>	Oak, Durmast
<i>Quercus pontica</i>	
<i>Quercus prinus</i>	Oak, Chestnut
<i>Quercus pubescens</i>	
<i>Quercus robur</i>	Oak, English
<i>Quercus rubra</i>	Oak, Red
<i>Quercus stellata</i>	Oak, Post
<i>Quercus velutina</i>	Oak, Black
<i>Sequoiadendron giganteum</i>	Sequoia, Giant
<i>Taxodium distichum</i>	Cypress, Bald
<i>Tectona grandis</i>	Teak
<i>Thuja occidentalis</i>	Cedar, Northern White
<i>Tilia americana</i>	Basswood
<i>Tsuga canadensis</i>	Hemlock, Eastern
<i>Tsuga caroliniana</i>	Hemlock, Carolina
<i>Tsuga heterophylla</i>	Hemlock, Western
<i>Tsuga mertensiana</i>	Hemlock, Mountain
<i>Ulmus rubra</i>	Elm, Slippery
<i>Widdringtonia cedarbergensis</i>	Cedar, Clanwilliam

Appendix B

Sample Site and Tree Information Forms for Tree-Ring Collections

Site Information Sheet
 INTERNATIONAL TREE-RING DATA BANK
 Laboratory of Tree-Ring Research
 University of Arizona
 Tucson, Arizona 85721, USA

DO NOT WRITE HERE:
 Data Classification:
 ITRDB only
 Permission only
 ITRDB No.: DB

Site name _____ Date collected / /

Species name common _____ scientific _____

Genus/Species code _____

Location Country _____ State/Province _____

County or other _____

Latitude (deg) (min) (sec) N or S (circle)

Longitude (deg) (min) (sec) N or S (circle)

Elevation feet or meters _____

Sample Source of collection (check all applicable): Living trees

Remnants Archaeol/Historical Other

Number Total sample Total trees measured

Total radii measured _____

Types of measurement: Total ring width (AA)

Earlywood width (AB) Latewood width (AC)

Minimum density (BD) Maximum density (BE)

Other (specify) _____

Unit of measurement: 100th mm Other

Site ID X X X

Date RWLIST run / /

Personnel Collector: _____ Name and institution _____

Dater: _____ Name and institution _____

Measurer: _____ Name and institution _____

Principal investigator: _____ Name and institution _____

Submittor's classification of data 1) Available to all Data Bank users.
 2) Available by permission of submittor only.

I acknowledge that all materials within the site do cross-date and that actual measurements have been submitted.*

Signature of submittor _____ *Date* _____

*Averaged indices of the final chronologies are requested but cannot be accepted without the original dated ring-width measurements.

Chronology Information Sheet
 INTERNATIONAL TREE-RING DATA BANK
 Laboratory of Tree-Ring Research
 University of Arizona
 Tucson, Arizona 85721, USA

DO NOT WRITE HERE:
 Data Classification:
 ITRDB only
 Permission only
 ITRDB No.: DB

Identification I.D. # Database #
 Type: (Climatic) (Statistical) (Merged) (Other)
 If Merged, List Component IDs / /
 Type of raw data: (Ring Widths [AA]) (Other)

Statistics First Year Last Year Total Years
 Total number included: Trees Rarii

Index/SUMAC Date run /
 Serial r Stan Dev. Mean sens.
 Standard error Mean index
 Mean Ring Width % Missing Rings
 Curve Fit Option Used (2 most common)
 Neg. exponential (0) Neg. exponential (3)
 Horizontal line (1) Polynomial (4)
 Straight line (2) Other

ANOVA Date run / Common period /
 % var. Y % var. YT % var. YC
 % var. YCT Var. comp. of Y Error Y
 Mean Ring Width % Missing rings

XCORR Date Run / Common Period /
 r all series / r within trees /
 r among trees

RESPONS Date run /
 % due to climate % due to prior growth
 Step used Variable type Intervals
 Earliest and latest month

Comment

DATE: / /	ESPECE:	ARBRE No.
LIEU:	CODE:	

M P I H L Y S I E I U Q U E	Altitude	Topographie		Remarques
	m	Versant	orientation exposition pente %	
	Plateau Depression			
Substrat				
Sol				
Type Epaisseur Horizons				

V E G E T A T I O N	Recouvrement
	Description
	Composition floristique

D E S C R I P T I O N	Hauteur	Circonf.	1ere brche. vivante	Plan de situation partiel
	m	cm	m	
	Port et particularités:			
Carottes:			Orientation	Anomalies
1 Amont ou N		Hauteur	cm	
2 (D)				
3 (G)				cm

Positionnement de l'arbre dans le schema general !!!!

Appendix C

Sources of Tree-Ring Measuring Programs and Measuring Stages

Belfast Tree-Ring Programs

Dr. J.R. Pilcher
 Palaeoecology Centre
 Queen's University
 Belfast BT7 1NN
 Northern Ireland

CATRAS (Computer Aided Tree-Ring Analysis System)

Institut für Holzbiologie
 Universität Hamburg
 Leuschnerstrasse 91
 D-2050 Hamburg 80
 Federal Republic of Germany

TRIMS (Tree-Ring Incremental Measuring System)

Madera Software
 2509 North Campbell Avenue, #386
 Tucson, Arizona 85719
 USA

CompU-TA Tree-Ring Measuring System

Mr. Robert Evans
 CompU-TA
 9533 Grossmont Boulevard
 La Mesa, California 92041
 USA

***Measuring Stages (Laboratory and Field Models) Digital Display Units,
 Dry Wood Corers, etc.***

Fred C. Henson Co.
 P.O. Box 3523
 Mission Viejo, California 92690
 USA

MEASU-CHRON Digital Micrometer – Measuring Stage

Micro-Measurement Technology
 P.O. Box 120
 Bangor, Maine 04401
 USA

System Digital-Positionmeter (Laboratory and Field Models) – Measuring Stage

Leopold Kutschenreiter
 Siccardsburggasse 64
 A-1100 Vienna
 Austria

ADDO Tree-Ring Measuring Machine

Parker Instrument
 S 216 17 Malmo
 Sweden

References

- Abraham, B. and J. Ledolter. 1983. *Statistical Methods for Forecasting*. John Wiley and Sons, New York, NY, USA.
- Abrahamsen, G., R. Horntvedt, and B. Tveite. 1977. Impacts of Acid Precipitation on Coniferous Forest Ecosystems. *Water, Air, and Soil Pollution* 8: 57-73.
- Adamenko, M.F. 1978. Growth Dynamics of Larch as Indicator of Thermal Regime of Summer Seasons in the Gorny Altai. In: *Regional Geographical Investigations in Western Siberia*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Adamenko, M.F. 1986. Reconstruction of Thermal Regime Dynamics of Summer Seasons During XIV-XX Centuries in the Gorny Altai. In: *Dendrochronology and Dendroclimatology*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Adamenko, V.N. 1963a. On the Similarity in the Growth of Trees in Northern Scandinavia and in the Polar Ural Mountains. *Journal of Glaciology* 4(34): 449-451.
- Adamenko, V.N. 1963b. Experience of Glacial Occurrence Conditions in the Polar Urals During of 260 Years Period on the Data of Dendrochronological Analysis. In: *Glaciological Investigations*. Section IX. International Geophysical Year Programme, No. 9. Publishing House of the USSR Academy of Sciences, Moscow, USSR [in Russian].
- Adamenko, V.N., M.D. Masanova, and A.F. Chetverikov. 1982. *Indication of Climatic Change*. Hydrometizdat Publishing House, Moscow, USSR [in Russian].
- Adams, H.S., S.L. Stephenson, T.J. Blasing, and D.N. Duvick. 1985. Growth-Trend Declines of Spruce and Fir in Mid-Appalachian Subalpine Forests. *Environmental and Experimental Botany* 25: 315-325.
- Ahmed, M. and J. Ogden. 1985. Modern New Zealand Tree-Ring Chronologies 3. *Agathis australis* (Salisb.) - Kauri. *Tree-Ring Bulletin* 45: 11-24.
- Akaike, H. 1974. A New Look at the Statistical Model Identification. *IEEE Transactions on Automatic Control* AC-19: 716-723.
- Alestalo, J. 1971. Dendrochronological Interpretation of Geomorphic Processes. *Fennia* 105: 1-140.
- Aloui, A. 1982. *Recherches dendroclimatologiques en Kromirie (Tunisie)*. Thesis Dr Ingenieur. Université d'Aix-Marseille III, Marseille, France.
- Andersen, N.O. 1974. On the Calculation of Filter Coefficients for Maximum Entropy Spectral Method Analysis. *Geophysics* 39(1): 69-72.
- Anderson, T. 1971. *Time Series Analysis*. John Wiley and Sons, New York, NY, USA.
- Anderson, R.L., D.M. Allen, and F.B. Cady. 1972. Selection of Predictor Variables in Linear Multiple Regression. In: T.A. Bancroft (ed.), *Statistical Papers in Honor of George W. Snedecor*. Iowa State University Press, Ames, IA, USA.

- Aniol, R.W. 1983. Tree-Ring Analysis Using CATRAS. *Dendrochronologia* 1: 45-53.
- Aniol, R.W. 1985. Personal communication.
- Aniol, R.W. and D. Eckstein. 1984. Dendroclimatological Studies at the Northern Timberline. In: N.A. Morner and W. Karlen (eds.), *Climatic Changes on a Yearly to Millennial Basis*. D. Reidel, Dordrecht, Netherlands.
- Anonymous. 1962. Andrew Ellicott Douglass. *Tree-Ring Bulletin* 24(3-4): 2-10.
- Anonymous. 1985. *Image Analysis: Principles and Practices*. Joyce Loebel, Gateshead, England, UK.
- Appelquist, M.B. 1958. A Simple Pith Locator for Use with Off-Centre Increment Cores. *Journal of Forestry* 56: 141.
- Arndt, U. and M.M. Wehrle. 1982. Ergebnisse dendrochronologischer Untersuchungen an Eichen zur Indikation von Immissionsbelastungen. *Staub-Reinhalt Luft* 42(2): 64-68.
- Ash, J. 1983a. Note on Paper "Growth Rings and Rainfall Correlations in a Mangrove Tree of the Genus *Diospyros* (Ebenaceae)" by N.C. Duke *et al.* *Australian Journal of Botany* 31: 19-22.
- Ash, J. 1983b. Tree Rings in Tropical *Callitris macleayana* F. Muell. *Australian Journal of Botany* 31: 277-281.
- Ashby, W.C. and H.C. Fritts. 1972. Tree Growth, Air Pollution, and Climate Near La Porte. *Bulletin of the American Meteorological Society* 53(3): 246-251.
- Athari, S. and H. Kramer. 1983. The Problem of Determining Growth Losses in Norway Spruce Stands Caused by Environmental Factors. In: B. Ulrich and J. Pankrath (eds.), *Effects of Accumulation of Air Pollutants in Forest Ecosystems*. D. Reidel, Dordrecht, Netherlands.
- Aussenac, G. and J.C. Valette. 1982. Comportement Hydrique Estival de *Cedrus atlantica* Manetti, *Quercus ilex* L. et *Quercus pubescens* Willd. et de Divers Pins dans le Mt Ventoux. *Annales des Sciences Forestières* 39(1): 41-62.
- Avery, G.S., H.B. Creighton, and C.W. Hock. 1940. Annual Rings in Hemlocks and Their Relation to Environmental Factors. *American Journal of Botany* 27: 825-831.
- Baes, C.F. and H.L. Ragsdale. 1981. Age-Specific Lead Distribution in Xylem Rings of Three Tree Genera in Atlanta, Georgia. *Environmental Pollution, Series B* 2: 21-35.
- Baillie, M.G.L. 1976. Dendrochronology as a Tool for the Dating of Vernacular Buildings in the North of Ireland. *Vernacular Architecture* 7: 3-10.
- Baillie, M.G.L. 1977. The Belfast Oak Chronology to A.D. 1001. *Tree-Ring Bulletin* 37: 1-12.
- Baillie, M.G.L. 1982. *Tree-Ring Dating and Archaeology*. Croom Helm, London, UK.
- Baillie, M.G.L. and J.R. Pilcher. 1973. A Simple Cross-dating Program for Tree-Ring Research. *Tree-Ring Bulletin* 33: 7-14.
- Bakke, A.L. 1913. The Effect of Smoke and Gases on Vegetation. *Proceedings of the Iowa Academy of Science* 20: 169-188.
- Bannan, M.W. 1967. Anticlinal Divisions and Cell Length in Conifer Cambium. *Forest Products Journal* 17(6): 63-69.
- Barefoot, A.C., Jr., L.B. Woodhouse, W.L. Hafley, and E.H. Wilson. 1974. Developing a Dendrochronology for Winchester, England. *Journal of the Institute of Wood Science* 6: 34-40.
- Barsut V.M. 1984. Peculiarities of Annual Growth Dynamics of Pine and Spruce Growing at the Same Site: Proceedings of Institutes of Higher Education. *Forestry Journal* 3: 113-115 [in Russian].

- Bartlein, P.J., I.C. Prentice, and T. Webb, III. 1986. Climatic Response Surfaces from Pollen Data for Eastern North American Taxa. *Journal of Biogeography* 13: 35-57.
- Bartholin, T.S. 1983. The Combined Application of Dendrochronology and Wood Anatomy. In: D. Eckstein *et al.* (eds.), *Dendrochronology and Archaeology in Europe*. *Mitt. Bundesforsch. Anst. Forst-Holzwirtschaft* 141: 79-92.
- Basinger, F. 1984. Our Tropical Arctic: Forest of Massive Stumps Discovered in Our Polar Region Reveals a Vastly Different World of 45 Million Years Ago. *Canadian Geographic* 28: 37-41.
- Bauch, J., P. Rademacher, W. Berneike, J. Knoth, and W. Michaelis. 1985. Breite und Elementgehalt der Jahrringe in Fichten aus Waldschadensgebieten. In: H. Stratmann (ed.), *Waldschaden, Einflußfaktoren und ihre Bewertung*, Kolloquium Goslar, 18-20 June 1985, VDI-Berichte 560, Düsseldorf, Germany, F.R.
- Beanlands, G.E. and P.N. Duinker. 1984. An Ecological Framework for Environmental Impact Assessment. *Journal of Environmental Management* 18: 267-277.
- Becker, B. 1983a. The Long-Term Radiocarbon Trend of the Absolute German Oak Tree-Ring Chronology, 2800 to 800 B.C. *Radiocarbon* 25(2): 197-203.
- Becker, B. 1983b. Postglaziale Auwaldentwicklung im mittleren und oberen Maintal anhand dendrochronologischer Untersuchungen subfossiler Baumstammablagerungen. *Geologisches Jahrbuch* 71: 45-59.
- Becker, B. 1986. Natural and Anthropogenic Fluctuations of Central European River Dynamics Based on Tree-Ring Data, Present to 9000 B.C. In: L. Kairiukstis (ed.), *Regional Resource Management*, Vol. I, CP-86-24, International Institute for Applied Systems Analysis, Laxenburg, Austria.
- Becker, B. and B. Kromer. 1986. Extension of the Holocene Dendrochronology by the Pre-Boreal Pine Series, 8800 to 10,100 B.P. *Radiocarbon* 28(2B): 961-967.
- Becker, B. and B. Schmidt. 1982. Verlängerung der mitteleuropäischen Eichenjahrringchronologie in das zweite vorchristliche Jahrtausend (bis 1462 v Chr.). *Archäologisches Korrespondenzblatt* 12(1): 101-106.
- Bednarz, Z. 1981. Relationship of Tree-Ring Widths in the Tatra Mts. to Variations in Monthly Temperature and Precipitation. *Mitt. der forstlichen Bundesversuchsanstalt* 142: 367-389.
- Bell, R.E. 1958. Proceedings of the New Zealand Archaeological Society: 4 - Dendrochronology. *New Zealand Science Review* 16: 13-17.
- Bell, V. and R.E. Bell. 1958. Dendrochronological Studies in New Zealand. *Tree-Ring Bulletin* 22: 7-11.
- Bell, W. 1983. A Computer Program for Detecting Outliers in Time Series. In: *Proceedings of the Business Economic Statistics Section*, American Statistical Association, Toronto, Canada.
- Berger, A.L., J. Guiot, L. Mathieu, and A.V. Munaut. 1979. Tree-Rings and Climate in Morocco. *Tree-Ring Bulletin* 39: 61-75.
- Berlage, H.P. 1936. Relationship Between the Thickness of the Year-Ring of the "Djati" Trees (*Tectona grandis* L.f.) and the Rainfall of Java. *Tectona* 24: 939-952.
- Berry, B.L., A.A. Lieberman, L.M. Kukyanova, and V.I. Turmanina. 1976. Fluctuations in the Climate of the Hibins, the Carpathians, the Caucasus, and the Transbaikal Region. In: *Proceedings of the Third Conference on Rhythm of Environmental Phenomena*, 30 November 1976, Leningrad Geographical Society, Leningrad, USSR.

- Berry, B.L., A.A. Lieberman, and S.G. Shiyatov. 1979. Periodic Fluctuations in the Growth Index of *Larix sibirica* in the Tazov Forest Tundra and Their Prediction. *Journal of Ecology* 6: 22-26 [in Russian].
- Beyer, W.H. (ed.). 1968. *Handbook of Tables for Probability and Statistics*, 2nd Ed. Chemical Rubber Co., Cleveland, OH, USA.
- Bickel, P.J. and K. Doksum. 1977. *Mathematical Statistics*. Holden-Day, San Francisco.
- Biedenbach, M.A., R.W. Beurman, and A.C. Brown. 1975. Graphic-Digitizer Analysis of Axon Spectra in Ethmoidal and Lingual Branches of the Trigeminal Nerve. *Cell Tissue Research* 157: 341-352.
- Bitvinskis T.T. 1964. Growth Stand Dynamics and Possibilities of Their Prognosis in the Lithuanian SSR Conditions. *Papers of the Timirjazev Agricultural Academy* 99: 497-503 [in Russian].
- Bitvinskis T.T. 1965. Some Aspects of Application of Dendrochronological Methods in Forestry. *Papers of the Timirjazev Agricultural Academy* 115: 201-207 [in Russian].
- Bitvinskis, T.T. 1967. Trees and Sun. *Our Nature* 1: 12-13 [in Lithuanian].
- Bitvinskis, T.T. 1971. Some Aspects of Relations of Solar Activity, Climate, and Tree Growth. In: *Impact of Solar Activity to the Atmosphere and Biosphere*. Nauka Publishing House, Moscow, USSR [in Russian].
- Bitvinskis, T.T. 1974. *Dendroclimatic Studies*. Gidrometeoizdat Publishing House, Leningrad, USSR [in Russian].
- Bitvinskis, T.T. 1978a. *Dendroclimatochronological Scales of the Soviet Union*. Laboratory of Dendroclimatochronology, Institute of Botany, Academy of Sciences of the Lithuanian SSR, USSR [in Russian].
- Bitvinskis, T.T. 1978b. Dendroclimatological Investigation of Environmental Conditions by the Profile Method. In: T.T. Bitvinskis (ed.), *Environmental Conditions and Radial Increment of Trees*. Institute of Botany, Kaunas, Lithuanian SSR and Academy of Sciences of the USSR [in Russian].
- Bitvinskis, T.T. 1978c. Scientific Results of the Dendroclimatochronological Laboratory of the Institute of Botany of the Lithuanian Academy of Sciences. In: *Environments and Radial Tree Growth*. Kaunas, Lithuanian SSR [in Russian].
- Bitvinskis, T.T. 1981. Dendroscales of Pine in the Lithuanian SSR. In: *Dendroscales of the USSR*. Kaunas, Lithuanian SSR [in Russian].
- Bitvinskis, T.T. 1986. Methodological Aspects of Dendrochronological Prognostics. In: L. Kairiukstis (ed.), *Regional Resource Management*, Vol. I. CP-86-24, International Institute for Applied Systems Analysis, Laxenburg, Austria.
- Bitvinskis T.T. 1987. Dendrochronology in the Lithuanian SSR. In: M. Eronen (ed.), *Dendrochronology Around the Baltic*. Annales, Academiae Scientiarum Fennicae, S.A. II. *Geologica-Geographica* 145, Helsinki, Suomalainen Tiedeacademia.
- Bitvinskis, T.T. and I. Kairaitis. 1975. Dynamics of Radial Growth of Oak Stands in the Lithuanian SSR and Its Relation to Environment, Climate, and Solar Activity. In: *Bioecological Backgrounds of Dendrochronology*. Vilnius-Leningrad, USSR [in Russian].
- Bitvinskis, T.T. and I. Kairaitis. 1979. Dendroscales of the Profile from Murmansk to the Carpathians. In: *Dendroscales of the USSR*. Kaunas, Lithuanian SSR [in Russian].
- Blackman, R.B. and J.W. Tukey. 1958. The Measurement of Power Spectra from the Point of View of Communications Engineering. *Bell Systems Technical Journal* 37: 183-282 and 485-569.

- Blasing, T.J. 1978. Time Series and Multivariate Analysis in Paleoclimatology. In: H.H. Shugart, Jr. (ed.), *Time Series and Ecological Processes*. SIAM-SIMS Conference Series, No. 5. Society for Industrial and Applied Mathematics, Philadelphia, PA, USA.
- Blasing, T.J., D.N. Duvick, and E.R. Cook. 1983. Filtering the Effects of Competition from Ring-Width Series. *Tree-Ring Bulletin* 43: 19–30.
- Blasing, T.J., A.M. Solomon, and D.N. Duvick. 1984. Response Functions Revisited. *Tree-Ring Bulletin* 44: 1–15.
- Bolin, B., B.R. Döös, J. Jäger, and R.A. Warrick (eds.). 1986. The Greenhouse Effect, Climatic Change, and Ecosystems. *Scope* 29. John Wiley and Sons, Chichester, UK.
- Bolshev, L.N. and N.V. Smirnov. 1968. *Tables of Mathematical Statistics*. Computing Centre of the USSR Academy of Sciences, Moscow, USSR [in Russian].
- Boninsegna, J.A. 1982. Argentina and Chile: Comment. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Boninsegna, J.A. and R.L. Holmes. 1985. *Fitzroya cupressoides* Yields 1534-Year Long South American Chronology. *Tree-Ring Bulletin* 45: 37–42.
- Booth, T.H. and P. Ryan. 1985. Climatic Effects on the Diameter Growth of *Araucaria cunninghamii* Ait.ex. D.Don. *Forest Ecology and Management* 10: 297–311.
- Borshova, N.M. 1981. Effects of Climatic Factors on Radial Tree Growth of *Picea schrenkiana* in the Zailiysky Alatau. In: *Bioecological Investigations in the Tien-Shan Spruce Forests*. Frunze, USSR [in Russian].
- Borshova, N.M. 1986. Effects of Biological and Climatic Factors on Radial Growth of *Picea schrenkiana*. In: *Dendrochronology and Dendroclimatology*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Bowers, N.A. 1964. New Method of Surfacing Wood Specimens for Study. *Tree-Ring Bulletin* 26: 2–5.
- Box, G.E.P. and G.M. Jenkins. 1970. *Time Series Analysis: Forecasting and Control*. Holden-Day, San Francisco.
- Box, G.E.P. and G.C. Tiao. 1975. Intervention Analysis with Applications to Environmental and Economic Problems. *Journal of the American Statistical Association* 70: 70–79.
- Bräker, O.U. 1981. Der Alterstrend bei Jahrringdichten und Jahrringbreiten von Nadelhölzern un sein Ausgleich. *Mitt. Forstl. Bundes-Vers.-Anst. Wien* 142: 75–102.
- Brett, D.W. 1982. Comment on Response Functions. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Bridge, M.C. and J. Ogden. 1986. A Sub-Fossil Kauri (*Agathis australis*) Tree-Ring Chronology. *Journal of the Royal Society of New Zealand* 16: 17–23.
- Briffa, K.R. 1984. Tree-Climate Relationships and Dendroclimatological Reconstruction in the British Isles. Ph.D. Dissertation, University of East Anglia, Norwich, England, UK.
- Briffa, K.R., P.D. Jones, T.M.L. Wigley, J.R. Pilcher, and M.G.L. Baillie. 1983. Climate Reconstruction from Tree Rings: Part 1, Basic Methodology and Preliminary Results for England. *Journal of Climatology* 3: 233–242.
- Briffa, K.R., P.D. Jones, T.M.L. Wigley, J.R. Pilcher, and M.G.L. Baillie. 1986. Climate Reconstruction from Tree-Rings: Part 2, Spatial Reconstruction of Summer Mean SLP Patterns Over Great Britain. *Journal of Climatology* 6: 1–15.
- Briffa, K.R., T.M.L. Wigley, and P.D. Jones. 1987. Towards an Objective Approach to Standardization. In: L. Kairiukstis *et al.* (eds.), *Methods of Dendrochronology -*

1. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Brill, H., E. Bock, and J. Bauch. 1981. Über die Bedeutung von Mikroorganismen im Holz von *Abies alba* Mill. für das Tannensterben. *Forstwissenschaftliches Centralblatt* 100: 195–206.
- Brown, D.M., M.A.R. Munro, M.G.L. Baillie, and J.R. Pilcher. 1986. Dendrochronology – The Absolute Irish Standard. *Radiocarbon* 28(2B): 279–283.
- Brubaker, L.B. 1987. Forest Disturbance and Tree-Ring Analysis. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Brubaker, L.B. and E.R. Cook. 1984. Tree-Ring Studies of Holocene Environments. In: H.E. Wright (ed.), *Late Quaternary Environments of the United States*. University of Minnesota Press, Minneapolis, MN, USA.
- Brubaker, L.B. and S.K. Greene. 1979. Differential Effects of Douglas Fir Tussock Moth and Western Spruce Budworm Defoliation on Radial Growth of Grand Fir and Douglas Fir. *Canadian Journal of Forest Research* 9: 95–105.
- Brukstus, V.I. 1986. Experience of Dendrochronological Scale Construction on Pine in the Lithuanian SSR. In: *Dendrochronology and Dendroclimatology*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Bryson, R. A. 1985. On Climatic Analogs in Paleoclimatic Reconstruction. *Quaternary Research* 23: 275–86.
- Burkhardt, T. and A. Hense. 1985. On the Reconstruction of Temperature Records from Proxy Data in Mid-Europe. *Archive für Meteorologie, Geophysik, und Bioklimatologie, Series B* 35: 341–359.
- Buzikin A.I., I.S. Dashkowskaya, and R.G. Chlebopros. 1986. Integral Characteristics of Radial Stand Increment Dynamics. *Lesovedenie* 6: 31–38 [in Russian].
- Cain, W.F. and H.E. Suess. 1976. Carbon 14 in Tree Rings. *Journal of Geophysical Research* 81: 3688–3694.
- Callaway, J.M. and J.W. Currie. 1985. Water Resources Systems and Changes in Climate and Vegetation. In: M.R. White (ed.), *Characterization of Information Requirements for Studies of CO₂ Effects: Water Resources, Agriculture, Fisheries, Forests and Human Health*. US Department of Energy, Carbon Dioxide Research Division, Washington, DC, USA.
- Cameron, R.J. 1960. Dendrochronology in New Zealand. *Journal of the Polynesian Society* 69: 37–38.
- Campbell, D.A. 1982. Preliminary Estimates of Summer Streamflow for Tasmania. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Chang, L. and G.C. Tiao. 1983. *Estimation of Time Series Parameters in the Presence of Outliers*. Technical Report 8, Technical Research Center, University of Chicago, Chicago, IL, USA.
- Chatfield, C. 1975. *The Analysis of Time Series: Theory and Practice*. Chapman and Hall, London, UK.
- Chavchavadze, E.S. 1979. *Coniferous Wood*. Nauka Publishing House, Leningrad, USSR.
- Chrgian, A. 1938. *Waldo Glock: Principles and Methods of Tree-Ring Analysis*. Carnegie Institution, Washington, DC, USA.
- Clark, D. 1975. Understanding Canonical Correlation Analysis. *Concepts and Techniques in Modern Geography*, No. 3, Geo Abstracts, Norwich, UK.

- Clark, R.M. 1975. A Calibration Curve for Radiocarbon Dates. *Antiquity* **49**: 251-263.
- Clayton-Greene, K.A. 1977. Structure and Origin of *Libocedrus bidwillii* Stands in the Waikato District, New Zealand. *New Zealand Journal of Botany* **15**: 19-28.
- Cleaveland, M.K. 1983. *X-ray Densitometric Measurements of Climatic Influence on the Intra-Annual Characteristics of Southwestern Semiarid Conifer Tree Rings*. Ph.D. Dissertation, University of Arizona, Tucson, AZ, USA.
- Clevenger, J.R. 1913. *The Effect of Smoke on Vegetation*. University of Pittsburgh Smoke Investigation Bulletin, 7, Pittsburgh, PA, USA.
- Conkey, L.E. 1979. Response of Tree-Ring Density to Climate in Maine, USA. *Tree-Ring Bulletin* **39**: 29-38.
- Conkey, L.E. 1986. Red Spruce Tree-Ring Widths and Densities in Eastern North America as Indicators of Past Climate. *Quaternary Research* **26**: 232-243.
- Cook, E.R. 1985. A Time Series Analysis Approach to Tree-Ring Standardization. Unpublished Ph.D. Dissertation. University of Arizona, Tucson, AZ, USA.
- Cook, E.R. 1987a. The Use and Limitations of Dendrochronology in Studying Effects of Air Pollution on Forests. In: T. Hutchinson and K.M. Meema (eds.), *Effects of Air Pollution on Forest, Wetland, and Agricultural Ecosystems*, Springer-Verlag, Berlin, Germany, F.R.
- Cook, E.R. 1987b. The Use of Climatic Response Models of Tree Rings in the Analysis and Prediction of Forest Decline. In: L. Kairiukstis et al. (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Cook, E.R. and R.L. Holmes. n.d. *Users Manual for Program ARSTND*. Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- Cook, E.R. and G.C. Jacoby. 1977. Tree-Ring - Drought Relationships in the Hudson Valley, New York. *Science* **198**: 399-401.
- Cook, E.R. and G.C. Jacoby. 1983. Potomac River Streamflow Since 1730 as Reconstructed by Tree-Rings. *Journal of Climatology and Applied Meteorology* **22**: 1659-1672.
- Cook, E.R. and K. Peters. 1981. The Smoothing Spline: A New Approach to Standardizing Forest Interior Tree-Ring Width Series for Dendroclimatic Studies. *Tree-Ring Bulletin* **41**: 45-53.
- Cook, E.R., A.J. Johnson, and T.J. Blasing. 1987. Forest Decline: Modeling the Effect of Climate in Tree Rings. *Tree Physiology* **3**: 27-40.
- Coster, C. 1927. Zur Anatomie und Physiologie der Zuwachszonen- und Jahresringbildung in den Tropen. *Annales du Jardin Botaniques de Buitenzorg* **37**: 49-160.
- Coster, C. 1928. Zur Anatomie und Physiologie der Zuwachszonen- und Jahresringbildung in den Tropen. *Annales du Jardin Botaniques de Buitenzorg* **38**: 1-114.
- Cramer, H. 1942. On Harmonic Analysis in Certain Functional Spaces. *Arkiv foer Matematik, Astronomi och Fysik* **28**: 1-7.
- Cropper, J.P. 1979. Tree-Ring Skeleton Plotting by Computer. *Tree-Ring Bulletin* **39**: 47-59.
- Cropper, J.P. 1982. Comment on Response Functions. In: M.K. Hughes et al. (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Cropper, J.P. 1984. Multicollinearity Within Selected Western North American Temperature and Precipitation Data Sets. *Tree-Ring Bulletin* **44**: 29-37.
- Cropper, J.P. 1985. *Tree Ring Response Functions: An Evaluation by Means of Simulations*. Ph.D. Dissertation, University of Arizona, Tucson, AZ, USA.

- Cropper, J.P. and H.C. Fritts. 1981. Tree-Ring Width Chronologies from the North American Arctic. *Arctic and Alpine Research* 18(3): 245-260.
- Cropper, J.P. and H.C. Fritts. 1982. Density of Tree-Ring Grids in Western North America. *Tree-Ring Bulletin* 42: 3-9.
- Cullen, P.J. 1987. Regeneration Patterns in Populations of *Arthrotaxis selaginoides* D.Don. from Tasmania. *Journal of Biogeography* 14: 39-51.
- Currie, R.G. 1980. Solar Cycle Signal in Air Temperature in North America: Amplitude, Gradient, Phase, and Distribution. *Journal of the Atmospheric Sciences* 38: 808-818.
- Currie, R.G. 1981. Evidence for 18.6-Year Signal in Temperature and Drought Conditions in North America Since A.D. 1800. *Journal of Geophysical Research* 86: 11,055-11,064.
- Currie, R.G. 1984. Periodic (18.6-Year) and Cyclic (11-Year) Induced Drought and Flood in Western North America. *Journal of Geophysics* 89: 7215-7230.
- Curtis, B.A., P.D. Tyson, and T.G.J. Dyer. 1978. Dendrochronological Age Determination of *Podocarpus falcatus*. *South African Journal of Science* 74: 92-95.
- Daget, P. 1980. Un Élément Actuel de la Caractérisation du Monde Méditerranéen: Le Climat. *Naturalia Monspelienisia*, H.S.
- Daget, P. and P. David. 1982. Essai de Comparaison de Diverses Approches Climatiques de la Méditerranée. *Ecologia Mediterranea* 8(fasc. 1.2): 33-48.
- Dagnélie, P. 1975. *Analyse Statistique à Plusieurs Variables*. Presses Agronomiques de Gembloux, Gembloux, Belgium.
- Danilov, D.N. 1953. Influence of Fruit Bearing Upon the Structure of the Annual Ring in Spruce. *Botanicheskii Zhurnal* 38: 367-377 [in Russian].
- Delorme, A., H.-H. Leuschner, J. Tuxen, and H.-C. Hofle. 1983. Der subatlantische Torfeichen-Horizont "Sieden," erneut belegt im Toten Moor am Steinhuder Meer. *Tema* 13: 33-51.
- Dergachev, V.A. and G.E. Kocharov. 1981. Regularity Manifestation of Some Natural Processes in the Past by Radiocarbon Concentration Study in the Tree Wood Layers. In: *Spatial Climatic Changes and Annual Tree Rings*. Kaunas, Lithuanian SSR [in Russian].
- DeWitt, E. and M. Ames. 1978. *Tree-Ring Chronologies of Eastern North America*. Chronology Series IV, Vol. 1, Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- Diaz-Vaz, J.R., R. Echols, and W. Knigge. 1975. Vergleichende Untersuchung der Schwankungen von Tracheidendimensionen und röntgenoptisch ermittelter Rohdichte innerhalb des Jahrrings. *Forstwissenschaftliches Centralblatt* 94: 161-175.
- Dixon, W.J. (ed.). 1983. *BMDP Statistical Software Reference Manual*. University of California Press, Berkeley, CA, USA.
- Dmitrieva, E.D. 1959. *The Experience of Analysis of Climatic Influence on Tree Growth at Different Sites in the Karelian Neck*.
- Dollard, G.J., Tian Tan Kia, and N.W. Lepp. 1976. Some Approaches to the Development of Tree-Ring Analysis as a Monitoring Tool for Heavy Metal Pollution. In: L. Karenlampi (ed.), *Proceedings of the Kuopio Meeting on Plant Damages Caused by Air Pollution*, Kuopio, Finland.
- Dong, P.H. and H. Kramer. 1986. Auswirkungen von Umweltbelastungen auf das Wuchsverhalten verschiedener Nadelbaumarten im nordwestdeutschen Küstenraum. *Der Forst- und Holzwirt* 41: 286-290.

- Douglass, A.E. 1914. A Method of Estimating Rainfall by the Growth of Trees. In: E. Huntington (ed.), *The Climatic Factor*. Carnegie Institution of Washington Publication 192, Washington, DC, USA.
- Douglass, A.E. 1919. *Climatic Cycles and Tree Growth*, Vol. 1. Carnegie Institution of Washington Publication 289, Washington, DC, USA.
- Douglass, A.E. 1921. Dating Our Prehistoric Ruins. *Natural History* 21: 27–30.
- Douglass, A.E. 1928. *Climatic Cycles and Tree-Growth*, Vol. II. Carnegie Institution of Washington Publication 289, Washington, DC, USA.
- Douglass, A.E. 1934. Accuracy in Dating. *Tree-Ring Bulletin* 1(2): 10–11.
- Douglass, A.E. 1935a. *Dating Pueblo Bonito and Other Ruins of the Southwest*. National Geographic Society, Contributed Technical Papers, Pueblo Bonito Series P1, Washington, DC, USA.
- Douglass, A.E. 1935b. Accuracy in Dating – II. The Presentation of Evidence. *Tree-Ring Bulletin* 1(2): 19–21.
- Douglass, A.E. 1936. *Climatic Cycles and Tree-Growth*. Vol. III. Carnegie Institution of Washington Publication 289, Washington, DC, USA.
- Douglass, A.E. 1940. Notes on the Technique of Tree-Ring Analysis, I. *Tree-Ring Bulletin* 7(1): 2–8.
- Douglass, A.E. 1941a. Notes on the Technique of Tree-Ring Analysis, II. *Tree-Ring Bulletin* 7(4): 28–34.
- Douglass, A.E. 1941b. Notes on the Technique of Tree-Ring Analysis, III. *Tree-Ring Bulletin* 8(2): 10–16.
- Douglass, A.E. 1943. Notes on the Technique of Tree-Ring Analysis. IV. *Tree-Ring Bulletin* 10(1): 2–8.
- Downing, D.N. and S.B. McLaughlin. 1987. Intervention Detection – A Systematic Technique for Examining Shifts in Radial Growth Rates of Forest Trees. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Draper, N.R. and H. Smith. 1981. *Applied Regression Analysis*, 2nd Ed. John Wiley and Sons, New York, NY, USA.
- Drew, L.G. (ed.) 1975a. *Tree-Ring Chronologies of Western America, V: Washington, Oregon, Idaho, Montana and Wyoming*. Chronology Series 1, Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- Drew, L.G. (ed.) 1975b. *Tree-Ring Chronologies of Western America, VI: Western Canada and Mexico*. Chronology Series 1, Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- Duke, N.C., W.R. Birch, and W.T. Williams. 1981. Growth Rings and Rainfall Correlations in a Mangrove Tree of the Genus *Diospyros* (Ebenaceae). *Australian Journal of Botany* 29: 135–142.
- Dunn, O.J. and V.A. Clark. 1974. *Applied Statistics: Analysis of Variance and Regression*. John Wiley and Sons, New York, NY, USA.
- Dunwiddie, P.W. 1979. Dendrochronological Studies of Indigenous New Zealand Trees. *New Zealand Journal of Botany* 17: 251–266.
- Dunwiddie, P.W. and V.C. LaMarche, Jr. 1980a. A Climatically Responsive Tree-Ring Record from *Widdringtonia cedarbergensis*, Cape Province, South Africa. *Nature* 286: 796–797.
- Dunwiddie, P.W. and V.C. LaMarche, Jr. 1980b. Dendrochronological Characteristics of Some Native Australian Trees. *Australian Forestry* 43: 124–135.

- Dyer, T.G.J. 1982. South Africa. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Eckstein, D. 1972. Tree-Ring Research in Europe. *Tree-Ring Bulletin* 32: 1-18.
- Eckstein, D. 1985. On the Application of Dendrochronology for the Evaluation of Forest Damage. In: P. Schmid-Haas (ed.), *Inventorying and Monitoring Endangered Forests*. Eidgenössische Anstalt für das forstliche Versuchswesen, Birmensdorf, Switzerland.
- Eckstein, D. 1985. Personal communication.
- Eckstein, D. and J. Bauch. 1969. Beitrag zur Rationalisierung eines dendrochronologischen Verfahrens und zur Analyse seiner Aussagesicherheit. *Forstwissenschaftliches Centralblatt* 88: 230-250.
- Eckstein, D. and E. Frisse. 1982. The Influence of Temperature and Precipitation on Vessel Area and Ring Width of Oak and Beech. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Eckstein, D. and S. Wrobel. 1983. Dendrochronologie in Europa. *Dendrochronologia* 1: 9-20.
- Eckstein, D., E. Frisse, and F. Quiehl. 1977. Holzanatomische Untersuchungen zum Nachweis anthropogener Einflüsse auf die Umweltbedingungen einer Rotbuche. *Angewandte Botanik* 51: 47-56.
- Eckstein, D., J.C. Ogden, G.C. Jacoby, and J. Ash. 1981. *Age and Growth Rate Determination in Tropical Trees: The Application of Dendrochronological Methods*. Bulletin No. 94, School of Forestry and Environmental Studies, Yale University, New Haven, CT, USA.
- Eckstein, D., R.W. Aniol, and J. Bauch. 1983. Dendroklimatologische Untersuchungen zum Tannensterben. *European Journal of Forest Pathology* 13: 279-288.
- Eckstein, D., K. Richter, R.W. Aniol, and F. Quiehl. 1984. Dendroklimatologische Untersuchungen zum Buchensterben im südwestlichen Vogelsberg. *Forstwissenschaftliches Centralblatt* 103: 274-290.
- Efron, B. 1979. Bootstrap Methods: Another Look at the Jackknife. *Annals of Statistics* 7: 1-26.
- Eklund, B. 1954. Variation in the Widths of the Annual Rings of Pine and Spruce Due to Climatic Conditions in Northern Sweden During the Years 1900-1944. *Medd. Statens Skogsforskningsinstitut* 44(8): 1-150.
- Elliot, G.K. and S.E.G. Brook. 1967. Microphotometric Technique for Growth Ring Analysis. *Journal of the Institute of Wood Science* 18: 24-43.
- Emberger, L. 1971. *Travaux de Botanique et d'Ecologie*. Massin et Cie Editions, Paris, France.
- Erlandsson, S. 1936. *Dendrochronological Studies*. Stockholms Hogskolas Geokronol. Institute, Report 23, Uppsala, Sweden.
- Evdokimov, V.N. 1979. Tree Growth as a Function of Drainage Intensity at the Horsetail-Bogmass Spruce Stand in the Komi Autonomous Republic. *Proceedings of the Institute for Higher Education. Forestry Journal* 2: 30-32 [in Russian].
- Evertsen, J.A. 1982. Interlaboratory Standardisation Survey. *Wood Microdensitometry Bulletin* 2(2): 3-24.
- Fahn, A., J. Burley, K.A. Longman, and A. Mariaux. 1981. Possible Contributions of Wood Anatomy to the Determination of the Age of Tropical Trees. In: F.H. Bormann and G. Berlyn (eds.), *Age and Growth Rate of Tropical Trees: New Directions for Research*. Bulletin No. 94, School of Forestry and Environmental Studies, Yale University, New Haven, CT, USA.

- Fedorov, V.D. and T.G. Gilmanov. 1980. *Ecology*. M. Publ. Moscow University, Moscow, USSR [in Russian].
- Feklistov, P.A. 1978. *Dendroclimatic Analysis of Growth in Diameter at the Moss-Lichen Pine Stand in the North Taiga*. Lesovedenie, USSR [in Russian].
- Ferguson, C.W. 1968. Bristlecone Pine: Science and Esthetics. *Science* 159(3817): 839-846.
- Ferguson, C.W. 1969. A 7104-Year Annual Tree-Ring Chronology for Bristlecone Pine, *Pinus aristata*, from the White Mountains, California. *Tree-Ring Bulletin* 29: 3-29.
- Ferguson, C.W. 1970. Dendrochronology of Bristlecone Pine, *Pinus aristata*: Establishment of a 7484-Year Chronology in the White Mountains of Eastern-Central California, USA. In: I.U. Olsson (ed.), *Radiocarbon Variations and Absolute Chronology*, Proceedings of the Twelfth Nobel Symposium held at the Institute of Physics at Uppsala University. Almqvist and Wiksell, Stockholm.
- Ferguson, C.W. and D.A. Graybill. 1983. Dendrochronology of Bristlecone Pine: A Progress Report. *Radiocarbon* 25(2): 287-288.
- Fisher, C. 1972. Current Capabilities and Limitations of Available Stereological Techniques. IV. Automatic Image Analysis for the Stereologist. *Journal of Microscopy* 95H: 385-392.
- Fletcher, J.M. and J.F. Hughes. 1970. Uses of X-rays for Density Determinations and Dendrochronology. In: J.H.G. Smith and J. Worrall (eds.), *Tree-Ring Analysis with Special Reference to Western North America*. Faculty of Forestry Bulletin No. 7, University of British Columbia, Vancouver, British Columbia, Canada.
- Ford, E.D. 1981. Can We Model Xylem Production by Conifers? *Studia Forestalia Suecica* 160: 19-29.
- Ford, E.D., A.W. Robards, and M.D. Piney. 1978. Influence of Environmental Factors on Cell Production and Differentiation in the Earlywood of *Picea sitchensis*. *Annals of Botany* 42: 683-692.
- Fox, C.A., W.B. Kincaid, T.H. Nash III, D.L. Young, and H.C. Fritts. 1986. Tree-Ring Variation in Western Larch (*Larix occidentalis*) Exposed to Sulfur Dioxide Emissions. *Canadian Journal of Forest Research* 16: 283-292.
- Francey, R.J. et al. 1984. *Isotopes and Tree Rings*. Division of Atmospheric Research Technical Paper 4, Commonwealth Scientific and Industrial Research Organisation, Melbourne, Australia.
- Franklin, D.A. 1969. Growth Rings in Rimu from South Westland Terrace Forest. *New Zealand Journal of Botany* 7: 177-188.
- Fritts, H.C. 1959. The Relation of Radial Growth to Maximum and Minimum Temperatures in Three Tree Species. *Ecology* 40(2): 261-265.
- Fritts, H.C. 1962. An Approach to Dendroclimatology: Screening by Means of Multiple Regression Techniques. *Journal of Geophysical Research* 67(4): 1413-1420.
- Fritts, H.C. 1963. Computer Programs for Tree-Ring Research. *Tree-Ring Bulletin* 25(3-4): 2-7.
- Fritts, H.C. 1965. Tree-Ring Evidence for Climatic Changes in Western North America. *Monthly Weather Review* 93: 421-443.
- Fritts, H.C. 1969. *Bristlecone Pine in the White Mountains of California: Growth and Ring-Width Characteristics*. Papers of the Laboratory of Tree-Ring Research, 4. University of Arizona Press, Tucson, AZ, USA.
- Fritts, H.C. 1971. Dendroclimatology and Dendroecology. *Quaternary Research* 1(4): 419-449.

- Fritts, H.C. 1974. Relationships of Ring Widths in Arid-Site Conifers to Variations in Monthly Temperature and Precipitation. *Ecological Monographs* 44(4): 411-440.
- Fritts, H.C. 1976. *Tree Rings and Climate*. Academic Press, London, UK.
- Fritts, H.C. 1982. An Overview of Dendroclimatic Techniques, Procedures, and Prospects. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Fritts, H.C. 1987. Some General Propositions of Dendrochronology. In: L. Kairiukstis *et al.* (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Fritts, H.C. Forthcoming. *Reconstructing Large-Scale Climatic Patterns from Tree-Ring Data: A Diagnostic Study*.
- Fritts, H.C. and G.A. Gordon. 1982. Reconstructed Annual Precipitation for California. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Fritts, H.C. and D.J. Shatz. 1975. Selecting and Characterizing Tree-Ring Chronologies for Dendroclimatic Analysis. *Tree-Ring Bulletin* 35: 31-40.
- Fritts, H.C. and T.W. Swetnam. 1986. *Dendroecology: A Tool for Evaluating Variations in Past and Present Forest Environments*. Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- Fritts, H.C. and X. Wu. 1986. A Comparison Between Response Function Analysis and Other Regression Techniques. *Tree-Ring Bulletin* 46: 31-46.
- Fritts, H.C., D.G. Smith, and M.A. Stokes. 1965a. The Biological Model for Paleoclimatic Interpretation of Mesa Verde Tree-Ring Series. *American Antiquity* 31(2): 101-121.
- Fritts, H.C., D.G. Smith, J.W. Cardis, and C.A. Budelsky. 1965b. Tree-Ring Characteristics Along a Vegetation Gradient in Northern Arizona. *Ecology* 46: 393-401.
- Fritts, H.C., D.G. Smith, C.A. Budelsky, and J.W. Cardis. 1965c. The Variability of Ring Characteristics Within Trees as Shown by a Reanalysis of Four Ponderose Pine. *Tree-Ring Bulletin* 27: 3-18.
- Fritts, H.C., J.E. Mosimann, and C.P. Bottorff. 1969. A Revised Computer Program for Standardizing Tree-Ring Series. *Tree-Ring Bulletin* 29: 15-20.
- Fritts, H.C., T.J. Blasing, B.P. Hayden, and J.E. Kutzbach. 1971. Multivariate Techniques for Specifying Tree-Growth and Climate Relationships and for Reconstructing Anomalies in Paleoclimate. *Journal of Applied Meteorology* 10: 845-864.
- Fritts, H.C., G.R. Lofgren, and G.A. Gordon. 1979. Variations in Climate Since 1602 as Reconstructed from Tree Rings. *Quaternary Research* 12(1): 18-46.
- Frühwald, A., J. Bauch, and H. Götsche-Kühn. 1984. Holzeigenschaften von Fichten aus Waldschadensgebieten. Untersuchungen an frisch gefälltem Holz. *Holz als Roh- und Werkstoff* 42: 441-449.
- Fukazawa, K. and H. Imagawa. 1981. Quantitative Analysis of Lignin Using a UV Microscope Image Analyser: Variation Within One Growth Increment. *Wood Science and Technology* 15: 45-55.
- Furnival, G.M. and R.W. Wilson. 1974. Regression by Leaps and Bounds. *Technometrics* 16: 499-511.
- Gahm, J. 1972. Current Capabilities and Limitations of Available Stereological Techniques. I. Stereological Measurements with Lines, Circles and Structural Standards. *Journal of Microscopy* 95H: 368-373.

- Galazy, G.I. 1954. Altitudinal Limit of Arboreal Vegetation in the Eastern Siberia Mountains and Its Dynamics. Proceedings of Botanical Institute of the USSR Academy of Sciences, Series III. *Geobotany* 9: 210-329 [in Russian].
- Galazy, G.I. 1955. Botanical Method of Determination of the High Historical Water Levels and Some Other Phenomena in the Baikal Lake. *Proceedings of the USSR Academy of Sciences* 103(5): 811-813 [in Russian].
- Galazy, G.I. 1967. Tree Growth Dynamics on the Baikal Shores in Connections with Cyclic Water Level Oscillations in the Baikal Lake. In: *Geobotanical Investigations in the Baikal Lake*. Nauka Publishing House, Moscow, USSR [in Russian].
- Giacobbe, A. 1959. *Nouvelles Recherches Écologiques sur l'Aridité dans les Pays de la Méditerranée Occidentale*. Naturalia Monspeliensia II, Montpellier, France.
- Giacobbe, A. 1964-1965. *La Mesure du Bioclimat Méditerranéen*. Naturalia Monspeliensia, Série Botanique, Fasc. 16.
- Gilman, D.L., F.J. Fuglister, and J.M. Mitchell, Jr. 1963. On the Power Spectrum of "Red Noise." *Journal of the Atmospheric Sciences* 20: 182-184.
- Gladwin, H.S. 1940. *Tree-Ring Analysis: Methods of Correlation*. Medallion Papers 28, Gila Pueblo, Globe, AZ, USA.
- Gladwin, H.S. 1943. *A Review and Analysis of the Flagstaff Culture*. Medallion Papers 31, Gila Pueblo, Globe, AZ, USA.
- Gladwin, H.S. 1944. *Tree-Ring Analysis: Problems of Dating I: The Medicine Valley Sites*. Medallion Papers 32, Gila Pueblo, Globe, AZ, USA.
- Gladwin, H.S. 1946. *Tree-Ring Analysis: Problems of Dating II: The Tusayan Ruin*. Medallion Papers 36, Gila Pueblo, Globe, AZ, USA.
- Gladwin, H.S. 1947. *Tree-Ring Analysis: Tree-Rings and Droughts*. Medallion Papers 37, Gila Pueblo, Globe, AZ, USA.
- Glahn, H.R. 1968. Canonical Correlation and Its Relationship to Discriminant Analysis and Multiple Regression. *Journal of the Atmospheric Sciences* 25(1): 23-31.
- Glebov, F.Z. and V.I. Litvinenko. 1976. Tree-Ring Width Dynamics in Connection with Meteorological Data at Different Types of Bog Forests. *J. Lesoviedenie* 4: 56-62 [in Russian].
- Glebov, F.Z. and A.I. Pogodina. 1972. Stand Growth of Some Bog Forests at the Tomsk Station in Connection with Hydrothermal Conditions. In: *Dendroclimatology and Radiocarbon*. Kaunas, Lithuanian SSR [in Russian].
- Glerum, C. and J.L. Farr. 1966. Frost Ring Formation in the Stems of Some Coniferous Species. *Canadian Journal of Botany* 44: 879-886.
- Glock, W.S. 1941. Growth Rings and Climate. *Botanical Review* 12(7): 649-713.
- Glock, W.S. 1950. Tree Growth and Rainfall: A Study of Correlation and Methods. *Smithsonian Miscellaneous Collections* 111(18): 1-47.
- Glock, W.S. and S.R. Agarter. 1962. Rainfall and Tree Growth. In: T.T. Kozlowski (ed.), *Tree Growth*. Ronald Press, New York, NY, USA.
- Goldthwait, L. and C.J. Lyon, 1937. Secondary Growth of White Pine in Relation to Its Water Supply. *Ecology* 18: 406-415.
- Gordon, G.A. 1980. *Verification Tests for Dendroclimatological Reconstructions*. Technical Note No. 19, Northern Hemisphere Climate Reconstruction Group, Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- Gordon, G.A. 1982. Verification of Dendroclimatic Reconstructions. In: M.K. Hughes et al. (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.

- Gordon, G.A. and S.K. LeDuc. 1981. *Verification Statistics for Regression Models*. Seventh Conference on Probability and Statistics in Atmospheric Sciences, Monterey, California, CA, USA.
- Gordon, G.A., J.M. Lough, H.C. Fritts, and P.M. Kelly. 1985. Comparison of Sea Level Pressure Reconstructions from Western North American Tree Rings with a Proxy Record of Winter Severity in Japan. *Journal of Climate and Applied Meteorology* 24(11): 1219–1224.
- Gore, L.F. 1979. The Measurement of the Microscopic Image. *Medical Laboratory Sciences* 36: 63.
- Gortinsky G.B. 1968. Experience of Annual Productivity Dynamics Analysis of the Spruce Stands in the Southern Taiga Biogeocenoses. In: *Experimental Investigations of the Taiga Biogeocenoses*. Nauka Publishing House, Leningrad, USSR [in Russian].
- Granger, C.W.J. 1966. On the Typical Shape of an Econometric Variable. *Econometrics* 34: 150–161.
- Graumlich, L. 1985. Long-Term Records of Temperature and Precipitation in the Pacific Northwest Derived from Tree Rings. Unpublished Ph.D. Dissertation, University of Washington, Seattle, WA, USA.
- Graumlich, L. and L.B. Brubaker. 1986. Reconstruction of Annual Temperatures (1590–1979) for Longmire, Washington, Derived from Tree-Rings. *Quaternary Research* 25: 223–234.
- Gray, B.M., T.M.L. Wigley, and J.R. Pilcher. 1981. Statistical Significance and Reproducibility of Tree-Ring Response Functions. *Tree-Ring Bulletin* 41: 21–35.
- Graybill, D.A. 1979. Revised Computer Programs for Tree-Ring Research. *Tree-Ring Bulletin* 39: 77–82.
- Graybill, D.A. 1982. Chronology Development and Analysis. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Graybill, D.A. 1987. A Network of High Elevation Conifers in the Western US for Detection of Tree-Ring Growth Response to Increasing Atmospheric Carbon Dioxide. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Green, H.V. 1965. The Study of Wood Characteristics by Means of a Photometric Technique. In: *Proceedings of Meeting of Working Groups on Wood Quality, Sawing and Machine, Wood and Tree Chemistry*. Ed. Section 41, IUFRO, 1985, Vol. 2. CSIRO, Division of Forest Products, Melbourne, Australia.
- Greve, U., D. Eckstein, R.W. Aniol, and F. Scholz. 1986. Dendroklimatologische Untersuchungen an Fichten unterschiedlicher Immissionsbelastung in Nordostbayern. *Allgemeine Forst- und Jagdzeitung* 157: 174–179.
- Grosset, H.E. 1959. *Pinus mugo* Scop. In: *Data for Assessment of the Flora and Fauna of the USSR*. New Series. *Botany* 12(XX) [in Russian].
- Guibal, F. 1984. Contribution Dendroclimatologique à la Connaissance de la Croissance du Cèdre de l'Atlas dans les Reboisements du Sud-Est de la France. Ph.D. Thesis, Université d'Aix-Marseille III, Marseille, France.
- Guibal, F. 1985. Dendroclimatologie du Cèdre de l'Atlas (*Cedrus atlantica* Manetti) dans le Sud-Est de la France. *Ecologia Mediterranea* 11(4): 87–103.
- Guiot, J. 1981. Analyse Mathématique de Données Geophysiques, Application la Dendroclimatologie. Ph.D. Thesis, Université Catholique de Louvain-la-Neuve, Louvain, Belgium.

- Guiot, J. 1984. Deux Méthodes d'Utilisation de l'Épaisseur des Cernes Ligneux pour la Reconstruction des Paramètres Climatiques Anciens, l'exemple de leur application dans le domaine Alpin. *Palaeogeography, Palaeoclimatology, Palaeoecology* 45: 347-368.
- Guiot, J. 1985a. The Extrapolation of Recent Climatological Series with Spectral Canonical Regression. *Journal of Climatology* 5: 325-335.
- Guiot, J. 1985b. Reconstruction of Seasonal Temperature and Sea-Level Pressure in the Hudson Bay Area Back to 1700. *Climatological Bulletin* 19: 11-59.
- Guiot, J. 1986. ARMA Techniques for Modelling Tree-Ring Response to Climate and for Reconstructing Variations of Paleoclimates. *Ecological Modelling* 33: 149-171.
- Guiot, J. 1987a. Standardization and Selection of the Chronologies by the ARMA Analysis. In: L. Kairiukstis *et al.* (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Guiot, J. 1987b. Late Quaternary Climatic Change in France Estimated from Multivariate Pollen Time Series. *Quaternary Research* 28: 100-118.
- Guiot, J., A.L. Berger, and A.V. Munaut. 1982a. Response Functions. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK
- Guiot, J., A.L. Berger, A.V. Munaut, and C. Till. 1982b. Some New Mathematical Procedures in Dendroclimatology, with Examples from Switzerland and Morocco. *Tree-Ring Bulletin* 42: 33-48.
- Guiot, J., L. Tessier, and F. Serre-Bachet. 1982c. Application de la Modélisation ARMA en Dendroclimatologie. *Comptes-Rendus de l'Académie des Sciences de Paris* 294: 133-136.
- Gursky, A.V., I.V. Kanevskaya, and L.F. Ostapovitch. 1953. Main Results of Plant Introduction in the Pamir Botanical Garden. In: *Proceedings of the Pamir Botanical Garden of the Institute of Botany of the Tadzhik Academy of Sciences*, Vol. 16, USSR [in Russian].
- Gurtinsky, G.B. 1968. Experience of Annual Productivity Dynamics Analysis of the Spruce Stands in the Southern Taiga Biogeocenoses. In: *Experimental Investigations of the Taiga Biogeocenoses*. Nauka Publishing House, Leningrad, USSR [in Russian].
- Haase, P. 1986. Continuation of Wood Increment in a Subalpine Stand of *Olearia ilicifolia* During the Winter of 1984. *New Zealand Journal of Botany* 24: 174-182.
- Haasemann, M. 1963. Bestimmung des Spatholzanteils bei Fichten- und Kiefernholz mit Hilfe des Auglichtmikroskopes. *Holztechnologie* 4: 277-280.
- Hagemeyer, J. 1986. Zur Verteilung von Cadmium in den Jahrringen von Eichen (*Quercus robur*, *Q. petraea*). *Bielefelder Ökol. Betr.* 2: 71-118.
- Hall, E.T. 1939. A Method of Obtaining a Plane Surface on Charcoal. *Tree-Ring Bulletin* 5(4): 31.
- Hall, E.T. 1946. Preserving and Surfacing Rotted Wood and Charcoal. *Tree-Ring Bulletin* 12(4): 26-27.
- Hall, M. 1976. Dendroclimatology, Rainfall, and Human Adaptation in the Later Iron Age of Natal and Zululand. *Annals of the Natal Museum* 22: 693-703.
- Hall, C., M.K. Hughes, N.W. Lepp, and G.J. Dollard. 1975. Cycling of Heavy Metals in Woodland Ecosystems. In: *Proceedings of the International Conference on Heavy Metals in the Environment*. Toronto, Ontario, Canada.

- Hampp, R. and W. Holl. 1974. Radial and Axial Gradient of Lead Concentration in Bark and Xylem of Hardwoods. *Archives of Environmental Contamination and Toxicology* 2: 143-151.
- Hannan, E.J. 1960. *Time Series Analysis*. John Wiley and Sons, New York, NY, USA.
- Hannan, E.J. 1961. Testing for a Jump in the Spectral Function. *Journal of the Royal Statistical Society (B)* 23: 394-404.
- Hannan, E.J. 1970. *Multiple Time Series*. John Wiley and Sons, New York, NY, USA.
- Harper, J.L. 1977. *Population Biology of Plants*. Academic Press, London, UK.
- Harrison, P.J. and C.F. Stevens. 1976. Bayesian Forecasting. *Journal of the Royal Statistical Society (B)* 38(3): 205-245.
- Hartig, R. 1891. *Lehrbuch der Anatomie und Physiologie der Pflanzen*. Springer-Verlag Berlin, Germany, F.R..
- Harvey, A.C. 1984. A Unified View of Statistical Forecasting Procedures. *Journal of Forecasting* 3: 245-275.
- Haselhoff, E. and G. Lindau. 1903. *Die Beschädigung der Vegetation durch Rauch*. Verlag Borntrager, Leipzig, German D.R.
- Haury, E.W. 1931. *Kivas of the Tusayan Ruin, Grand Canyon, Arizona*. Medallion Papers 9, Gila Pueblo, Globe, AZ, USA.
- Haury, E.W. 1934. *The Canyon Creek Ruin and the Cliff Dwelling of the Sierra Ancha*. Medallion Papers 14, Gila Pueblo, Globe, AZ, USA.
- Haury, E.W. 1936. *The Mogollon Culture of Southwestern New Mexico*. Medallion Papers 20, Gila Pueblo, Globe, AZ, USA.
- Haury, E.W. 1962. HH 39: Recollections of a Dramatic Moment in Southwestern Archaeology. *Tree-Ring Bulletin* 24: 11-14.
- Haury, E.W. and Lyndon L. Hargrave. 1931. *Recently Dated Pueblo Ruins in Arizona*. Smithsonian Miscellaneous Collections 8211, Washington, DC, USA.
- Heikkinen, O. 1984. Forest Expansion in the Subalpine Zone During the Past Hundred Years, Mount Baker, Washington, USA. *Erdkunde* 38: 194-202.
- Herbert, J. 1977. Growth Pattern of Planted Tanekaha (*Phyllocladus trichomanoides* D. Don). *New Zealand Journal of Botany* 15: 513-515.
- Herbert, J. 1980. Structure and Growth of Dense Podocarp Forest at Tihoi, Central North Island, and the Impact of Selective Logging. *New Zealand Journal of Forestry* 25: 44-57.
- Hoerl, A.E. and R.W. Kennard. 1970. Ridge Regression: Biased Estimation of Non-orthogonal Problems. *Technometrics* 12: 55-67.
- Hollstein, E. 1965. Jahrringchronologische Datierungen von Eichenhölzern ohne Waldkante. *Bonner Jahrbuch* 165: 12-17.
- Hollstein, E. 1980. *Mitteleuropäische Eichenchronologie*. Verlag Philipp von Zabern, Mainz am Rhein, Germany, F.R.
- Holmes, R.L. 1982. Argentina and Chile. In: M.K. Hughes et al. (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Holmes R. 1983. Computer-Assisted Quality Control in Tree-Ring Dating and Measurement. *Tree-Ring Bulletin* 44: 69-75.
- Holmes, R.L., C.W. Stockton, and V.C. LaMarche, Jr. 1979. Extension of River Flow Records in Argentina from Long Tree-Ring Chronologies. *Water Resources Bulletin* 15: 1081-1085.
- Holmes, R.L., R.K. Adams, and H.C. Fritts. 1986. *Tree-Ring Chronologies of Western North America: California, Eastern Oregon and Northern Great Basin with Procedures Used in the Chronology Development Work Including Users Manuals for*

- Computer Programs COFECHA and ARSTAN*. Chronology Series VI. Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- Holzhauser, H. 1983. Die Geschichte des großen Aletschgletschers während der letzten 2500 Jahre. *Bulletin Murithieene* 101: 113–134.
- Holzman, R.B. 1970. Isotopic Composition as Natural Tracer of Lead in the Environment. *Environmental Science and Technology* 4: 314–317.
- Hornbeck, J.W. and R.B. Smith. 1985. Documentation of Red Spruce Growth Decline. *Canadian Journal of Forest Research* 15: 1199–1201.
- Hough, A.F. 1932. Some Diameter Distributions in Forest Stands of Northwestern Pennsylvania. *Journal of Forestry* 30: 933–943.
- Howard, R.A. and B.F. Wilson. 1972. A Stochastic Model for Cambial Activity. *Botanical Gazette* 133: 410–414.
- Huber, B. 1941. Aufbau einer mitteleuropäischen Jahrring-Chronologie. *Mitt. Akad. Dtsch. Forstwiss.* 1: 110–125.
- Hughes, M.K. 1987a. Dendroclimatology of *Pinus sylvestris* L. in Scottish Highlands. In: R.G.W. Ward (ed.), *Applications of Tree-Ring Studies*, BAR International Series 333, pp. 91–105.
- Hughes, M.K. 1987b. Requirements for Spatial and Temporal Coverage: Introduction. In: L. Kairiukstis et al. (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Hughes, M.K. and A.C. Davies. 1987. Dendroclimatology in Kashmir Using Tree-Ring Widths and Densities in Subalpine Conifers. In: L. Kairiukstis et al. (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Hughes, M.K. and S.J. Milsom. 1982. Comment on the Climate-Growth Response. In: M.K. Hughes et al. (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Hughes, M.K., B. Gray, J.R. Pilcher, M.G.L. Baillie, and P. Leggett. 1978. Climatic Signals in British Isles Tree-Ring Chronologies. *Nature* 272: 605–606.
- Hughes, M.K., P.M. Kelly, J.R. Pilcher, and V.C. LaMarche, Jr. (eds.). 1982. *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Hughes, M.K., F.H. Schweingruber, D. Cartwright, and P.M. Kelly. 1984. July-August Temperature at Edinburgh Between 1721 and 1975 from Tree-Ring Density and Width Data. *Nature* 308: 341–344.
- Ilkun, G.M. 1978. *Pollution of the Air and Plants*. Naukova Dumka, Kiev, USSR [in Russian].
- Inoué, S. 1986. *Video Microscopy*. Plenum Publishing, New York, NY, USA.
- Ivaxenko, A.G. 1975. *Long-term Prediction and Control of Complex Systems*. Technical Printing House, Kiev, USSR [in Russian].
- Jacoby, G.C. and E.R. Cook. 1981. Past Temperature Variations Inferred from a 400-Year Tree-Ring Chronology from Yukon Territory, Canada. *Arctic and Alpine Research* 13(4): 409–418.
- Jacoby, G.C. and J. Hornbeck (eds.). 1987. *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Jacoby, G.C. and R.S. Perry. 1981. Lead-Screw Device for In-Motion X-rays of Tree Cores. *Wood Science* 13(4): 199–201.

- Jacoby, G.C. and L.D. Ulan. 1983. Tree-Ring Indications of Uplift at Icy Cape, Alaska, Related to 1899 Earthquakes. *Journal of Geophysical Research* 88: 9305-9313.
- Jacoby, G.C., E.R. Cook, and L.D. Ulan. 1985. Reconstructed Summer Degree-Days in Central Alaska and Northwestern Canada Since 1524. *Quaternary Research* 23: 18-26.
- Jaffe, M.J., A.H. Wakefield, F.W. Telewski, E. Gulley, and R.L. Biro. 1985. Computer-Assisted Image Analysis of Plant Growth, Thigmomorphogenesis, and Gravitropism. *Plant Physiology* 77: 722-730.
- Jagels, R. 1984. *Morphometric Analysis of Tree Rings of Eastern Canadian and Maine Softwoods*. Proceedings of the 20th Canadian Botanical Association, Fredericton, New Brunswick, Canada.
- Jagels, R. and M.V. Dyer. 1983. Morphometric Analysis Applied to Wood Structure, I: Cross-Sectional Cell Shape and Area Change in Red Spruce. *Wood and Fiber Science* 15: 376-386.
- Jagels, R., D.J. Gardner, and T.J. Brann. 1982. Improved Techniques for Handling and Staining Wood Fibers for Digitizer Assisted Measurement. *Wood Science* 14: 165-167.
- Jashnov, L. 1925. Climate Cycles and Tree Growth. In: *Collection of Scientific Papers of the Kazan Agriculture and Forestry Institute*, N1, USSR [in Russian].
- Jayme, G. and T. Krause. 1963. Über die Packungsdichte der Zellwände in Laubhölzern. *Holz Roh-Werkst.* 21: 14-19.
- Jazewitsch, W. von. 1961. Zur klimatologischen Auswertung von Jahrringkurven. *Forstwissenschaftliches Centralblatt* 80: 175-190.
- Jenkins, G.W. and D.G. Watts. 1968. *Spectral Analysis and Its Applications*. Holden-Day, San Francisco, CA, USA.
- Johnson, A.H. and S.B. McLaughlin. 1986. *Deterioration of Red Spruce in Northeastern Appalachian Mountains*. Report of the Committee on Monitoring and Trends in Acid Deposition. National Academy Press, Washington, DC, USA.
- Johnson, A.H. and T.G. Siccama. 1983. Acid Deposition and Forest Decline. *Environmental Science and Technology* 17: 294a-305a.
- Johnston, J. 1975. *Thinning Studies in Cypress Pine in Queensland*. Research Paper 7, Department of Forestry, Queensland, Australia.
- Jones, P.D., T.M.L. Wigley, and P.M. Kelly. 1982. Variations in Surface Air Temperatures: Part 1, Northern Hemisphere, 1881-1980. *Monthly Weather Review* 110: 59-70.
- Jones, R.H. 1978. Multivariate Autoregression Estimation Using Residuals. In: D.F. Findley (ed.), *Applied Time Series Analysis*. Academic Press, New York, NY, USA.
- Jones, R.H. 1985. Time Series Analysis Time Domain. In: A.H. Murphy and R.W. Katz (eds.), *Probability, Statistics, and Decision Making in the Atmospheric Sciences*. Westview Press, Boulder, CO, USA.
- Jonsson, B. and B. Mattern. 1974. *On the Computation of Annual Ring Indices*. Paper presented at the International Workshop on Dendroclimatology, 15-26 April 1974, University of Arizona, Tucson, AZ, USA.
- Jonsson, B. and R. Sundberg. 1972. Has the Acidification by Atmospheric Pollution Caused a Growth Reduction in Swedish Forests? Research Note No. 20. Department of Forest Field Research, Royal College of Forestry, Stockholm, Sweden.
- Joos, K. 1987. Urban Dendrochronology. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring*

- Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Jorgensen, S.E. 1986. Fundamentals of Ecological Modeling. In: *Developments in Environmental Modelling 9*. Elsevier Science Publishing, New York, NY, USA.
- Jozsa, L.A. and R.S. Myronuk. 1987. Direct Reading X-ray Densitometer. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Judd, N.M. 1930. *Dating Our Prehistoric Pueblo Ruins: Explorations and Field-Work of the Smithsonian Institution in 1929*, Smithsonian Institution, Washington, DC, USA.
- Judge, G.G., W.E. Griffiths, R.C. Hill, H. Lutkepohl, and T. Lee. 1985. *The Theory and Practice of Econometrics*. John Wiley and Sons, New York, NY, USA.
- Kairaitis, I. 1978. Dendroscales for Oak (*Quercus robur*) Stands of the Lithuanian SSR. In: *Dendroscales of the USSR*. Kaunas, Lithuanian SSR [in Russian].
- Kairiukstis, L. 1968. Social Status of Trees in Dendroclimatological Investigations. In: *Proceedings of the First All-Union Conference on Dendrochronology and Dendroclimatology*. Vilnius, Lithuanian SSR [in Russian].
- Kairiukstis, L. 1981. Dendrochronology for the Indication of Background Climate Variation. In: *USSR-USA Symposium on "Effects of Solar Variability on Climate,"* Vilnius, Lithuania. Academy of Sciences of the Lithuanian SSR, Lithuanian National Committee of the Soviet Program UNESCO-MAB, Lithuanian Research Institute of Forestry, Kaunas, Lithuanian SSR.
- Kairiukstis, L. and J. Dubinskaite. 1986. Application of Rhythmical Fluctuations of Radial Increment of Trees for Prognosis of Climate Conditions. In: L. Kairiukstis et al. (eds.), *Dendrochronology and Dendroclimatology*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Kairiukstis, L. and J. Dubinskaite. 1987. Modeling Fluctuations of Dendrochronological Indices to Predict Ecoclimatic Background Variability. In: L. Kairiukstis et al. (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Kairiukstis, L. and A.I. Juodvalkis. 1968. Seasonal Growth of Trees and Dependence of Growth Rate on Environmental Factors. In: *Proceedings of the First All-Union Conference on Dendrochronology and Dendroclimatology*. Vilnius, Lithuanian SSR [in Russian].
- Kairiukstis, L., S. Mizaras, I. Zemliene, V. Zubas, and R. Deltuvas. 1987a. Application of Dendrochronology for Long-Term Policies of Forest Use: One Example in the Lithuanian SSR. In: L. Kairiukstis et al. (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Kairiukstis, L., L. Grigaliuns, V. Skuodiene, and V. Stravinskiene. 1987b. Physiological and Dendrochronological Indications of Forest Decline and Their Application for Monitoring. In: L. Kairiukstis et al. (eds.), *Forest Decline and Reproduction: Regional and Global Consequences*. Workshop Proceedings, March 23-27, Krakow, Poland, and International Institute for Applied Systems Analysis, Laxenburg, Austria.
- Kairiukstis, L., V. Miksys, R. Ozolincius, V. Petniunas, S. Ralys, L. Skuodiene, V. Stakenas, V. Stravinskiene, and J. Dubinskaite. 1987c. *Early Indicators of Change in Tree Growth in a Changing Physical and Chemical Environment:*

- Dendrochronological Record and Prediction*. IUFRO Workshop on Woody Plant Growth in a Changing Physical and Chemical Environment, Vancouver, British Columbia, Canada.
- Kalman, R.E. 1960. A New Approach to Linear Filtering and Prediction Problems. *Transactions of the ASME Journal of Basic Engineering, Series D* 82(1): 35-45.
- Kapteyn, J.C. 1914. Tree Growth and Meteorological Factors. *Recueil des Travaux Botaniques Neerlandais* 11: 70-93.
- Karpavichus, I.A. 1981. Estimation of Individual and Group Variability of Radial Tree Growth by the Similarity Coefficient. In: *Spatial Climatic Changes and Annual Tree Rings*. Kaunas, Lithuanian SSR [in Russian].
- Kay, S.M. and S.L. Marple. 1981. Spectrum Analysis: A Modern Perspective. *Proceedings of IEEE* 69(11): 1380-1419.
- Kazmierczakowa, R., K. Grodzinska, and Z. Bednarz. 1984. Content of Heavy Metals in Xylem of 100-Year Old Beech (*Fagus sylvatica* L.) in Southern Poland. *Bulletin Academy of Sciences, Biological Sciences* 32(9-10): 329-338.
- Khintchine, A. Ya. 1934. Korrelationstheorie der stationären Prozesse. *Mathematische Annalen* 109: 604-615.
- Kenk, G. 1983. Zuwachsuntersuchungen in geschädigten Tannen-Beständen in Baden-Württemberg. *Allgemeine Forst-Zeitschrift* 38: 650-652.
- Kenk, G., W. Kremer, D. Bonaventura, and M. Gallus. 1984. Jahrring- und zuwachsanalytische Untersuchungen in erkrankten Tannenbeständen des Landes Baden-Württemberg. *Mitteilungen, Forstliche Versuchs- und Forschungsanstalt* 112, 38pp.
- Kienast, F. 1982. Jahrringanalytische Untersuchungen in immissionsgefährdeten Waldschadengebieten des Walliser Rhonetales. *Geographica Helvetica* 3: 143-148.
- Kienast, F. 1985. *Dendroökologische Untersuchungen an Höhenprofilen aus verschiedenen Klimabereichen*. Ph.D. Dissertation, University of Zurich, Zurich, Switzerland.
- Kienast, F. and F.H. Schweingruber. 1986. Dendroecological Studies in the Front Range, Colorado, USA. *Arctic and Alpine Research* 18(3): 277-288.
- Kienast, F., H. Fluhler, and F.H. Schweingruber. 1981. Jahrringanalysen in Föhren (*Pinus sylvestris* L.) an immissionsgefährdeten Waldbeständen des unteren Wallis (Saxon, Schweiz). *Mitt. Schweiz. Anst. forstl. Versuchswesen* 57: 415-432.
- Kincaid, W.B. 1987. Dendroecological Analysis of Ambient Sulfur Dioxide Effects in Western Larch. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Klein, J., J.C. Lerman, P.E. Damon, and E.K. Ralph. 1982. Calibration of Radiocarbon Dates: Tables Based on the Consensus Data of the Workshop on Calibrating the Radiocarbon Timescale. *Radiocarbon* 24: 103-150.
- Kocharov, G.E. 1986. *Cosmic Ray Archaeology, Solar Activity, and Supernova Explosions*. Proceedings of International School on Plasma Astrophysics, European Space Agency (ESA) SP-251, Paris, France.
- Kocharov, G.E., V.A. Vasiliev, V.A. Dergachev, and V.M. Ostryakov. 1983. Cosmic Ray Intensity During Last 8000 Years. *Astronomical Journal Letters* 9: 206-210 [in Russian].
- Kocharov, G.E., T.T. Bitvinskas, V.A. Vasiliev, V.A. Dergachev, A.N. Konstantinov, R. Ya. Metskvarishvili, V.M. Ostryakov, and A.V. Stupneva. 1985. Cosmogenic

- Isotopes and Astrophysical Phenomena. In: G.E. Kocharov (ed.), *Astrophysical Phenomena and Radiocarbon*, Leningrad, USSR [in Russian].
- Kolchin, B.A. and N.V. Chernich. 1977. *Dendrochronology of the Eastern Europe*. Nauka Publishing House, Moscow, USSR [in Russian].
- Kolishchuk, V.G. 1966. Dynamics of Increment of the Mountain Pine (*Pinus mugo* Scop.) in Relation to Solar Activity. *Report of the Academy of Sciences of the USSR* 167(3): 710–713 [in Russian].
- Kolishchuk, V.G. 1966. Dynamics of Growth of *Pinus mugo* Scop. According to Solar Activity. *DAN USSR* 167(3): 710–713 [in Russian].
- Kolishchuk, V.G. 1967. The Methods of Studying the Dynamics of Tree Growth in Mountain Alpine Woods (as Exemplified by *Pinus mugo* Scop. Woods). *Botanicheskii Zhurnal* 52(6): 852–859 [in Russian].
- Kolishchuk, V.G. 1968a. Productivity of Arboreous Coenoses in Severe Climatological Conditions at the Example of Pine of Alpine Woodland in the Carpathians. *J. Lesoviedenie* 4: 28–38 [in Russian].
- Kolishchuk, V.G. 1968b. On the Morphological Evolution from Trees to Herbs in the Series of Prostrate Forms of Plants. *Botanicheskii Zhurnal* 53(8): 1029–1042 [in Russian].
- Kolishchuk, V.G. 1979. Dendrochronological and Dendroecological Investigations in the Ukrainian Carpathian Highlands. In: *Ecology and Biology of Highland Plants*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Kolishchuk, V.G., O.N. Petriv, and L.I. Polovnikov. 1975. Growth of Spruce, Its Structure, Dynamics, and Causation. In: *Bioecological Bases of Dendrochronology*. Symposium Proceedings. 12th International Botanical Congress, Leningrad, USSR [in Russian].
- Kolishchuk, V.G., V.V. Mazjak, and S.A. Chmara. 1984. The Use of Archaeological and Buried Wood for Long-Term Scale Construction. In: *Material of the 36th Scientific Technical Meeting in the Lvov Forestry Institute*. February 1984, Lvov, USSR [in Russian].
- Kolmogorov, A.N. 1941. Interpolation und Extrapolation von stationären zufälligen Folgen. *Bull. Acad. Sci. de l'URSS* 5: 3–14.
- Komin, G.E. 1963. Influence of Cyclic Fluctuations of the Climate on Growth and Age Structure of Original Bog Forests. In: *Proceedings of the Siberian Division of the USSR Academy of Sciences*. N3, Series of Biological-Medical Sciences, N12, Moscow, USSR [in Russian].
- Komin, G.E. 1969. Dynamics of the Growth of Pine Trees in Kazakhstan in Connection with the Solar Activity. *Data of Solar Activity* 8: 113–117 [in Russian].
- Komin, G.E. 1970a. Cyclicity in Dynamics of Pine Forest Stand in West Siberia. *Izv. Sib. Otd. Acad. Sc. USSR, Ser. Biol. Med.* 3: 36–44 [in Russian].
- Komin, G.E. 1970b. Estimation of Stand Increment on Model Trees for Dendroclimatic Analysis. *Proceedings of the Institute of Plant and Animal Ecology, Ural Branch of the Academy of Sciences of the USSR* 77: 64–82 [in Russian].
- Komin, G.E. 1978a. Prediction of the Growth of Pine Trees in the Transurals. In: *Dendroclimatological Research in the USSR*. Archangelsk, pp. 29–30 [in Russian].
- Komin, G.E. 1978b. *Cycles in Forest Dynamics East of the Urals*. Institute of Ecology, Sverdlovsk, USSR.
- Komin, G.E. 1980. Dendrochronology of Kazim Town. In: *The Historical-Architectural Museum under the Open Sky: Principles and Method of Organization*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].

- Komin, G.E. 1981. Ecological Essence of Forest Cyclic Dynamics. *Ecologiya* 3: 46–53 [in Russian].
- Komin, G.E. 1987. Methods of Calculation of Growth Indices for Trees of Different Ages in Totality. Unpublished Research Report.
- Kontic, R., M. Niederer, C.-A. Nippel, and A. Winkler-Seifert. 1986. Jahrringanalysen an Nadelbäumen zur Darstellung und Interpretation von Waldschäden (Wallis, Schweiz). *Berichte, Eidgenössische Anstalt für das forstliche Versuchswesen* 283.
- Kostin, S.I. 1960. *Climatic Changes in the Central Forest-Steppe Region of the Russian Plain*. Scientific Notes of the Voronez Forestry Institute, Vol. 21 [in Russian].
- Kostin, S.I. 1961. Solar Activity and Its Influence on Tree Growth and on the State of Tree Plantations in the Central Part of the Forest-Steppes of the Russian Plain. In: *Proceedings of the Main Geophysical Observatory*, 3rd Ed., Voikova, Leningrad, USSR [in Russian].
- Kostin, S.I. 1963. Periodicity of Dry and Humid Periods in the Central Part of Russian Steppe-Forest Plain. In: *Transactions of Voronecz Forest Institute* 29(1): 91–101 [in Russian].
- Kovalev, P.V., A.P. Kovalev, and V.V. Ivanov. 1984. Computation of the Past Medieval Temperatures for the Teberda Kurort Weather Station on the Basis of Tree Rings and Wolf Numbers. In: *Temporal and Spatial Climatic Changes and Annual Tree Rings*. Kaunas, Lithuanian SSR [in Russian].
- Kramer, H. 1986. Relation Between Crown Parameters and Volume Increment of *Picea abies* Stands Damages by Environmental Pollution. *Scandinavian Journal of Forest Research* 1: 251–263.
- Kreutzer, K., A. Knorr, F. Brosinger, and P. Kretzschmar. 1983. Scots Pine Dying Within the Neighborhood of an Industrial Area. In: B. Ulrich and J. Pankrath (eds.), *Effects of Air Pollutants on Forest Ecosystems*. D. Reidel, Dordrecht, Netherlands.
- Krishtofovitsh, A.I. 1934. Tree Rings of Wood as the Basis of Historical and Prehistorical Chronologies. *Nature* 6: 77 [in Russian].
- Kusec, D.J. 1972. Twin Blade Saw for Precision Machining of Increment Cores. *Wood and Fiber* 4(1): 44–49.
- Kutzbach, H.E. and P.J. Guetter. 1980. The Designing of Palaeoenvironmental Data Networks for Estimating Large-Scale Patterns of Climate. *Quaternary Research* 14: 169–187.
- Kuusela, J. and P. Kilkki. 1963. *Multiple Regression of Increment Percentages on Other Characteristics of Scotch Pine Stands*. Finnish Society of Forestry, Helsinki, Finland.
- Läänelaid, A.I. 1981. The Study of Linear Relation between Pine Growth and Meteorological Factors by the Two-Dimensional Analysis. In: *Spatial Climatic Changes and Annual Tree Rings*. Kaunas, Lithuanian SSR [in Russian].
- Ladell, J.I. 1959. A Method of Measuring the Amount and Distribution of Cell Wall Material in Transverse Microscope Sections of Wood. *Journal of the Institute of Wood Science* 3: 43–46.
- LaMarche, V.C., Jr. 1974. Frequency-Dependent Relationships Between Tree-Ring Series Along an Ecological Gradient and Some Dendroclimatic Implications. *Tree-Ring Bulletin* 34: 1–20.
- LaMarche, V.C., Jr. 1975. Potential of Tree Rings for Reconstruction of Past Climate Variations in the Southern Hemisphere. In: *Proceedings of the WMO/IMAP Symposium on Long-Term Climatic Fluctuations*. World Meteorological Organization Technical Publication 421, Geneva, Switzerland.

- LaMarche, V.C., Jr. 1982. Sampling Strategies. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge, University Press, Cambridge, UK.
- LaMarche, V.C., Jr. and H.C. Fritts. 1971. Anomaly Patterns of Climate Over the Western United States, 1700-1930, Derived from Principal Components Analysis of Tree-Ring Data. *Monthly Weather Review* **99**(2): 138-142.
- LaMarche, V.C., Jr. and T.P. Harlan. 1973. Accuracy of Tree-Ring Dating of Bristlecone Pine for Calibration of the Radiocarbon Timescale. *Journal of Geophysical Research* **78**: 8849-8858.
- LaMarche, V.C., Jr. and A.B. Pittock. 1982. Preliminary Temperature Reconstructions for Tasmania. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- LaMarche, V.C., Jr., R.L. Holmes, P.W. Dunwiddie, and L.G. Drew. 1979a-e. *Tree-Ring Chronologies of the Southern Hemisphere. a, Argentina. b, Chile. c, New Zealand. d, Australia. e, South Africa*. Chronology Series V. Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- LaMarche, V.C., Jr., E.R. Cook, and M.G.L. Baillie. 1982. Sampling Strategies. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- LaMarche, V.C., Jr., D.A. Graybill, H.C. Fritts, and M.R. Rose. 1984. Increasing Atmospheric Carbon Dioxide: Tree Ring Evidence for Growth Enhancement in Natural Vegetation. *Science* **225**: 1019-1021.
- LaMarche, V.C., Jr., D.A. Graybill, H.C. Fritts, and M.R. Rose. 1986. Response to Comments on "Carbon Dioxide Enhancement of Tree Growth at High Elevations." *Science* **231**: 860.
- Lamb, H.H. 1972. *Climate: Present, Past, and Future, I: Fundamentals and Climate Now*. Methuen, London, UK.
- Lamprecht, A.M. 1984. *Dendroklimatologische Untersuchungen in Südamerika*. Swiss Federal Institute of Forestry Research Report 263, Birmensdorf, Switzerland.
- Lange, R.T. 1965. Growth Ring Characteristics in an Arid Zone Conifer. *Transactions of the Royal Society of South Australia* **89**: 133-137.
- Larson, P.R. 1963. *Stem Form Development of Forest Trees*. Forest Science Monographs 5.
- Larson, P.R. 1964. Some Indirect Effects of Environment on Wood Formation. In: M. Zimmerman (ed.), *The Formation of Wood in Forest Trees*. Academic Press, New York, NY, USA.
- Larson, P.R. 1969. *Wood Formation and the Concept of Wood Quality*. Bulltin No. 74, School of Forestry and Environmental Studies, Yale University, New Haven, CT, USA.
- Larson, S.C. 1931. The Shrinkage of the Coefficient of Multiple Correlation. *Journal of Educational Psychology* **22**: 45-55.
- Legras, J. 1980. *Algorithmes et Programmes d'Optimisation non Linéaire avec Contraintes*. Masson, Paris, France.
- Lenz, O. 1957. Utilisation de la Radiographie pour l'Examen des Couches d'Accroissement. *Mitt. Schweiz. Anst. Forstl. Versuchswesen* **33**: 125-134.
- Lenz, O., Schar, E., and Schweingruber, F.H. 1976. Methodische Probleme bei der radiographisch-densitometrischen Bestimmung der Dichte und der Jahrringbreiten von Holz. *Holzforschung* **30**: 114-123.
- Lepp, N.W. and G.J. Dollard. 1974. Studies of Lateral Movement of ^{210}Pb in Woody Stems. *Oecologia* **16**: 179-184.

- Leuschner, H.-H. and A. Delorme. 1984. Verlängerung der Göttinger Eichen-jahrringchronologien für Nord- und Süddeutschland bis zum Jahr 4008 v. Chr. *Forstarchiv* 55: 1-4.
- Libby, W.F. 1965. *Radiocarbon Dating Phoenix Edition*, University of Chicago Press, Chicago, IL, USA.
- Lilly, M.A. 1977. *An Assessment of the Dendrochronological Potential of Indigenous Tree Species in South Africa*. Occasional Paper 18, Department of Geography and Environmental Studies, University of the Witwatersrand, Johannesburg, South Africa.
- Liseev, A.S. 1962. About the Quantitative Characteristic of the Influence of Climatic Factors on Tree Growth. In: *Reforestation and Forest Plantations*, Vol. 42. Selchozizdat, Moscow, USSR [in Russian].
- Liu, C.J. 1986. Rectifying Radii on Off-Centre Increment Cores. *Forest Science* 32: 1058-1061.
- Livezey, R.E. and W.Y. Chen. 1983. Statistical Field Significance and Its Determination by Monte Carlo Techniques. *Monthly Weather Review* 111: 46-59.
- Lofgren, G.R. and J.H. Hunt. 1982. Transfer Functions. In: M.K. Hughes et al. (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Lorenz, E.N. 1956. *Empirical Orthogonal Functions and Statistical Weather Prediction*. MIT Statistical Forecasting Project, Scientific Report 1, Contract AF19(604)-1566, Cambridge, MA, USA.
- Lorenz, E.N. 1977. An Experiment in Nonlinear Statistical Weather Forecasting. *Monthly Weather Review* 105(5): 590-602.
- Lorimer, C.G. 1985. Methodological Considerations in the Analysis of Forest Disturbance History. *Canadian Journal of Forestry Research* 15: 200-213.
- Loucks, O.L. 1962. A Forest Classification for the Maritime Provinces. *Proceedings Nova Scotia Institute of Science* 25: 85-167.
- Lough, J.M. and H.C. Fritts. 1985. The Southern Oscillation and Tree Rings: 1600-1961. *Journal of Climate and Applied Meteorology* 24(9): 952-966.
- Lough, J.M., H.C. Fritts, and X. Wu. 1987. Relationships Between the Climates of China and North America Over the Past Four Centuries: A Comparison of Proxy Records. In: Y. Duzheng et al. (eds.), *The Climate of China and Global Climate*. Proceedings of the Beijing International Symposium on Climate, 30 October-3 November 1984, Beijing, China, China Ocean Press, Beijing, PRC, and Springer-Verlag, Berlin, Germany, F.R..
- Lovelius, N.V. 1979. *Tree Increment Changeability*. Nauka Publishing House, Leningrad, USSR [in Russian].
- Lukjanchikov, F.V. 1967. The Fishes of Hatanga River. In: *Trudy Krasn. otdel. Sibirsk. instit. rybnogo khozyaistva*, Vol. 9 [in Russian].
- Lutz, H.J. 1944. Swamp-Grown Eastern White Pine and Hemlock in Connecticut as Dendrochronological Material. *Tree-Ring Bulletin* 10: 26-28.
- Lyon, C.J. 1935. Rainfall and Hemlock Growth in New Hampshire. *Journal of Forestry* 33: 162-168.
- Lyon, C.J. 1936. Tree-Ring Widths as an Index of Physiological Dryness in New England. *Ecology* 17: 457-478.
- Lyon, C.J. 1939. Objectives and Methods in New England Tree-Ring Studies. *Tree-Ring Bulletin* 5: 27-30.
- Lyon, C.J. 1940. Tree Growth Beside a Rain Gauge and Thermometer. *Ecology* 21: 425-437.

- Lyon, C.J. 1941. Inter-Correlations between Growth Rates of Conifers in Northern New England. *Tree-Ring Bulletin* 7: 24-26.
- Lyon, C.J. 1943. Water Supply and Growth Rates of Conifers around Boston. *Ecology* 24: 329-344.
- Lyon, C.J. 1946. Hemlock Chronology in New England. *Tree-Ring Bulletin* 13: 2-4.
- Lyon, C.J. 1949. Secondary Growth of White Pine in Bog and Upland. *Ecology* 30: 549-552.
- Lyon, C.J. 1953. Vertical Uniformity in Three New England Conifers. *Tree-Ring Bulletin* 21: 10-16.
- MacCracken, M.C. and F.M. Luther (eds.). 1985. *Projecting the Climatic Effects of Increasing Carbon Dioxide*. US Department of Energy, Carbon Dioxide Research Division (DOE/ER.0237), Washington, DC, USA.
- Malokvasov, D.S. 1974. About Cyclic Oscillations of Radial Increment of *Cedrus korensis*. In: *Increase of Productivity of Far-East Forest*. Chabarovsk, USSR [in Russian].
- Malokvasov, D.S. 1986. Problems and Development of Dendroclimatological Investigation in Cedar-Deciduous Forest of Far-East: Dendrochronology and Dendroclimatology. In: *Dendrochronology and Dendroclimatology*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Manley, G. 1974. Central England Temperatures: Monthly Means 1659 to 1973. *Quarterly Journal of the Royal Meteorological Society* 100: 389-405.
- Mariaux, A. 1981. Past Efforts in Measuring Age and Annual Growth in Tropical Trees. In: F.H. Bormann and G. Berlyn (eds.), *Age and Growth Rate of Tropical Trees: New Directions for Research*. Bulletin No. 94, School of Forestry and Environmental Studies, Yale University, New Haven, CT, USA.
- Marshall, R. 1927. The Growth of Hemlock Before and After Release from Suppression. *Harvard Forestry Bulletin* 11.
- Mazepa, V.S. 1982. Method of Computing Annual-Growth Indexes for a Generalized Dendroclimatological Series. *Soviet Journal of Ecology* 13: 172-177.
- Mazepa, V.S. 1985. *Mathematical-Statistical Models of Dendrochronological Series*. Doctoral Thesis, Krasnoyarsk, USSR [in Russian].
- Mazepa, V.S. 1986. Application of Spectral Analysis and Narrow Band-Pass Filtering in Tree-Ring Analysis. In: *Dendrochronology and Dendroclimatology*, Nauka Publishing House, Novosibirsk, USSR [in Russian].
- McClellan, J.H., T.W. Parks, and L.R. Rabiner. 1973. A Computer Program for Designing Optimum FIR Linear Phase Digital Filters. *IEEE Transactions on Audio and Electroacoustics* AU21(6): 506-526.
- McClenahan, J.R. and L.S. Dochinger. 1985. Tree-Ring Response of White Oak to Climate and Air Pollution Near the Ohio River Valley. *Journal of Environmental Quality* 14: 274-279.
- McGregor, J.C. 1934. Dates from Tsegi. *Tree-Ring Bulletin* 1: 6-8.
- McGregor, J.C. 1936a. Dates from Tsegi and Nalakihi. *Tree-Ring Bulletin* 3: 15-16.
- McGregor, J.C. 1936b. Additional Dates from Tsegi. *Tree-Ring Bulletin* 3: 27.
- McGregor, J.C. 1938. Southwestern Dated Ruins: III. *Tree-Ring Bulletin* 4: 6.
- McIntosh, D.H. 1972. *Meteorological Glossary*. Chemical Publishing, New York, NY, USA.
- McLaughlin, S.B. 1985. Effects of Air Pollution on Forests: A Critical Review. *Journal of Air Pollution Control Association* 35: 511.

- McLaughlin, S.B., T.J. Blasing, L.K. Mann, and D.N. Duvick. 1983. Effect of Acid Rain and Gaseous Pollutants on Forest Productivity: A Regional Approach. *Journal of Air Pollution Control Association* 33: 1042-1048.
- McLaughlin, S.B., D.N. Downing, T.J. Blasing, B.L. Jackson, D.J. Pack, D.N. Duvick, L.K. Mann, and T.N. Doyle. 1986. *FORAST Database Documentation*. Environmental Science Division Publication 4895, Oak Ridge National Laboratory, Oak Ridge, TN, USA.
- McLaughlin, S.B., D.N. Downing, T.J. Blasing, E.R. Cook, and H.S. Adams. 1987. An Analysis of Climate and Competition as Contributors to Decline of Red Spruce in High Elevation Appalachian Forests of the Eastern United States. *Oecologia* 72: 487-501.
- McMillan, C.W. 1982. Application of Automatic Image Analysis to Wood Science. *Wood Science* 14: 97-105.
- McNaughton, J. and P.D. Tyson. 1979. A Preliminary Assessment of *Podocarpus falcatus* in Dendrochronological and Dendroclimatological Studies in the Witelsbos Forest Reserve. *South African Forestry Journal* 111: 29-33.
- McPhail, S., M. Barbbetti, R. Francey, T. Bird, and J. Dolezal. 1983. 14C Variations from Tasmanian Trees - Preliminary Results. *Radiocarbon* 25: 797-802.
- Meisch, H.-U., M. Kessler, W. Reisch, and A. Wagner. 1986. Distribution of Metals in Annual Rings of the Beech (*Fagus sylvatica*) as an Expression of Environmental Changes. *Experientia* 42: 537-542.
- Meko, D.M. 1981. Applications of Box-Jenkins Methods of Time Series Analysis to the Reconstruction of Drought from Tree Rings. Ph.D. Dissertation, University of Arizona, Tucson, AZ, USA.
- Meko, D.M., C.W. Stockton, and W.R. Boggess. 1980. A Tree-Ring Reconstruction of Drought in Southern California. *Water Resources Bulletin* 16(4): 594-600.
- Mellaart, J. 1979. Egyptian and Near East Chronology: A Dilemma? *Antiquity* 53: 6-22.
- Menshutkin, V.V. 1971. *Simulative Modelling of Water Organisms, Populations, and Communities*. Nauka Publishing House, Moscow, USSR [in Russian].
- Merkel, H. 1984. Über den Witterungseinfluß auf die Jahrringstruktur der Gemeinen Kiefer (*Pinus sylvestris* L.): Ein Beitrag zur Dendroklimatologie der Nadelhölzer. Unpublished Dissertation, Albert-Ludwigs University, Freiburg, Germany, F.R.
- Meyer, H.A. 1941. Growth Fluctuations of Virgin Hemlock from Northern Pennsylvania. *Tree-Ring Bulletin* 7: 20-23.
- Micko, M.M., A.D. Yanchuk, E.I.C. Wang, and F.W. Taylor. 1982. Computerized Measurement of Fiber Length. *IAWA Bulletin N.S.* 3: 111-113.
- Mitchell, J.M., Jr., B. Dzerdzeevskii, H. Flohn, W.L. Hofmeyr, H.H. Lamb, K.N., Rao, and C.C. Wallen. 1966. *Climate Change*. Technical Note No. 79, World Meteorological Organization, Geneva, Switzerland.
- Mitchell, J.M., C.W. Stockton, and D.M. Meko. 1979. Evidence of a 22-Year Rhythm of Drought in the Western United States Related to the Hale Solar Cycle Since the 17th Century. In: B.A. McCormac and T.A. Seliga (eds.), *Solar-Terrestrial Influences on Weather and Climate*. D. Reidel, Dordrecht, Netherlands.
- Mitchell, V.L. 1987. *An Investigation of Certain Aspects of Tree Growth Rates in Relation to Climate in the Central Canadian Boreal Forest*. Department of Meteorology Technical Report 33, Task NR 387-022, ONR Contract 1202(07), NSF GP-5572X, University of Wisconsin, Madison, WI, USA.
- Mitscherlich, G. 1983. Untersuchungen über die Reaktion kranker Alttannen auf die Witterung. *Allgemeine Forst- und Jagdzeitung* 154: 101-105.

- Molchanov, A.A. 1970. Ring-Width Variability in Connection with Solar Activity Changes. In: *Formation of Annual Ring and Organic Mass Accumulation in Trees*. Nauka Publishing House, Moscow, USSR [in Russian].
- Monserud, R.A. 1986. Time Series Analyses of Tree-Ring Chronologies. *Forest Science* 32: 349-372.
- Mook, W.G. and H.T. Waterbolk. 1985. *Handbooks for Archaeologists, No. 3: Radiocarbon Dating*. European Science Foundation, Strasbourg, France.
- Moosmayer, H.-U. 1984. Erkenntnisse über die Walderkrankung, dargestellt an Projekten der FVA Baden-Württemberg. *Forstwissenschaftliches Centralblatt* 103: 1-16.
- Mork, E. 1928. Die Qualität des Fichtenholzes unter besonderer Rücksichtnahme auf Schleif- und Papierholz. *Papier Fabrikant* 26: 741-747.
- Morris, Earl H. 1939. *Archaeological Studies in the La Plata District*. Carnegie Institution of Washington Publication 519, Washington, DC, USA.
- Morris, E.H. and R.F. Burgh. 1954. *Basket Maker II Sites Near Durango, Colorado*. Carnegie Institution of Washington Publication 604, Washington, DC, USA.
- Mosteller, F. and J.W. Tukey. 1977. *Data Analysis and Regression*. Addison-Wesley, Reading, MA, USA.
- Mott, D.G., L.D. Nairn, and J.A. Cook. 1957. Radial Growth in Forest Trees and Effects of Insect Defoliation. *Forest Science* 3(3): 286-304.
- Muchamedshin, K.D. 1968. The Most Long-Lived Tree Species of Middle Asia as the Object of Dendrochronological Investigations. In: *Materials of the All-Union Meeting Scientific Conference on the Subject of Dendrochronology and Dendroclimatology*, Vilnius, USSR [in Russian].
- Muchamedshin, K.D. 1974. Growth Dynamics of Juniper in the Tian Shan Highlands During the Last Millennium. In: *Proceedings of the 5th All-Union Meeting on the Problem "Astrophysical Phenomena and Radiocarbon."* Tbilisi, 4-6 October 1973. Tbilisi, USSR [in Russian].
- Mueller-Stoll, H. 1951. *Vergleichende Untersuchungen über die Abhängigkeit der Jahrringsfolge von Holzart, Standort und Klima*. Schweizerbartsche Verlagsbuchhandlung, Stuttgart, Germany, F.R.
- Mueller-Stoll, W.R. 1947. Photometrische Holzstrukturuntersuchungen. *Planta* 35: 397-426.
- Munaut, A.V. 1982. The Mediterranean Area. In: M.K. Hughes *et al.* (eds), *Climate From Tree Rings*. Cambridge University Press, Cambridge, UK.
- Munro, M.A.R. 1984. An Improved Algorithm for Cross-dating Tree-Ring Series. *Tree-Ring Bulletin* 44: 17-27.
- Nash III, T.H., H.C. Fritts, and M.A. Stokes. 1975. A Technique for Examining Non-Climatic Variation in Widths of Annual Tree Rings with Special Reference to Air Pollution. *Tree-Ring Bulletin* 35: 15-24.
- Neftel, A., E. Moor, H. Oeschger, and B. Stauffer. 1985. Evidence from Polar Ice Cores for the Increase in Atmospheric CO₂ in the Past Two Centuries. *Nature* 315: 45-47.
- Norton, D.A. 1983a. *A Dendroclimatic Analysis of Three Indigenous Species, South Island, New Zealand*. Ph.D. Dissertation, University of Canterbury, New Zealand.
- Norton, D.A. 1983b. Modern New Zealand Tree-Ring Chronologies, I: *Nothofagus solandri*. *Tree-Ring Bulletin* 43: 1-17.
- Norton, D.A. 1983c. Modern New Zealand Tree-Ring Chronologies, II: *Nothofagus menziesii*. *Tree-Ring Bulletin* 43: 39-49.

- Norton, D.A. 1983d. Population Dynamics of Subalpine *Libocedrus bidwillii* Forests, Cropp River, Westland, New Zealand. *New Zealand Journal of Botany* 21: 127-134.
- Norton, D.A. 1984a. Tree-Growth-Climate Relationships in Subalpine *Nothofagus* Forests, South Island, New Zealand. *New Zealand Journal of Botany* 22: 471-481.
- Norton, D.A. 1984b. Phenological Growth Characteristics of *Nothofagus solandri* Trees at Three Altitudes in the Craigieburn Range, New Zealand. *New Zealand Journal of Botany* 22: 413-424.
- Norton, D.A. 1985. A Dendrochronological Study of *Nothofagus solandri* Tree Growth Along an Altitudinal Gradient, South Island, New Zealand. *Eidgenössische Anstalt für das Forstliche Versuchswesen, Berichte* 270: 159-171.
- Norton, D.A. 1986. Within Tree Growth Ring Variability in Three Indigenous Tree Species. *Mauri Ora* 13: 13-21.
- Norton, D.A. 1987. Tree-Ring Reconstructions of Past River Flow and Precipitation in Canterbury, New Zealand. *Journal of Hydrology (New Zealand)* 26: 161-174.
- Norton, D.A., J.G. Palmer, and J. Ogden. 1987. Dendroecological Studies in New Zealand, Part 1. An Evaluation of Tree Age Estimates Based on Increment Cores. *New Zealand Journal of Botany* 25: 373-383.
- Norton, D.A., K.R. Briffa, and M.J. Salinger. 1989. Reconstruction of New Zealand Summer Temperature Back to 1730 A.D. Using Dendroclimatic Techniques. *Journal of Climatology* 9.
- Odum, Yu. 1975. *The Principles of Ecology*. Mir, Moscow, USSR [in Russian].
- Ogden, J. 1978a. On the Dendrochronological Potential of Australian Trees. *Australian Journal of Ecology* 3: 339-356.
- Ogden, J. 1978b. Investigations of the Dendrochronology of the Genus *Arthrotaxis* D. Don (Taxodiaceae) in Tasmania. *Tree-Ring Bulletin* 38: 1-13.
- Ogden, J. 1981. Dendrochronological Studies and the Determination of Tree Ages in the Australian Tropics. *Journal of Biogeography* 8: 405-420.
- Ogden, J. 1982. Australasia. In: M.K. Hughes *et al.* (eds.), *Climate From Tree Rings*. Cambridge University Press, Cambridge, UK.
- Ogden, J. 1983. The Scientific Reserves of Auckland University, II: Quantitative Vegetation Studies. *Tane* 29: 163-180.
- Ogden, J. 1985a. Past, Present, and Future: Studies on the Population Dynamics of Some Long-Lived Trees. In: J. White (ed.), *Studies in Plant Demography: A Festschrift for John L. Harper*. Academic Press, London, UK.
- Ogden, J. 1985b. An Introduction to Plant Demography with Special Reference to New Zealand Trees. *New Zealand Journal of Botany* 23: 751-772.
- Ogden, J. and C.J. West. 1981. Annual Rings in *Beilschmiedia tawa* (Lauraceae). *New Zealand Journal of Botany* 19: 397-400.
- Olenin, S.M. 1974. Obtaining of Standard Growth in Dendrochronological Studies. *Soviet Journal of Ecology* 4: 108-110 [in Russian].
- Olenin, S.M. 1976. Radial Growth of Pine Trees in Sphagnum Pine Forests in Connection with Centuries-Long Solar Cycles. *Lesovedeniye* 3: 35-42 [in Russian].
- Olenin, S.M. 1977. Radial Growth Dynamics of Pine Stands in the Middle Taiga Subzone of the Western Foot of the Ural Mountains. *Soviet Journal of Ecology* 6: 72-75 [in Russian].
- Olsson, I.U. (ed.). 1970. *Radiocarbon Variations and Absolute Chronology*. Proceedings of the Twelfth Nobel Symposium held at the Institute of Physics at Uppsala University, Almqvist and Wiksell, Stockholm, Sweden.

- Once, M. 1987. How to Observe Tree Rings Without Really Cutting. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Pakalnis, R. 1972. The Use of Dendroclimatological Methods for Estimation of Water Level Oscillations of Lakes in Eastern Lithuania. In: *Dendroclimatochronology and Radiocarbon*. Kaunas, Lithuanian SSR [in Russian].
- Palmer, J. and J. Ogden. 1983. A Dendrometer Band Study of the Seasonal Pattern of Radial Increment of Kauri (*Agathis australis* Salisb.). *New Zealand Journal of Botany* 21: 121-125.
- Panshin, A.J. and C. deZeeuw. 1980. *Textbook of Wood Technology*. McGraw-Hill, New York, NY, USA.
- Parker, M.L. 1970. Dendrochronological Techniques Used by the Geological Survey of Canada. In: J.H.G. Smith and J. Worrall (eds.), *Tree-Ring Analysis with Special Reference to Western North America*. Faculty of Forestry Bulletin No. 7, University of British Columbia, Vancouver, British Columbia, Canada.
- Parker, M.L. 1971. Dendrochronological Techniques Used by the Geological Survey of Canada. *Geological Survey of Canada Paper* 71(25): 1-30.
- Parker, M.L. 1976. Improving Tree-Ring Dating in Northern Canada by X-ray Densitometry. *Syesis* 9: 163-172.
- Parker, M.L. and L.A. Jozsa. 1973. X-ray Scanning Machine for Tree-Ring Width and Density Analyses. *Wood and Fiber* 5(3): 192-197.
- Parker, M.L. and R.W. Kennedy. 1973. *The Status of Radiation Densitometry for Measurement of Wood Specific Gravity*. Proceedings of IUFRO Conference, September-October 1973. Division 5. Cape Town and Pretoria, South Africa.
- Parker, M.L., J. Schoorlemmer, and L.J. Carver. 1973. A Computerized Scanning Densitometer for Automatic Recording of Tree-Ring Width and Density Data from X-ray Negatives. *Wood and Fiber* 5(3): 237-248.
- Parker, M.L., G.M. Barton, and J.H.G. Smith. 1976. Annual Ring Contrast Enhancement Without Affecting X-ray Densitometry Studies. *Tree-Ring Bulletin* 36: 29-31.
- Parzen, E. 1961. Mathematical Considerations in the Estimation of Spectra. *Technometrics* 3: 167-190.
- Pearman, G.I. 1971. An Exploratory Investigation of the Growth Rings of *Callitris preissii* Trees from Garden Island and Naval Base. *The Western Australian Naturalist* 12: 12-17.
- Pearson, G.W. 1979. Precise ¹⁴C Measurement by Liquid Scintillation Counting. *Radiocarbon* 21(1): 1-21.
- Pearson, G.W. 1980. High-Precision Radiocarbon Dating by Liquid Scintillation Counting Applied to Radiocarbon Time Scale Measurements. *Radiocarbon* 22(2): 337-347.
- Pearson, G.W. and M. Stuiver. 1986. High-Precision Radiocarbon Time Scale Calibration from 500 B.C. to 2500 B.C. *Radiocarbon* 28(2B): 839-862.
- Peguy, C.P. 1970. *Précis de Climatologie*. Massin et Cie, Paris, France.
- Perlinski, J. 1983. Dendrochronology in a Subtropical Arid Region. In: *Pacific Science Association 15th Congress, Dunedin*. Programme, Abstracts, and Congress Information, Vol. 1.
- Peters, K., G.C. Jacoby, and E.R. Cook. 1981. Principal Components Analysis of Tree-Ring Series. *Tree-Ring Bulletin* 41: 1-19.

- Peterson, D.L., V.A. Wakefield, and M.J. Arbaugh. 1987. Detecting the Effects of Air Pollution on Tree Growth: Ozone and Jeffrey Pine in the Sierra Nevada. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Phillips, E.W.J., E.H. Adams, and R.F.S. Hearmon. 1962. The Measurement of Density. *Wood Sciences* 10: 11–28.
- Phillips, S.O., J.M. Skelly, and H.E. Burkhart. 1977. Eastern White Pine Exhibits Growth Retardation by Fluctuating Air Pollutant Levels: Interaction of Rainfall, Age, and Symptom Expression. *Phytopathology* 67: 721–725.
- Phipps, R.L. 1983. Ring Width Analysis. In: *Proceedings of Symposium on Air Pollution and the Productivity of the Forest*. Izaak Walton League of America, Arlington, VA, USA.
- Phipps, R.L. 1985. *Collecting, Preparing, Cross-dating, and Measuring Tree Increment Cores*. US Geological Survey, Department of the Interior, Washington, DC, USA.
- Pilcher, J.R. and M.G.L. Baillie. 1980. Eight Modern Oak Chronologies from England and Scotland. *Tree-Ring Bulletin* 40: 23–34.
- Pilcher, J.R. and Baillie, M.G.L. 1987. The Belfast CROS Program – Some Observations. *British Archaeological Reports International Series* 333: 157–163.
- Pilcher, J.R. and B. Gray. 1982. The Relationships Between Oak Tree Growth and Climate in Britain. *Journal of Ecology* 70: 297–304.
- Pilcher, J.R. and M.A.R. Munro. 1987. Long Composite Chronologies as Indicators of Background Variations in Tree Growth. In: L. Kairiukstis *et al.* (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Pilcher, J.R., M.G.L. Baillie, J. Hillam, and G.W. Pearson. 1977. A Long Sub-Fossil Oak Tree-Ring Chronology from the North of Ireland. *New Phytologist* 79: 713–729.
- Pilcher, J.R., M.G.L. Baillie, B. Schmidt, and B. Becker. 1984. A 7,272-Year Tree-Ring Chronology for Western Europe. *Nature* 312(5990): 150–152.
- Pittock, A.B. 1982. Climatic Reconstructions from Tree-Rings. In: M.K. Hughes *et al.* (eds.), *Climate from Tree Rings*. Cambridge University Press, Cambridge, UK.
- Pogocyan, Kh.P. 1974. Influence of Big Cities on Meteorology Regime. *Meteorology and Hydrology* 10: 3–8 [in Russian].
- Polge, H. 1963. L'Analyse Densitométrique de Clichés Radiographiques: Une nouvelle Méthode de Détermination de la Texture du Bois. *Annales de l'Ecole Nationale des Eaux et Forêts de la Station de Recherches et Expériences* 20: 530–581.
- Polge, H. 1966. Etablissement des Courbes de Variation de la Densité du Bois par Exploration Densitométrique de Radiographies d'Échantillons Prelevés à la Tarière sur des Arbres Vivants. *Annales des Sciences Forestières* 23: 1–206.
- Polge, H. 1978. Fifteen Years of Wood Radiation Densitometry. *Wood Science and Technology* 12(3): 187–196.
- Pollanschütz, J. 1962. Rauchschadensfeststellung unter besonderer Berücksichtigung von Bohrkernanalysen. Allg. Forstztg. 73, Beilage Inform. Dienst Forstl. Bundesversuchsanst. Mariabrunn, 55. Folge, 1–4.
- Polyushkin, Yu.V. 1979. Variability of Radial Stand Growth as a Source of Information for Ecosystem Dynamics Prediction. In: *Problems of Prognostic Investigations of Natural Phenomena*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].

- Polyushkin, Yu.V., N.V. Larionov, and B.R. Martinov. 1977. Drought Periodicity and Tree Growth Oscillation in the South of the Tumen Region. In: *Long-term Progresses of Natural Phenomena*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Preisendorfer, R.W., F.W. Zwiers, and T.P. Barnett. 1981. *Foundations of Principal Components Selection Rules*. SIO Reference Series 81-4, Scripps Institution of Oceanography, La Jolla, CA, USA.
- Puckett, L.J. 1982. Acid Rain, Air Pollution, and Tree Growth in Southeastern New York. *Journal of Environmental Quality* 11(3): 376-380.
- Quirk, J.T. 1975. Dot-Grid Integrating Eyepiece: Two Sampling Techniques for Estimating Cell Wall Areas. *Wood Science* 8: 88-91.
- Quirk, J.T. 1981. Semiautomated Recording of Wood Cell Dimensions. *Forest Science* 27: 336-338.
- Quirk, J.T. 1984. Cell-Wall Density of Douglas-Fir by Two Optometric Methods. *Wood and Fiber Science* 16: 224-236.
- Raouane, M. 1985. *Etude Dendroclimatologique du Chêne Zeen (Quercus canariensis Willd.) du Rif Occidental et du Moyen Atlas au Maroc*. Ph.D. Thesis, Université d'Aix-Marseille III, Marseille, France.
- Raynauld, D. and J.M. Barnola. 1985. An Antarctic Ice Core Reveals Atmospheric CO₂ Variations Over the Past Few Centuries. *Nature* 315: 309-310.
- Rehfuess, K.E. and C. Bosch. 1987. *Experimentelle Überprüfung der Auswirkungen eines Witterungsstressses in Expositions-kammern*. GSF-Bericht 10/87, Munich, Germany, F.R.
- Reilly, D.P. 1984a. Smart Software for Time Series Data Analysis. *The American Statistician* 38: 315-317.
- Reilly, D.P. 1984b. *Automatic Intervention Detection System*. Proceedings of the Business Economic Statistics Section, American Statistical Association, Philadelphia, PA, USA.
- Richardson, D.D. 1964. The External Environment and Tracheid Size in Conifers. In: M. Zimmerman (ed.), *The Formation of Wood in Forest Trees*. Academic Press, New York, NY, USA.
- Robinson, E.A. and S. Treital. 1980. *Geophysical Signal Analysis*. Prentice Hall, Englewood Cliffs, NJ, USA.
- Robinson W.J. and R. Evans. 1980. A Microcomputer-Based Tree-Ring Measuring System. *Tree-Ring Bulletin* 40: 59-64.
- Robitaille, G. 1981. Heavy Metal Accumulation in the Annual Rings of Balsam Fir *Abies balsamea* (L.) Mill. *Environmental Pollution, Series B* 2: 193-202.
- Rohle, H. 1986. Waldschaden und Zuwachsreaktion - dargestellt am Beispiel geschädigter Fichtenbestände im Nationalpark Bayerischer Wald. *Forstwissenschaftliches Centralblatt* 105: 115-122.
- Rolfe, G.L. 1974. Lead Distribution in Tree Rings. *Forest Science* 20: 283-286.
- Rose, M.R. 1983. *Time Domain Characteristics of Tree-Ring Chronologies and Eigenvector Amplitude Series from Western North America*. Technical Note No. 25. Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- Rosenberg, G.S. and P.A. Feklistov. 1982. Prediction of Annual Growth of Arboreal Plants by the Methods of Self-Organization. *Soviet Journal of Ecology* 4: 43-51 [in Russian].
- Round, J.M., D.A. Jones, and R.H.T. Edwards. 1982. A Flexible Microprocessor System for the Measurement of Cell Size. *Journal of Clinical Pathology* 35: 620-624.

- Rowe, J.S. 1972. *Forest Regions of Canada*. Publication 1300, Forest Service, Department of the Environment, Ottawa, Ontario, Canada.
- Rudakov, V.E. 1951. *Method of Investigation of the Effects of Climatic Changes on Annual Ring Width in Trees*. Proceedings of the Armenian Academy of Sciences, Vol. 13, N3, USSR [in Russian].
- Rudakov, V.E. 1958. About the Method of Investigation of the Effects of Climatic Changes on Annual Tree Ring Width. *Botanical Journal* 43(12): 1708-1712 [in Russian].
- Rudakov, V.E. 1961. *Tree Growth and Climatic Elements*. Proceedings of the USSR Academy of Sciences, Vol. 137, N4, Moscow, USSR [in Russian].
- Runkle, J.R. 1985. Disturbance Regimes in Temperate Forests. In: S.T.A. Pickett and P.S. White (eds.), *The Ecology of Natural Disturbance and Patch Dynamics*. Academic Press, Orlando, FL, USA.
- Sabirov, R.N. 1986. Dendroclimatic Analysis of Radial Growth of Coniferous Dominant Species in the South of the Primorski Territory. In: *Dendrochronology and Dendroclimatology*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Sauvala, K. 1982. Wood Microdensitometry Bibliography. *Wood Microdensitometry Bulletin* 2(1): 55.
- Schlaepfer, R. 1986. Relationship Between Diameter Growth and Crown Parameters, in Particular Foliage Loss, of *Picea abies* and *Abies alba*: Results of a Pilot Study in Switzerland. In: T. Fujimori and D. Whitehead (eds.), *Proceedings of Crown and Canopy Structure in Relation to Productivity*. Forestry and Forest Products Research Institute, Ibaraki, Japan.
- Schulman, E. 1944. Notes on Dendrochronologies at the Arnold Arboretum. *Tree-Ring Bulletin* 10: 30-32.
- Schulman, E. 1945a. *Tree-Ring Hydrology of the Colorado Basin*. University of Arizona Bulletin 16(4), Laboratory of Tree-Ring Research Bulletin No. 2, Tucson, AZ, USA.
- Schulman, E. 1945b. Tree-Rings and Runoff in the South Platte River Basin. *Tree-Ring Bulletin* 11: 18-24.
- Schulman, E. 1947. *Tree-ring Hydrology in Southern California*. University of Arizona Bulletin 183, Tucson, AZ, USA.
- Schulman, E. 1949a. Early Chronologies in the San Juan Basin. *Tree-Ring Bulletin* 15: 24-32.
- Schulman, E. 1949b. An Extension of the Durango Chronology. *Tree-Ring Bulletin* 16(2): 12-16.
- Schulman, E. 1950. Dendroclimatic Histories in the Bryce Canyon Area, Utah. *Tree-Ring Bulletin* 17: 2-16.
- Schulman, E. 1951. Tree-Ring Indices of Rainfall, Temperature, and River Flow. In: T.F. Malone (ed.), *Compendium of Meteorology*, American Meteorological Society, Boston, MA, USA.
- Schulman, E. 1952a. Extension of the San Juan Chronology to B.C. Times. *Tree-Ring Bulletin* 18: 30-35.
- Schulman, E. 1952b. Definitive Dendrochronologies: A Progress Report. *Tree-Ring Bulletin* 18(2-3): 10-18.
- Schulman, E. 1956. *Dendroclimatic Changes in Semiarid America*. University of Arizona Press, Tucson, AZ, USA.
- Schumacher, F.X. and B.B. Day. 1939. The Influence of Precipitation upon the Width of Annual Rings of Certain Timber Trees. *Ecological Monographs* 9: 387-429.

- Schweingruber, F.H. 1980. Dichteschwankungen in Jahrringen von Nadelhölzern in Beziehung zu klimatisch-ökologischen Faktoren, oder das Problem der falschen Jahrringe. Eidgenössische Anstalt für das Forstliche Versuchswesen, *Berichte* 213: 35.
- Schweingruber, F.H. 1983. *Der Jahrring*. Verlag Haupt, Bern-Stuttgart, Germany, F.R.
- Schweingruber, F.H. 1985. Dendroecological Zones in the Coniferous Forests of Europe. *Dendrochronologia* 3: 67-75.
- Schweingruber, F.H. 1986. Abrupt Growth Changes in Conifers. *IAWA Bulletin* 7: 277-283.
- Schweingruber, F.H. 1988. *Tree Rings: Basics and Applications of Dendrochronology*. Kluwer Academic Publishers, Dordrecht, Netherlands.
- Schweingruber, F.H., R. Kontic, and A. Winkler-Seifert. 1983. *Application of Annual Ring Analysis in Investigations of Conifer Dieback in Switzerland*. Swiss Institute of Forestry Research Report 253, Birmensdorf, Switzerland [in German].
- Schweingruber, F.H., H.C. Fritts, O.U. Braeker, L.G. Drew, and E. Schaer. 1978. The X-ray Technique as Applied to Dendroclimatology. *Tree-Ring Bulletin* 38: 61-91.
- Schweingruber, F.H., H. Albrecht, M. Beck, J. Hessel, K. Joos, R. Kontic, K. Lange, M. Niederer, C. Nippel, S. Spang, A. Spinnler, B. Steiner, and A. Winkler-Seifert. 1986. Abrupte Zuwachsschwankungen in Jahrringabfolgen als ökologische Indikatoren. *Dendrochronologia* 4: 125-183.
- Scott, D. 1972. Correlation Between Tree-Ring Width and Climate in Two Areas of New Zealand. *Journal of the Royal Society of New Zealand* 2: 545-560.
- Scott, S.D. 1964. Notes on Archaeological Tree-Ring Dating in New Zealand. *New Zealand Archaeological Association Newsletter* 7: 34-35.
- Scott, J.T., T.G. Siccama, A.H. Johnson, and A.R. Breisch. 1984. Decline of Red Spruce in the Adirondacks, New York. *Bulletin of the Torrey Botanical Club* 111: 438-444.
- Sells, J. 1978. Quantitative automatische Bildanalyse in der Materialprüfung: Prinzip, Systemaufbau, Anwendung. *Material und Technik* 6: 79-83.
- Serre, F. 1978. The Dendroclimatological Value of the European Larch (*Larix decidua* Mill.) in the French Maritime Alps. *Tree-Ring Bulletin* 38: 25-33.
- Serre, F., H.B. Lück, and A. Pons. 1966. Premières Recherches sur les Relations entre les Variations des Anneaux Ligneux chez *Pinus halepensis* Mill. et les Variations Annuelles du Climat. [First Investigations on the Relationship between the Variations of Annual Rings of *Pinus halepensis* Mill. and the Annual Variations of Climate.] *Oecologia Plantarum* 1(1): 117-135.
- Serre-Bachet, F. 1982. Analyse Dendroclimatologique Comparée de Quatre Espèces de Pins et du Chêne Pubescent dans la Région de la Gardiole près Rians (Var. France). *Ecologia Mediterranea* 8(3): 167-183.
- Serre-Bachet, F. 1985. Une Chronologie Plurisculaire du Sud de l'Italie. *Dendrochronologia* 3: 45-66.
- Serre-Bachet, F. 1987. Dendrochrono-Climatology at Marseille, France. In: L. Kairiukstis et al. (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Serre-Bachet, F. and F. Guibal. 1987. Dendroclimatologie du Meleze d'Europe (*Larix decidua* Mill.) dans les Alpes du Sud [submitted for publication].

- Serre-Bachet, F. and J. Guiot. 1987. Summer Temperature Changes from Tree Rings in the Mediterranean Area During the Last 800 Years. In: W.H. Berger and L.D. Labeyrie (eds.), *Abrupt Climatic Change*. D. Reidel, Dordrecht, Netherlands.
- Serre-Bachet, F., H.B. Luck, and A. Pons. 1966. Premières Recherches sur les Relations entre les Variations des Anneaux Ligneux chez *Pinus halepensis* Mill. et les Variations Annuelles du Climat. *Oecologia Plantarum* 1: 117-136.
- Shepard, R.K., Jr. and J.E. Shottafer. 1979. Effects of Fertilization on Specific Gravity and Growth Rate of Red Spruce (*Picea rubens* Sarg.). *Wood Science* 12: 100-102.
- Shiyatov, S.G. 1965. *Age Structure and Formation of Low-Density Larch Stands at the Upper Timberline in the Sob River Basin (Polar Urals)*. Proceedings of the Institute of Biology of the Ural Branch of the USSR Academy of Sciences, N42, USSR [in Russian].
- Shiyatov, S.G. 1967. Fluctuations of Climate and Age Structure of Stands of the Larch Forest Tundra in the Mountains of the Polar Urals. In: *Vegetation of the Forest Tundra and Means of Its Assimilation*. Nauka Publishing House, Leningrad, USSR.
- Shiyatov, S.G. 1972. Dendrochronological Studies of Spruce (*Picea abies*) in the Lower Valley of the River Taz. In: *Dendroclimate Chronology and 14C*. Proceedings of the 2nd Conference on Dendrochronology and Dendroclimatology, 25-27 September 1972, Kaunas, Lithuanian SSR [in Russian].
- Shiyatov, S.G. 1973. Dendrochronology, Its Principles and Methods. In: *Problems of Botany in the Urals*. Soviet Botanical Society, Sverdlovsk, USSR [in Russian].
- Shiyatov, S.G. 1975. *A Supersecular Cycle in the Fluctuations of Larch (Larix sibirica) Increment Indices of the Polar Limits of Forest Growth*. *Bioecological Bases of Dendrochronology. Symposium Proceedings*. 12th International Botanical Congress, Leningrad, USSR [in Russian].
- Shiyatov, S.G. 1979. Dendroscales of the Urals. In: T.T. Bitvinskas (ed.), *Dendroscales of the USSR*, Kaunas, Lithuanian SSR [in Russian].
- Shiyatov, S.G. 1980. Dating the Wooden Building by the Dendrochronological Method. In: M.I. Belov et al. (eds.), *Managazeya Sea Way*, Part 1, Leningrad, USSR [in Russian].
- Shiyatov, S.G. 1986. *Dendrochronology in the Upper Tree Line in the Urals*. Nauka Publishing House, Moscow, USSR [in Russian].
- Shiyatov, S.G. and V.S. Mazepa. 1985. Natural Fluctuations of Climate in the Eastern Region of the USSR Based on Tree-Ring Series. In: L. Kairiukstis (ed.), *Regional Resource Management*, Vol. 1, CP-86-24, International Institute for Applied Systems Analysis, Laxenburg, Austria.
- Shiyatov, S.G. and V.S. Mazepa. 1987. Some New Approaches in the Consideration of More Reliable Dendroclimatological Series and in the Analysis of Cycle Components. In: L. Kairiukstis et al. (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Shplte, E.P. 1971. *Flattening of Ring Width Series in Dendrochronological Investigations*. Proceedings of the Latvian Academy of Sciences, N11, USSR [in Russian].
- Shroder, J.R., Jr. 1980. Dendrogeomorphology: Review and New Techniques of Tree-Ring Dating. *Progress in Physical Geography* 4: 161-188.
- Shugart, H.H., M. Antonovsky, P.G. Jarvis, and A.P. Sandford. 1986. Climatic Change and Forest Ecosystems: Assessing the Response of Global Forests to Climatic Change and Direct Effects of Increasing CO₂. In: B. Bolin et al. (eds.),

- The Greenhouse Effect, Climatic Change and Ecosystems. *Scope* 29. John Wiley and Sons, New York, NY, USA.
- Shvedov, F. 1892. The Tree as a Chronicle of Droughts. *Meteorological Herald* 5: 163-178 [in Russian].
- Siccama, T.G., B.M. Bliss, and H.W. Vogelmann. 1982. Decline of Red Spruce in the Green Mountains of Vermont. *Bulletin of the Torrey Botanical Club* 109: 163-168.
- Siren, G. 1963. Tree Rings and Climate Forecasts. *New Scientist* 346: 18-20.
- Skuodiene, L. 1987. *Express-Method for Assessment of Physiological Status of a Tree in the Early Stage of Inquiry from Pollutants*. Kaunas-Girionys, Lithuanian SSR, Lithuanian Forestry Research Institute, State Committee of Forestry of the USSR [in Russian].
- Smiley, T.L. 1951. *A Summary of Tree-Ring Dates from Some Southwestern Archaeological Sites*. University of Arizona Bulletin 242, Laboratory of Tree-Ring Research Bulletin 5, Tucson, AZ, USA.
- Smiley, T.L., S.A. Stubbs, and B. Bannister. 1953. *A Foundation for Dating of Some Late Archaeological Sites in the Rio Grande Area, New Mexico: Based on Studies in Tree-Ring Methods and Pottery Analyses*. University of Arizona Bulletin 243, Laboratory of Tree-Ring Research Bulletin 6, Tucson, AZ, USA.
- Smith, D.M. 1965. *Microscopic Methods for Determining Cross-Sectional Cell Dimensions*. USDA Forest Service Paper FPL-79, Forest Products Laboratory, Madison, WI, USA.
- Smith, D.M. and R.B. Miller. 1964. Methods of Measuring and Estimating Tracheid Wall Thickness of Redwood [*Sequoia sempervirens* (D. Don) Endl.]. *Tappi* 47: 599-604.
- Solomon, A.M. and D.C. West. 1985. Potential Responses of Forests to CO₂-Induced Climatic Change. In: M.R. White (ed.), *Characterization of Information Requirements for Studies of CO₂ Effects: Water Resources, Agriculture, Fisheries, Forests, and Human Health*. US Department of Energy, Carbon Dioxide Research Division, Washington, DC, USA.
- Spirov, V.V. and I.A. Terskov. 1973. *The Morphometrical Analyzer of Wood*. Lesovedenie, N5, USSR [in Russian].
- Spirov, V.V. and I.A. Terskov. 1987. Analyzer of Layered Structures. In: V.C. LaMarche, Jr., and M.I. Gibson (eds.), *Soviet Publications in Dendrochronology III Translations of Recent Articles*, Tree-Ring Society, University of Arizona, Tucson, AZ, USA.
- Stallings, W.S., Jr. 1939. *Dating Prehistoric Ruins by Tree-Rings*. Laboratory of Anthropology, General Series, Bulletin 8, University of Arizona, Tucson, AZ, USA.
- Stewart, M.N. 1913. Relation of Precipitation to Tree Growth. *Monthly Weather Review* 41: 1287.
- Stockton, C.W. 1975. *Long-Term Streamflow Records Reconstructed from Tree Rings*. Papers of the Laboratory of Tree-Ring Research No. 5. University of Arizona Press, Tucson, AZ, USA.
- Stockton, C.W. 1981. *Tree Rings, Drought, and Solar Cycles*. Paper presented at a meeting of Working Group VIII held in Vilnius, Lithuanian SSR.
- Stockton, C.W., W.R. Boggess, and D.M. Meko. 1985. Climate and Tree Rings. In: Alan D. Hecht (ed.), *Paleoclimate Analysis and Modeling*. John Wiley and Sons, New York, NY, USA.

- Stoekhardt, A. 1871. Untersuchungen über die schädliche Wirkung des Hütten- und Steinkohlenrauches auf das Wachstum der Pflanzen, insbesondere der Fichte und Tanne. *Tharandter Forstliches Jahrbuch* 21: 218–254.
- Stokes, M.A. and T.L. Smiley. 1968. *An Introduction to Tree-Ring Dating*. University of Chicago Press, Chicago, IL, USA.
- Stokes, M.A., L.G. Drew, and C.W. Stockton (eds.) 1973. *Tree-Ring Chronologies of Western America, I: Selected Tree-Ring Stations*. Chronology Series 1, Laboratory of Tree-Ring Research, University of Arizona, Tucson, AZ, USA.
- Stone, M. 1974. Cross-Validatory Choice and Assessment of Statistical Predictions. *Journal of the Royal Statistical Society (B)*36(2): 11–147.
- Strain, B.R. and J.D. Cure (eds.). 1985. *Direct Effects of Increasing Carbon Dioxide on Vegetation*. US Department of Energy, Carbon Dioxide Research Division, (DOE/ER-0238), Washington, DC, USA.
- Strand, L. 1980a. *Acid Precipitation and Regional Tree-Ring Analysis*. Internal Report 73/80, SNSF Project, Oslo, Norway.
- Strand, L. 1980b. The Effect of Acid Precipitation on Tree Growth. In: D. Drablos and A. Tollan (eds.), *Ecological Impact of Acid Precipitation*. SNSF Project, Oslo, Norway.
- Stravinskiene, V. 1979. Dendroscales for Bogged Up and Boggy Forests of the Lithuanian SSR. In: *Dendroscales of the USSR*. Kaunas, Lithuanian SSR [in Russian].
- Stravinskiene, V. 1981. *Dendrochronological Analysis of Tree-Ring Increment of the Moist Forest of the Lithuanian SSR*. Ph.D. Dissertation, Lithuanian Forest Research Institute [in Russian].
- Stuiver, M., B. Kromer, B. Becker, and C.W. Ferguson. 1986. Radiocarbon Age Calibration Back to 13,300 Years B.P. and the 14C Age Matching of the German Oak and US Bristlecone Pine Chronologies. *Radiocarbon* 28(2B): 969–979.
- Stupneva, A. and T. Bitvinskas. 1978. Pine Growth Dynamics and Spectral Analysis at the Different Sections of the Murmansk–Carpathian Profile. In: *Environments and Radial Tree Growth*. Kaunas, Lithuanian SSR [in Russian].
- Suess, H.E. 1970. Bristlecone Pine Calibration of the Radiocarbon Time Scale from 5200 B.C. to the Present. In: I.U. Olsson (ed.), *Radiocarbon Variation and Absolute Chronology*. Almqvist and Wiksell, Stockholm, Sweden.
- Suess, H.E. 1978. La Jolla Measurements of Radiocarbon in Tree-Ring Dated Wood. *Radiocarbon* 20: 1–18.
- Sundberg, R. 1974. On the Estimation of Pollution-Caused Growth Reduction in Forest Trees. In: J.W. Pratt (ed.), *Statistical and Mathematical Aspects of Pollution Problems*. Marcel Dekker, New York, NY, USA.
- Svirezhev, J.M. and D.O. Logofet. 1978. *Stability of the Biological Communities*. Nauka Publishing House, Moscow, USSR [in Russian].
- Swain, C. 1987. Dendrochronology of *Pinus sylvestris* L. in the British Isles. Unpublished Ph.D. Dissertation, Liverpool Polytechnic, Liverpool, England.
- Swetnam, T.W. 1987. Western Spruce Budworm Outbreaks in Northern New Mexico: Tree-Ring Evidence of Occurrence and Radial Growth Impacts from 1700 to 1983. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.

- Swetnam, T.W., M.A. Thompson, and E.K. Sutherland. 1985. *Using Dendrochronology to Measure Radial Growth of Defoliated Trees*. Agricultural Handbook No. 639, US Department of Agriculture, Washington, DC, USA.
- Swingler, D.N. 1979. A Modified Burg Algorithm for Maximum Entropy Spectral Analysis. *Proceedings of IEEE* **67**(9): 1368-1369.
- Symeonides, C. 1979. Tree-Ring Analysis for Tracing the History of Pollution: Application to a Study in Northern Sweden. *Journal of Environmental Quality* **8**(4): 482-486.
- Tarankov, V.I. 1973. Some Results of Dendrochronological Analysis of Kuril Larch (*Larix kurilensis* Mayr) in the Kamchatka River Basin. In: *Soils and Vegetation of the USSR Permafrost Regions*. Magadan, USSR [in Russian].
- Tatsuoka, M. 1974. *Multivariate Analysis: Techniques for Educational and Psychological Research*. John Wiley and Sons, New York, NY, USA.
- Telewski, F.W., A.H. Wakefield, and M.J. Jaffe. 1983. Computer-Assisted Image Analysis of Tissues of Ethrel-Treated *Pinus taeda* Seedlings. *Plant Physiology* **72**: 177-181.
- Telewski, F.W., J.M. Burns, and L.D. Ulan. 1987. A Thin-Section Technique For X-ray Densitometric Analysis of Narrow Tree-Ring Series. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Teriskov, I.A., E.A. Vaganov, and I.V. Sviderskaya. 1981. Tree-Ring Tracheidogram as a Characteristic of Seasonal Growth Rate of a Tree. *Izv. SO AN SSSR* **10**: 22-29.
- Tessier, L. 1981. Contribution Dendroclimatique à la Connaissance Écologique du Peuplement Forestier des Environs des Chalets de l'Orgre (Parc National de la Vanoise). *Travaux Scientifiques du Parc de la Vanoise* **11**: 29-61.
- Tessier, L. 1984. *Dendroclimatologie et Ecologie de Pinus sylvestris L. et Quercus pubescens Willd. dans le Sud-Est de la France*. Thesis, Université d'Aix-Marseille III, Marseille, France.
- Tessier, L. 1986. Approche Dendroclimatologique de l'Écologie de *Pinus sylvestris* L. et *Quercus pubescens* Willd. dans le Sud-Est de la France. *Acta Oecologica, Oecologia Plantarum* **7**(4): 339-355.
- Tessier, L. 1987a. Dendroclimatological Approach to the Ecology of *Quercus pubescens* Willd. and *Pinus sylvestris* L. in the French Mediterranean Area. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Tessier, L. 1987b. Analyse Spatio-Temporelle des Fonctions de Reponse [submitted for publication].
- Thompson, M.A. 1981. Tree Rings and Air Pollution: A Case Study of *Pinus monophylla* Growing in East-Central Nevada. *Environmental Pollution (Series A)* **26**: 251-266.
- Thornthwaite, C.W. and J.R. Mather. 1957. Instructions and Tables for Computing Potential Evapotranspiration and Water Balance. *Drexel Institute of Technology Publication in Climatology* **10**: 185-311.
- Tian Tan Kia and N.W. Lepp. 1977. Further Studies on the Development of Tree-Ring Analysis as a Method for Concentration of Heavy Metal Pollution Histories. In: D.D. Hemphill (ed.), *Trace Substances in Environmental Health*, Columbia, University Press, New York, NY, USA.

- Tiao, G.C. 1985. *Autoregressive-Moving Average Models, Intervention Problems and Outlier Detection in Time Series*. Technical Report 27, Graduate School of Business, University of Chicago, Chicago, IL, USA.
- Tikhonov, A.N. and V.Ya. Arsenin. 1979. *Methods of Solution of Uncorrelated Problems*. Nauka Publishing House, Moscow, USSR [in Russian].
- Till, C. 1984. A Synthesis of Response Functions from Eight Cedar Forests Located in Northern Africa. *Dendrochronologia* 2: 73-82.
- Till, C. 1985. *Recherches Dendrochronologiques sur le Cèdre de l'Atlas (Cedrus atlantica (Endl.) Carriere) au Maroc*. Thesis, Université Catholique de Louvain-la-Neuve, Louvain, Belgium.
- Tolsky, A.P. 1936. *On the Exposure of Climatic Changes on the Basis of Tree Growth Analysis*. Proceedings on Agricultural Meteorology, N24, USSR [in Russian].
- Tomassone, R., E. Lesquoy, and C. Millier. 1983. *La Régression, Nouveaux Regards sur une Ancienne Méthode Statistique*. Massin et Cie, Paris, France.
- Treshow, M., E.K. Sutherland, and J.P. Bennett. 1987. Tolerance and Susceptibility in Air Pollution, a New Direction in Sampling Strategy: A Case Study of *Pinus strobus* L. in Acadia National Park, Maine. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Tsay, R.S. 1986. Time Series Specification in the Presence of Outliers. *Journal of the American Statistical Association* 81: 132-141.
- Tsoumis, G. 1964. Microscopic Measurement of the Amount of Cell Wall Substance in Wood and Its Relationship to Specific Gravity. *Tappi* 47: 675-677.
- Turc, L. 1951. Nouvelle Formule pour le Calcul du Bilan de l'Eau en Fonction de Valeurs Annuelles, Moyennes, des Précipitations et de la Température. *C.R. Academie des Sciences* 233: 633-635.
- Turmanina, V.I. 1972. Peculiarities of Tree Growth Near the Elbrus Mountain. In: *Dendroclimatochronology and Radiocarbon*. Kaunas, Lithuanian SSR [in Russian].
- Turmanina, V.I. 1979. Dendrochronology of Avalanches in the Upper Reaches of the Baksan Valley. In: *Rhythms of Glacial Processes*. Moscow University Publishing House, Moscow, USSR [in Russian].
- Vaganov, E.A. 1978. *Scale Curves as a Method of Seasonal Fish Growth Analysis*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Vaganov, E.A. and I.A. Terskov. 1977. *Tree Growth Analysis by Tree-Ring Structure*. Nauka Publishing House, Siberian Division, Novosibirsk, USSR [in Russian].
- Vaganov, E.A., V.V. Smirnov, and I.A. Terskov. 1975. About the Ability Assessment of Seasonal Tree Growth in Diameter and Water Supply by Photometrical Curve. *Ecology* 2: 45-53.
- Vaganov, E.A., A.V. Shashkin, I.V. Sviderskaya, and L.G. Vjisoschkaja. 1985. *Histometric Analysis of Woody Plant Growth*. Nauka Publishing House, Siberian Division, Novosibirsk USSR [in Russian].
- Van Deusen, P.C. 1987. Some Applications of the Kalman Filter to Tree-Ring Analysis. In: G.C. Jacoby and J. Hornbeck (eds.), *Proceedings of the International Symposium on Ecological Aspects of Tree-Ring Analysis*. CONF-8608144. National Technical Information Service, US Department of Commerce, Springfield, VA, USA.
- Veblen, T.T. 1982. Regeneration Patterns in *Araucaria araucana* Forests in Chile. *Journal of Biogeography* 9: 11-28.

- Veblen, T.T. 1985. Stand Dynamics in Chilean *Nothofagus* Forests. In: S.T.A. Pickett and P.S. White (eds.), *The Ecology of Natural Disturbance and Patch Dynamics*. Academic Press, Orlando, FL, USA.
- Veblen, T.T. and G.H. Stewart. 1982. On the Conifer Regeneration Gap in New Zealand: The Dynamics of *Libocedrus bidwillii* Stands on South Island. *Journal of Ecology* 70: 413-436.
- Vegetation Cover of the USSR. Explanations to the "Geobotanical Map,"* Scale 1:400000 1956, Vols. 1 and 2, Moscow-Leningrad, USSR [in Russian].
- Vegetation of the European Part of the USSR*. 1980. Nauka Publishing House, Leningrad, USSR [in Russian].
- Villalba, R., J.A. Boninsegna, and R.L. Holmes. 1985. *Cedrela angustifolia* and *Juglans australis*: Two New Tropical Species Useful in Dendrochronology. *Tree-Ring Bulletin* 45: 25-35.
- Vinnikov, K.Ya., P.Ya. Groisman, E.M. Lugina, and A.A. Golubev. 1987. Variations in Northern Hemisphere Mean Surface Air Temperature. *Meteorology and Hydrology* 1: 45-55 [in Russian].
- Vinš, B. 1961. Störungen der Jahrringbildung durch Rauchschäden. *Naturwiss.* 448: 484-485.
- Vinš, B. 1963. Tree-ring Studies in Czechoslovakia. *Communicationes Instituti forestalis Cechosloveniae* 3: 192-196.
- Vinš, B. and R. Markva. 1972. *Investigation of Radial Increment of Pine Forest in the Vicinity of Fertilizer Factories*. Forstliche Bundesversuchsanstalt Vienna, Austria [in German].
- Vinš, B. and R. Markva. 1973. The Diameter Increment Losses of Pine Stands as a Result of Injurious Emissions. *Acta Universitatis Agriculturae (Brno), Series C* 42: 25-46.
- Visser, H. 1986. Analysis of Tree-Ring Data Using the Kalman Filter Technique. *IAWA Bulletin* 7(4): 289-297.
- Visser, H. and J. Molenaar. 1986. *Time-Dependent Responses of Trees to Weather Variations: An Application of the Kalman Filter*. N.V. KEMA Report No. 50385-MOA 86-3041, Arnhem, Netherlands.
- Vitels, L.A. 1977. Synoptical Fundamentals of Dendroclimatological Study. Ph.D. Dissertation, Sverdlovsk, USSR.
- Vitinskiy, Yu.I. 1963. *Prognosis of Solar Activity*. Academy of Sciences, Moscow, USSR [in Russian].
- Vitinskiy, Yu.I. 1983. *Solar Activity*, 2nd Ed. Nauka Publishing House, Moscow, USSR [in Russian].
- Walter, H. 1973. *Vegetation der Erde, I: Die tropischen und subtropischen Zonen*, Fischer Verlag, Jena, German D.R.
- Wardle, P. 1963. Vegetation Studies on Secretary Island, Fiordland, Part 5: Population Structure and Growth of Rimu (*Dacrydium cypressinum*). *New Zealand Journal of Botany* 1: 208-214.
- Warren, W.G. 1980. On Removing the Growth Trend from Dendrochronological Data. *Tree-Ring Bulletin* 40: 35-44.
- Warren, W.G. and S.L. MacWilliam. 1981. Test of a New Method for Removing the Growth Trend from Dendrochronological Data. *Tree-Ring Bulletin* 41: 55-66.
- Warrick, R.A. and R.M. Gifford (with M.L. Parry). 1986. CO₂, Climatic Change, and Agriculture. In: B. Bolin *et al.* (eds.), *The Greenhouse Effect, Climatic Change and Ecosystems*. *Scope* 29. John Wiley and Sons, New York, NY, USA.

- Warrick, R.A., H.H. Shugart, and M. Antonovsky (with J.R. Tarrant and C.J. Tucker). 1986. The Effects of Increased CO₂ and Climatic Change on Terrestrial Ecosystems: Global Perspectives, Aims and Issues. In: B. Bolin *et al.* (eds.), *The Greenhouse Effect, Climatic Change and Ecosystems*. *Scope* 29. John Wiley and Sons, New York, NY, USA.
- Watkins, T. (ed.). 1975. *Radiocarbon: Calibration and Prehistory*. Edinburgh University Press, Edinburgh, UK.
- Webb, T., III and D.R. Clarke. 1977. Calibrating Micropaleontological Data in Climatic Terms: A Critical Review. *Annals of the New York Academy of Sciences* 288: 93–118.
- Webb, T., III and T.M.L. Wigley. 1985. What Past Climates Can Tell Us About a Warmer World. In: M.C. MacCracken and F.M. Luther (eds.), *Projecting the Climatic Effects of Increasing Carbon Dioxide*. US Department of Energy, Carbon Dioxide Research Division, Washington, DC, USA.
- Weibel, E.R., C. Fisher, J. Gahm, and A. Schaeffer. 1972. Current Capabilities and Limitations of Available Stereological Techniques. *Journal of Microscopy* 95: 367.
- Wells, J.A. 1972. Ecology of *Podocarpus hallii* in Central Otago, New Zealand. *New Zealand Journal of Botany* 10: 399–426.
- Wendland, W.M. 1975. An Objective Method to Identify Missing or False Rings. *Tree-Ring Bulletin* 35: 41–47.
- Wherry, R. J. 1931. A New Formula for Predicting the Shrinkage of the Multiple Correlation Coefficient. *Annals of Mathematical Statistics* 2: 440–457.
- White, P.S. 1979. Pattern, Process, and Natural Disturbance in Vegetation. *Botanical Review* 45: 229–299.
- Wiener, N. 1949. *The Extrapolation, Interpolation, and Smoothing of Stationary Time Series with Engineering Applications*. John Wiley and Sons, New York, NY, USA.
- Wigley, T.M.L., K.R. Briffa, and P.D. Jones. 1984. On the Average Value of Correlated Time Series, with Applications in Dendroclimatology and Hydrometeorology. *Journal of Climate and Applied Meteorology* 23: 201–213.
- Wigley, T.M.L., P.D. Jones, and P.M. Kelly. 1986. Empirical Climate Studies: Warm World Scenarios and the Detection of Climatic Change Induced by Radiatively Active Gases. In: B. Bolin *et al.* (eds.), *The Greenhouse Effect, Climatic Change and Ecosystems*. *Scope* 29. John Wiley and Sons, New York, NY, USA.
- Wigley, T.M.L., P.D. Jones, and K.R. Briffa. 1987. Cross-Dating Methods in Dendrochronology. *Journal of Archaeological Science* 14: 51–64.
- Wigley, T.M.L., P.D. Jones, and K.R. Briffa. 1987. Detecting the Effects of Acid Deposition and CO₂-Fertilization on Tree Growth. In: L. Kairiukstis *et al.* (eds.), *Methods of Dendrochronology - 1*. International Institute for Applied Systems Analysis, Laxenburg, Austria, and Polish Academy of Sciences-Systems Research Institute, Warsaw, Poland.
- Wiksten, A. 1954. Method for Measuring Springwood and Summerwood in Annual Rings, III: Differentiation of Spring- and Summerwood Through Staining. *Meddel Fran Statens Skogsforsoksonstalt* 34: 476–488.
- Williams, J. 1977. *Can We Predict the Future?* PP-77-7. International Institute for Applied Systems Analysis, Laxenburg, Austria.
- Wilson, B.F. 1964. A Model for Cell Production by the Cambium of Conifers. In: M. Zimmerman (ed.), *The Formation of Wood in Forest Trees*. Academic Press, New York, NY, USA.

- Wilson, B.F. 1973. A Diffusion Model for Tracheid Production and Enlargement in Conifers. *Botanical Gazette* 134: 189-196.
- Wilson, B.F. and R.A. Howard. 1968. A Computer Model for Cambial Activity. *Forest Science* 14: 77-90.
- Wonnacott, H. and J. Wonnacott. 1981. *Regression: A Second Course in Statistics*. John Wiley and Sons, New York, NY, USA.
- Woods, F.W. and W.T. Lawhon. 1974. Gamma Densitometry of Increment Cores. *Forest Science* 20: 269-271.
- Worbes, M. 1985. Structural and Other Adaptations to Long-Term Flooding by Trees in Central Amazonia. *Amazonia* 9(3): 459-484.
- Worbes, M. 1986. Lebensbedingungen und Holzwachstum in zentralamazonischen Überschwemmungswäldern. *Scripta Geobotanica* 27.
- Yang, R.C., A. Kozak, and J.H.G. Smith. 1978. The Potential of Weibull-Type Functions as Flexible Growth Curves. *Canadian Journal of Forest Research* 8: 424-431.
- Yanosky, T.M. and C.J. Robinove. 1986. Digital Image Measurement of the Area and Anatomical Structure of Tree Rings. *Canadian Journal of Botany* 64: 2896-2902.
- Yanosky, T.M., C.J. Robinove, and M.L. Parker. 1986. *Image Analysis: The Next Generation in Dendrochronological Methodology*. Poster Session at the International Meeting on Ecological Aspects of Tree-ring Analysis. Marymount College, Tarrytown, NY, USA.
- Yavorskiy, N.H. 1977. Reflection on the 18.6-Year Cycle of the Atmospheric Tides on the Changes in Annual Growth of Trees in the Northern Boundary of the Forests. In: *Problems of Agrochemicals*. Frunze, Kirkizija SSR.
- Yokobori, M. and S. Ohta. 1983. Combined Air Pollution and Pine Ring Structure Observed Xylochronologically. *European Journal of Forest Pathology* 13(1): 30-45.
- Zacharieva, E.I. 1974. Archaeological Wood as a Historical Source (Dendrochronology of Sajano-Altai Borrows, VIII - III Centuries B.C.). Abstract of Dissertation, Leningrad, USSR [in Russian].
- Zamotorin, I.M. 1959. Relative Chronology of the Pazirik Borrows. *Soviet Archaeology* 1: 21-30 [in Russian].
- Zaozersky, S.G. 1934. Towards the Methods of Retrospective Revealing of Climatic Conditions by the Tree Growth Study. In: *Questions of Irrigation* 1, Samarkand, USSR [in Russian].
- Zhang, S.H. 1987. *Contribution à l'Étude de la Croissance en Diamètre du Chêne vert (Quercus ilex L.) en Relation avec le Climat*. Ph.D. Dissertation, Université des Sciences et Techniques du Languedoc, Montpellier, France.
- Zviedris, A. and J. Matuzanis. 1962. *Regularities of Ring-Width Tree Variations in the Latvian SSR*. Proceedings of the Latvian Academy of Sciences, N8, USSR [in Russian].
- Zviedris, A. and R. Sacinieks. 1958. *About Effects of Climatic Factors on Pine Trunk Growth in Diameter*. Proceedings of the Latvian Academy of Sciences, N5, USSR [in Russian].

The Authors

Dr. Teodoras Bitvinskas
 Chairman, USSR Dendrochronological
 Data Bank
 Lithuanian Academy of Sciences
 Lietuvos TSR Mokslu Akademija
 Lenino pr. 3, Lietuvus TSR
 232600 Vilnius TR-I,
 Lithuanian SSR
 USSR

Dr. Keith Briffa
 Climatic Research Unit
 University of East Anglia
 Norwich NR4 7TJ
 England

Dr. Edward Cook
 Tree-Ring Laboratory
 Lamont-Doherty Geological Observatory
 Columbia University
 Palisades, NY 10964
 USA

Dr. Darryl J. Downing
 Computer & Telecommunications
 Division
 Oak Ridge National Laboratory
 Martin Marietta Energy Systems, Inc.
 Oak Ridge, TN 37831
 USA

Prof. J. Dubinskaite
 Lithuanian Research Institute of Forestry
 Kaunas-Girionys
 USSR

Prof. Dr. Dieter Eckstein
 Institute for Wood Biology
 University of Hamburg
 Leuschnerstraße 91D
 D-2050 Hamburg 80
 Federal Republic of Germany

Prof. Harold C. Fritts
 Laboratory of Tree-Ring Research
 University of Arizona
 Tucson, AZ 85721
 USA

Dr. Geoffrey A. Gordon
 Institute of Quaternary Studies
 University of Maine
 Orono, ME 04473
 USA

Dr. Joel Guiot
 Laboratoire de Botanique
 Historique et Palynologie
 U.A. CNRS no 1152
 Rue Henri Poincarre
 F-13397 Marseille Cedex 13
 France

Dr. John Innes
 Forestry Commission
 Forest Research Station
 Wrecclesham, Farnham
 Surrey GU10 4LH
 England

Dr. R. Jagels
 Department of Forest Biology
 201 Nutting Hall
 Orono, ME 04469
 USA

Dr. Philip Jones
 Climate Research Unit
 University of East Anglia
 Norwich NR4 7TJ
 England

Acad. Leonardas Kairiukstis
 Lithuanian Research Institute of Forestry
 Kaunas-Girionys
 Lithuanian SSR 234312
 USSR

Dr. W.B. Kincaid
 Department of Botany
 Arizona State University
 Tempe, AZ 85287
 USA

Prof. G. Kocharov
 Physical-Technical Institute "Jioffe"
 Politechnicheskaya 26
 Leningrad K-21
 USSR

Prof. V.G. Kolishchuk
 Forest Technical Institute
 O. Koblylanska 1
 290005 Lvov
 Ukrainian SSR
 USSR

Prof. V.S. Mazepa
Institute of Plant & Animal Ecology
Ural Scientific Center
USSR Academy of Sciences
8 March Street 202
Sverdlovsk 620008
USSR

Dr. S.B. McLaughlin
Environmental Sciences Division
Oak Ridge National Laboratory
Martin Marietta Energy Systems, Inc.
Oak Ridge, TN 37831
USA

Dr. J. Molenaar
Mathematics Consulting Department
Catholic University
Toernooiveld
6525 ED Nijmegen
The Netherlands

Dr. Thomas H. Nash III
Department of Botany and Microbiology
Arizona State University
Tempe, AZ 85287
USA

Dr. David Norton
Forestry School
University of Canterbury
Private Bag
Christchurch
New Zealand

Dr. John Ogden
Department of Botany
University of Auckland
Private Bag
Auckland
New Zealand

Dr. Jon Pilcher
Palaeoecology Centre
Queen's University
Belfast BT7 1NN
Northern Ireland
United Kingdom

Dr. William J. Robinson
Laboratory of Tree-Ring Research
University of Arizona
Tucson, AZ 85721
USA

Prof. Fritz Schweingruber
Swiss Federal Institute
of Forestry Research
Birmensdorf
Switzerland

Dr. F. Serre-Bachet
Laboratoire de Botanique
Historique et Palynologie
U.A. CNRS no 1152
Rue Henri Poincarre
F-13397 Marseille Cedex 13
France

Dr. S.G. Shiyatov
Institute of Plant & Animal Ecology
Ural Scientific Center
USSR Academy of Sciences
8 March Street 202
Sverdlovsk 620008
USSR

Dr. Frank Telewski
Laboratory of Tree-Ring Research
University of Arizona
Tucson, AZ 85721
USA

Dr. Lucien Tessier
Laboratoire de Botanique
Historique et Palynologie
U.A. CNRS no 1152
Rue Henri Poincarre
F-13397 Marseille Cedex 13
France

Dr. E.A. Vaganov
Institute of Biophysics
USSR Academy of Sciences
Siberian Branch
Academgorodok
660036 Krasnoyarsk
USSR

Dr. Hans Visser
K.E.M.A.
P.O. Box 9035
6800 ET Arnhem
The Netherlands

Dr. Martin Worbes
Institute für Tropischen Waldbau
Busgenweg 1
3400 Göttingen
Federal Republic of Germany